

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD100620\
 Data File : VD067120.D
 Acq On : 06 Oct 2020 21:45
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 07 02:01:23 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D100120S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 01 15:19:17 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	76	0.00
2 T	Dichlorodifluoromethane	0.454	0.432	4.8	76	0.00
3 P	Chloromethane	0.398	0.332	16.6	67	0.00
4 C	Vinyl Chloride	0.399	0.356	10.8#	70	0.00
5 T	Bromomethane	0.291	0.275	5.5	76	0.00
6 T	Chloroethane	0.243	0.232	4.5	74	0.00
7 T	Trichlorofluoromethane	0.887	0.835	5.9	74	0.00
8 T	Diethyl Ether	0.220	0.215	2.3	72	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.501	0.465	7.2	73	0.00
10 T	Methyl Iodide	0.487	0.519	-6.6	78	0.00
11 T	Tert butyl alcohol	0.041	0.025	39.0#	68	0.00
12 CM	1,1-Dichloroethene	0.471	0.442	6.2#	72	0.00
13 T	Acrolein	0.032	0.027	15.6	68	0.00
14 T	Allyl chloride	0.612	0.550	10.1	66	0.00
15 T	Acrylonitrile	0.081	0.078	3.7	72	0.00
16 T	Acetone	0.074	0.064	13.5	64	-0.01
17 T	Carbon Disulfide	1.447	1.313	9.3	70	0.00
18 T	Methyl Acetate	0.185	0.176	4.9	72	0.00
19 T	Methyl tert-butyl Ether	0.860	0.894	-4.0	74	0.00
20 T	Methylene Chloride	0.670	0.532	20.6#	73	0.00
21 T	trans-1,2-Dichloroethene	0.536	0.520	3.0	73	0.00
22 T	Diisopropyl ether	1.118	1.060	5.2	68	0.00
23 T	Vinyl Acetate	0.633	0.620	2.1	67	0.00
24 P	1,1-Dichloroethane	0.863	0.816	5.4	72	0.00
25 T	2-Butanone	0.104	0.094	9.6	68	0.00
26 T	2,2-Dichloropropane	0.828	0.724	12.6	70	0.00
27 T	cis-1,2-Dichloroethene	0.573	0.573	0.0	75	0.00
28 T	Bromochloromethane	0.333	0.312	6.3	66	0.00
29 T	Tetrahydrofuran	0.060	0.055	8.3	66	0.00
30 C	Chloroform	0.936	0.935	0.1#	77	0.00
31 T	Cyclohexane	0.723	0.592	18.1	64	0.00
32 T	1,1,1-Trichloroethane	0.867	0.860	0.8	76	0.00
33 S	1,2-Dichloroethane-d4	0.482	0.485	-0.6	74	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	78	0.00
35 S	Dibromofluoromethane	0.327	0.335	-2.4	75	0.00
36 T	1,1-Dichloropropene	0.466	0.428	8.2	70	0.00
37 T	Ethyl Acetate	0.161	0.145	9.9	69	0.00
38 T	Carbon Tetrachloride	0.504	0.504	0.0	76	0.00
39 T	Methylcyclohexane	0.493	0.468	5.1	68	0.00
40 TM	Benzene	1.294	1.261	2.6	75	0.00
41 T	Methacrylonitrile	0.087	0.082	5.7	67	0.00
42 TM	1,2-Dichloroethane	0.362	0.362	0.0	77	0.00
43 T	Isopropyl Acetate	0.297	0.276	7.1	69	0.00
44 TM	Trichloroethene	0.387	0.385	0.5	77	0.00
45 C	1,2-Dichloropropane	0.304	0.299	1.6#	73	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD100620\
 Data File : VD067120.D
 Acq On : 06 Oct 2020 21:45
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 07 02:01:23 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D100120S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 01 15:19:17 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.175	0.177	-1.1	75	0.00
47 T	Bromodichloromethane	0.454	0.472	-4.0	79	0.00
48 T	Methyl methacrylate	0.152	0.136	10.5	62	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	71	0.00
50 S	Toluene-d8	1.193	1.176	1.4	70	0.00
51 T	4-Methyl-2-Pentanone	0.148	0.142	4.1	69	0.00
52 CM	Toluene	0.834	0.846	-1.4#	75	0.00
53 T	t-1,3-Dichloropropene	0.406	0.414	-2.0	75	0.00
54 T	cis-1,3-Dichloropropene	0.496	0.490	1.2	74	0.00
55 T	1,1,2-Trichloroethane	0.243	0.248	-2.1	77	0.00
56 T	Ethyl methacrylate	0.251	0.271	-8.0	74	0.00
57 T	1,3-Dichloropropane	0.394	0.401	-1.8	76	0.00
58 T	2-Chloroethyl Vinyl ether	0.140	0.146	-4.3	73	0.00
59 T	2-Hexanone	0.099	0.095	4.0	68	0.00
60 T	Dibromochloromethane	0.324	0.348	-7.4	80	0.00
61 T	1,2-Dibromoethane	0.233	0.245	-5.2	77	0.00
62 S	4-Bromofluorobenzene	0.405	0.405	0.0	73	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	78	0.00
64 T	Tetrachloroethene	0.364	0.353	3.0	77	0.00
65 PM	Chlorobenzene	0.994	0.998	-0.4	78	0.00
66 T	1,1,1,2-Tetrachloroethane	0.378	0.391	-3.4	80	0.00
67 C	Ethyl Benzene	1.704	1.744	-2.3#	76	0.00
68 T	m/p-Xylenes	0.664	0.669	-0.8	75	0.00
69 T	o-Xylene	0.594	0.611	-2.9	75	0.00
70 T	Styrene	1.020	1.082	-6.1	77	0.00
71 P	Bromoform	0.196	0.214	-9.2	83	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	81	0.00
73 T	Isopropylbenzene	3.395	3.414	-0.6	76	0.00
74 T	N-amyl acetate	0.610	0.565	7.4	71	0.00
75 P	1,1,2,2-Tetrachloroethane	0.572	0.536	6.3	75	0.00
76 T	1,2,3-Trichloropropane	0.436	0.351	19.5	62	0.00
77 T	Bromobenzene	0.820	0.838	-2.2	82	0.00
78 T	n-propylbenzene	4.012	3.945	1.7	74	0.00
79 T	2-Chlorotoluene	2.296	2.274	1.0	77	0.00
80 T	1,3,5-Trimethylbenzene	2.868	2.940	-2.5	77	0.00
81 T	trans-1,4-Dichloro-2-butene	0.175	0.169	3.4	76	0.00
82 T	4-Chlorotoluene	2.442	2.397	1.8	77	0.00
83 T	tert-Butylbenzene	2.415	2.454	-1.6	78	0.00
84 T	1,2,4-Trimethylbenzene	2.863	2.926	-2.2	78	0.00
85 T	sec-Butylbenzene	3.402	3.394	0.2	76	0.00
86 T	p-Isopropyltoluene	3.154	3.178	-0.8	77	0.00
87 T	1,3-Dichlorobenzene	1.597	1.565	2.0	79	0.00
88 T	1,4-Dichlorobenzene	1.597	1.549	3.0	79	0.00
89 T	n-Butylbenzene	2.882	2.795	3.0	73	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD100620\
Data File : VD067120.D
Acq On : 06 Oct 2020 21:45
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Oct 07 02:01:23 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D100120S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 01 15:19:17 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.552	0.542	1.8	77	0.00
91 T	1,2-Dichlorobenzene	1.395	1.377	1.3	79	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.092	0.089	3.3	76	0.00
93 T	1,2,4-Trichlorobenzene	0.902	0.949	-5.2	80	0.00
94 T	Hexachlorobutadiene	0.554	0.569	-2.7	81	0.00
95 T	Naphthalene	1.505	1.657	-10.1	80	0.00
96 T	1,2,3-Trichlorobenzene	0.783	0.815	-4.1	78	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6