

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD100621\
 Data File : VD070600.D
 Acq On : 06 Oct 2021 18:23
 Operator : VA/SY
 Sample : M4118-04
 Misc : 5.04G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 CONCRETE-100621-02

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D100521S.M

Title : SW846 8260

Signal : TIC: VD070600.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	4.967	505	518	530	rBV3	44967	145706	5.76%	0.982%
2	5.991	681	692	701	rBV7	12611	41527	1.64%	0.280%
3	7.208	889	899	910	rBV3	25835	68667	2.71%	0.463%
4	7.914	1009	1019	1024	rBV	330219	806640	31.87%	5.437%
5	7.979	1024	1030	1042	rVB	545706	1207646	47.71%	8.140%
6	8.326	1080	1089	1101	rBV	289190	643907	25.44%	4.340%
7	8.861	1171	1180	1190	rBV	870546	1731828	68.42%	11.673%
8	10.332	1421	1430	1446	rBV	1408877	2531013	100.00%	17.060%
9	10.714	1490	1495	1502	rVB3	22440	41287	1.63%	0.278%
10	10.867	1514	1521	1529	rBV	331012	605589	23.93%	4.082%
11	11.238	1580	1584	1592	rVB3	25685	42894	1.69%	0.289%
12	11.344	1597	1602	1607	rBV5	15210	26720	1.06%	0.180%
13	11.426	1607	1616	1626	rVB6	29172	82717	3.27%	0.558%
14	11.520	1626	1632	1638	rBV2	29724	51362	2.03%	0.346%
15	11.638	1643	1652	1663	rBV	1271882	2159170	85.31%	14.553%
16	11.849	1684	1688	1691	rBV3	33394	46303	1.83%	0.312%
17	12.144	1731	1738	1749	rBV8	30304	94894	3.75%	0.640%
18	12.261	1750	1758	1762	rVB	39873	67786	2.68%	0.457%
19	12.373	1762	1777	1788	rBV7	41802	150455	5.94%	1.014%
20	12.620	1813	1819	1830	rVB	947875	1569688	62.02%	10.580%
21	12.785	1843	1847	1855	rVB6	31227	59322	2.34%	0.400%
22	12.867	1855	1861	1866	rBV9	12487	33883	1.34%	0.228%
23	12.938	1866	1873	1880	rVV4	79888	171910	6.79%	1.159%
24	12.996	1880	1883	1889	rVB6	15736	25628	1.01%	0.173%
25	13.173	1908	1913	1922	rVB2	50452	97682	3.86%	0.658%
26	13.455	1953	1961	1964	rBV7	25448	55991	2.21%	0.377%
27	13.496	1964	1968	1971	rVV3	23429	37271	1.47%	0.251%
28	13.561	1971	1979	1987	rVV	1202642	1998257	78.95%	13.469%
29	13.626	1988	1990	1996	rVB4	23521	34667	1.37%	0.234%
30	13.879	2028	2033	2039	rBV5	46296	78589	3.11%	0.530%
31	14.390	2116	2120	2125	rVV7	24438	48870	1.93%	0.329%
32	14.849	2195	2198	2208	rVB4	25846	50092	1.98%	0.338%
33	15.349	2275	2283	2288	rBV9	12654	28361	1.12%	0.191%


Sum of corrected areas: 14836322

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD100621\
Data File : VD070600.D
Acq On : 06 Oct 2021 18:23
Operator : VA/SY
Sample : M4118-04
Misc : 5.04G/5.00ml/MSVOA_D/SOIL
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
CONCRETE-100621-02

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D100521S.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD100621\
Data File : VD070600.D
Acq On : 06 Oct 2021 18:23
Operator : VA/SY
Sample : M4118-04
Misc : 5.04G/5.00ml/MSVOA_D/SOIL
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
CONCRETE-100621-02

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D100521S.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD100621\
Data File : VD070600.D
Acq On : 06 Oct 2021 18:23
Operator : VA/SY
Sample : M4118-04
Misc : 5.04G/5.00ml/MSVOA_D/SOIL
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
CONCRETE-100621-02

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D100521S.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc