

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD101220\
 Data File : VD067225.D
 Acq On : 12 Oct 2020 10:58
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 13 00:21:39 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D100120S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 01 15:19:17 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	81	0.00
2 T	Dichlorodifluoromethane	0.454	0.449	1.1	85	0.00
3 P	Chloromethane	0.398	0.329	17.3	71	0.00
4 C	Vinyl Chloride	0.399	0.361	9.5#	75	0.00
5 T	Bromomethane	0.291	0.263	9.6	78	0.00
6 T	Chloroethane	0.243	0.218	10.3	74	0.00
7 T	Trichlorofluoromethane	0.887	0.880	0.8	83	0.00
8 T	Diethyl Ether	0.220	0.212	3.6	76	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.501	0.500	0.2	83	-0.01
10 T	Methyl Iodide	0.487	0.493	-1.2	79	0.00
11 T	Tert butyl alcohol	0.041	0.026	36.6#	77	0.00
12 CM	1,1-Dichloroethene	0.471	0.450	4.5#	79	0.00
13 T	Acrolein	0.032	0.030	6.3	81	0.00
14 T	Allyl chloride	0.612	0.540	11.8	70	0.00
15 T	Acrylonitrile	0.081	0.073	9.9	72	0.00
16 T	Acetone	0.074	0.080	-8.1	86	0.00
17 T	Carbon Disulfide	1.447	1.280	11.5	73	0.00
18 T	Methyl Acetate	0.185	0.167	9.7	73	0.00
19 T	Methyl tert-butyl Ether	0.860	0.885	-2.9	78	0.00
20 T	Methylene Chloride	0.670	0.504	24.8#	74	0.00
21 T	trans-1,2-Dichloroethene	0.536	0.520	3.0	78	0.00
22 T	Diisopropyl ether	1.118	1.022	8.6	70	0.00
23 T	Vinyl Acetate	0.633	0.595	6.0	69	0.00
24 P	1,1-Dichloroethane	0.863	0.804	6.8	76	0.00
25 T	2-Butanone	0.104	0.092	11.5	71	0.00
26 T	2,2-Dichloropropane	0.828	0.827	0.1	85	0.00
27 T	cis-1,2-Dichloroethene	0.573	0.558	2.6	78	0.00
28 T	Bromochloromethane	0.333	0.288	13.5	66	0.00
29 T	Tetrahydrofuran	0.060	0.052	13.3	67	0.00
30 C	Chloroform	0.936	0.920	1.7#	81	0.00
31 T	Cyclohexane	0.723	0.627	13.3	73	0.00
32 T	1,1,1-Trichloroethane	0.867	0.909	-4.8	86	0.00
33 S	1,2-Dichloroethane-d4	0.482	0.447	7.3	73	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	77	0.00
35 S	Dibromofluoromethane	0.327	0.348	-6.4	77	0.00
36 T	1,1-Dichloropropene	0.466	0.492	-5.6	80	0.00
37 T	Ethyl Acetate	0.161	0.146	9.3	68	0.00
38 T	Carbon Tetrachloride	0.504	0.589	-16.9	88	0.00
39 T	Methylcyclohexane	0.493	0.529	-7.3	76	0.00
40 TM	Benzene	1.294	1.326	-2.5	77	0.00
41 T	Methacrylonitrile	0.087	0.080	8.0	64	0.00
42 TM	1,2-Dichloroethane	0.362	0.389	-7.5	81	0.00
43 T	Isopropyl Acetate	0.297	0.288	3.0	70	0.00
44 TM	Trichloroethene	0.387	0.421	-8.8	83	0.00
45 C	1,2-Dichloropropane	0.304	0.309	-1.6#	74	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD101220\
 Data File : VD067225.D
 Acq On : 12 Oct 2020 10:58
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 13 00:21:39 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D100120S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 01 15:19:17 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.175	0.184	-5.1	76	0.00
47 T	Bromodichloromethane	0.454	0.494	-8.8	81	0.00
48 T	Methyl methacrylate	0.152	0.137	9.9	62	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	77	0.00
50 S	Toluene-d8	1.193	1.233	-3.4	72	0.00
51 T	4-Methyl-2-Pentanone	0.148	0.145	2.0	69	0.00
52 CM	Toluene	0.834	0.900	-7.9#	78	0.00
53 T	t-1,3-Dichloropropene	0.406	0.445	-9.6	79	0.00
54 T	cis-1,3-Dichloropropene	0.496	0.523	-5.4	78	0.00
55 T	1,1,2-Trichloroethane	0.243	0.259	-6.6	79	0.00
56 T	Ethyl methacrylate	0.251	0.281	-12.0	75	0.00
57 T	1,3-Dichloropropane	0.394	0.409	-3.8	76	0.00
58 T	2-Chloroethyl Vinyl ether	0.140	0.151	-7.9	75	0.00
59 T	2-Hexanone	0.099	0.103	-4.0	72	0.00
60 T	Dibromochloromethane	0.324	0.358	-10.5	81	0.00
61 T	1,2-Dibromoethane	0.233	0.255	-9.4	79	0.00
62 S	4-Bromofluorobenzene	0.405	0.426	-5.2	75	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	75	0.00
64 T	Tetrachloroethene	0.364	0.394	-8.2	83	0.00
65 PM	Chlorobenzene	0.994	1.073	-7.9	81	0.00
66 T	1,1,1,2-Tetrachloroethane	0.378	0.425	-12.4	84	0.00
67 C	Ethyl Benzene	1.704	1.901	-11.6#	80	0.00
68 T	m/p-Xylenes	0.664	0.725	-9.2	79	0.00
69 T	o-Xylene	0.594	0.668	-12.5	79	0.00
70 T	Styrene	1.020	1.139	-11.7	78	0.00
71 P	Bromoform	0.196	0.221	-12.8	83	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	77	0.00
73 T	Isopropylbenzene	3.395	3.874	-14.1	81	0.00
74 T	N-amyl acetate	0.610	0.600	1.6	71	0.00
75 P	1,1,2,2-Tetrachloroethane	0.572	0.570	0.3	75	0.00
76 T	1,2,3-Trichloropropane	0.436	0.416	4.6	70	0.00
77 T	Bromobenzene	0.820	0.910	-11.0	84	0.00
78 T	n-propylbenzene	4.012	4.476	-11.6	80	0.00
79 T	2-Chlorotoluene	2.296	2.503	-9.0	80	0.00
80 T	1,3,5-Trimethylbenzene	2.868	3.264	-13.8	80	0.00
81 T	trans-1,4-Dichloro-2-butene	0.175	0.184	-5.1	78	0.00
82 T	4-Chlorotoluene	2.442	2.663	-9.0	81	0.00
83 T	tert-Butylbenzene	2.415	2.855	-18.2	86	0.00
84 T	1,2,4-Trimethylbenzene	2.863	3.248	-13.4	82	0.00
85 T	sec-Butylbenzene	3.402	3.839	-12.8	81	0.00
86 T	p-Isopropyltoluene	3.154	3.601	-14.2	82	0.00
87 T	1,3-Dichlorobenzene	1.597	1.711	-7.1	81	0.00
88 T	1,4-Dichlorobenzene	1.597	1.715	-7.4	82	0.00
89 T	n-Butylbenzene	2.882	3.245	-12.6	81	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD101220\
Data File : VD067225.D
Acq On : 12 Oct 2020 10:58
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Oct 13 00:21:39 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D100120S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 01 15:19:17 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.552	0.601	-8.9	81	0.00
91 T	1,2-Dichlorobenzene	1.395	1.508	-8.1	82	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.092	0.099	-7.6	80	0.00
93 T	1,2,4-Trichlorobenzene	0.902	1.084	-20.2#	86	0.00
94 T	Hexachlorobutadiene	0.554	0.664	-19.9	90	0.00
95 T	Naphthalene	1.505	1.809	-20.2#	82	0.00
96 T	1,2,3-Trichlorobenzene	0.783	0.910	-16.2	82	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6