

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD101321\
 Data File : VD070702.D
 Acq On : 13 Oct 2021 17:17
 Operator : VA/SY
 Sample : M4191-03
 Misc : 4.79G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 COMP-6

Quant Time: Oct 14 04:04:47 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D100521S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 06 09:10:31 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.973	168	370838	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.861	114	688082	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.638	117	617121	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.567	152	258067	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.326	65	185247	42.446	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	84.900%
35) Dibromofluoromethane	7.909	113	213497	46.668	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	93.340%
50) Toluene-d8	10.338	98	872218	49.873	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	99.740%
62) 4-Bromofluorobenzene	12.626	95	251665	43.055	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	86.120%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD101321\
Data File : VD070702.D
Acq On : 13 Oct 2021 17:17
Operator : VA/SY
Sample : M4191-03
Misc : 4.79G/5.00ml/MSVOA_D/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
COMP-6

Quant Time: Oct 14 04:04:47 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D100521S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 06 09:10:31 2021
Response via : Initial Calibration

