

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD102023\
 Data File : VD077368.D
 Acq On : 20 Oct 2023 16:52
 Operator : JC/SY
 Sample : 05001-03
 Misc : 6.79G/5.0ml/MSVOA_D/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 486-WC-GRAB

Quant Time: Oct 21 05:30:58 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D101723S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 18 03:02:43 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.875	168	119666	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.775	114	230342	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.581	117	186957	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.516	152	51203	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.234	65	64093	59.981	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	119.960%
35) Dibromofluoromethane	7.810	113	79264	48.981	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	97.960%
50) Toluene-d8	10.269	98	231430	39.933	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	79.860%
62) 4-Bromofluorobenzene	12.575	95	47578	28.519	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	57.040%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD102023\
Data File : VD077368.D
Acq On : 20 Oct 2023 16:52
Operator : JC/SY
Sample : 05001-03
Misc : 6.79G/5.0ml/MSVOA_D/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
486-WC-GRAB

Quant Time: Oct 21 05:30:58 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D101723S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 18 03:02:43 2023
Response via : Initial Calibration

