

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD102319\
 Data File : VD064017.D
 Acq On : 23 Oct 2019 13:20
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 24 06:32:55 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D100219S.M
 Quant Title : SW846 8260
 QLast Update : Sat Oct 05 03:51:17 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	98	0.00
2 T	Dichlorodifluoromethane	0.355	0.338	4.8	106	0.00
3 P	Chloromethane	1.086	0.917	15.6	90	0.00
4 C	Vinyl Chloride	1.146	1.128	1.6#	101	0.00
5 T	Bromomethane	0.737	0.696	5.6	98	0.01
6 T	Chloroethane	0.758	0.715	5.7	99	0.00
7 T	Trichlorofluoromethane	1.515	1.622	-7.1	111	0.00
8 T	Diethyl Ether	0.243	0.214	11.9	89	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.419	0.444	-6.0	113	0.01
10 T	Methyl Iodide	0.578	0.530	8.3	91	0.00
11 T	Tert butyl alcohol	0.035	0.031	11.4	90	-0.02
12 CM	1,1-Dichloroethene	0.419	0.406	3.1#	102	0.00
13 T	Acrolein	0.043	0.040	7.0	89	0.00
14 T	Allyl chloride	0.697	0.630	9.6	93	0.00
15 T	Acrylonitrile	0.107	0.098	8.4	92	0.00
16 T	Acetone	0.127	0.109	14.2	77	0.00
17 T	Carbon Disulfide	1.523	1.255	17.6	85	0.01
18 T	Methyl Acetate	0.248	0.222	10.5	93	0.00
19 T	Methyl tert-butyl Ether	1.085	0.980	9.7	91	0.00
20 T	Methylene Chloride	0.650	0.519	20.2#	93	0.00
21 T	trans-1,2-Dichloroethene	0.522	0.505	3.3	100	-0.01
22 T	Diisopropyl ether	1.423	1.313	7.7	93	0.00
23 T	Vinyl Acetate	0.846	0.757	10.5	89	0.00
24 P	1,1-Dichloroethane	0.876	0.838	4.3	95	0.00
25 T	2-Butanone	0.150	0.133	11.3	84	0.00
26 T	2,2-Dichloropropane	0.793	0.774	2.4	101	0.00
27 T	cis-1,2-Dichloroethene	0.590	0.578	2.0	100	0.00
28 T	Bromochloromethane	0.328	0.328	0.0	97	0.00
29 T	Tetrahydrofuran	0.088	0.075	14.8	90	0.00
30 C	Chloroform	0.952	0.924	2.9#	100	0.00
31 T	Cyclohexane	0.822	0.757	7.9	100	0.00
32 T	1,1,1-Trichloroethane	0.817	0.812	0.6	101	0.00
33 S	1,2-Dichloroethane-d4	0.487	0.421	13.6	85	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	92	0.00
35 S	Dibromofluoromethane	0.306	0.313	-2.3	96	0.00
36 T	1,1-Dichloropropene	0.457	0.481	-5.3	103	0.00
37 T	Ethyl Acetate	0.207	0.163	21.3#	79	0.00
38 T	Carbon Tetrachloride	0.462	0.503	-8.9	106	0.00
39 T	Methylcyclohexane	0.562	0.607	-8.0	104	0.00
40 TM	Benzene	1.310	1.341	-2.4	98	0.00
41 T	Methacrylonitrile	0.106	0.106	0.0	117	0.00
42 TM	1,2-Dichloroethane	0.379	0.362	4.5	91	0.00
43 T	Isopropyl Acetate	0.383	0.338	11.7	86	0.00
44 TM	Trichloroethene	0.378	0.396	-4.8	99	0.00
45 C	1,2-Dichloropropane	0.321	0.321	0.0	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD102319\
 Data File : VD064017.D
 Acq On : 23 Oct 2019 13:20
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 24 06:32:55 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D100219S.M
 Quant Title : SW846 8260
 QLast Update : Sat Oct 05 03:51:17 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.183	0.180	1.6	93	0.00
47 T	Bromodichloromethane	0.470	0.471	-0.2	96	0.00
48 T	Methyl methacrylate	0.184	0.169	8.2	94	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	88	0.00
50 S	Toluene-d8	1.240	1.246	-0.5	93	0.00
51 T	4-Methyl-2-Pentanone	0.199	0.181	9.0	88	0.00
52 CM	Toluene	0.899	0.963	-7.1#	102	0.00
53 T	t-1,3-Dichloropropene	0.459	0.450	2.0	91	0.00
54 T	cis-1,3-Dichloropropene	0.528	0.533	-0.9	96	0.00
55 T	1,1,2-Trichloroethane	0.258	0.264	-2.3	98	0.00
56 T	Ethyl methacrylate	0.327	0.310	5.2	90	0.00
57 T	1,3-Dichloropropane	0.441	0.436	1.1	94	0.00
58 T	2-Chloroethyl Vinyl ether	0.140	0.134	4.3	90	0.00
59 T	2-Hexanone	0.144	0.136	5.6	85	0.00
60 T	Dibromochloromethane	0.336	0.344	-2.4	96	0.00
61 T	1,2-Dibromoethane	0.250	0.260	-4.0	95	0.00
62 S	4-Bromofluorobenzene	0.431	0.422	2.1	89	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	91	0.00
64 T	Tetrachloroethene	0.341	0.356	-4.4	100	0.00
65 PM	Chlorobenzene	1.004	1.069	-6.5	98	0.00
66 T	1,1,1,2-Tetrachloroethane	0.370	0.396	-7.0	100	0.00
67 C	Ethyl Benzene	1.811	1.931	-6.6#	100	0.00
68 T	m/p-Xylenes	0.699	0.775	-10.9	102	0.00
69 T	o-Xylene	0.669	0.709	-6.0	99	0.00
70 T	Styrene	1.133	1.227	-8.3	97	0.00
71 P	Bromoform	0.199	0.214	-7.5	95	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	94	0.00
73 T	Isopropylbenzene	3.361	3.438	-2.3	101	0.00
74 T	N-amyl acetate	0.724	0.625	13.7	88	0.00
75 P	1,1,2,2-Tetrachloroethane	0.585	0.539	7.9	94	0.00
76 T	1,2,3-Trichloropropane	0.335	0.368	-9.9	106	0.00
77 T	Bromobenzene	0.837	0.832	0.6	98	0.00
78 T	n-propylbenzene	3.945	4.099	-3.9	103	0.00
79 T	2-Chlorotoluene	2.175	2.185	-0.5	100	0.00
80 T	1,3,5-Trimethylbenzene	2.804	2.958	-5.5	103	0.00
81 T	trans-1,4-Dichloro-2-butene	0.189	0.167	11.6	88	0.00
82 T	4-Chlorotoluene	2.308	2.260	2.1	97	0.00
83 T	tert-Butylbenzene	2.496	2.573	-3.1	102	0.00
84 T	1,2,4-Trimethylbenzene	2.891	2.887	0.1	99	0.00
85 T	sec-Butylbenzene	3.370	3.621	-7.4	105	0.00
86 T	p-Isopropyltoluene	3.189	3.407	-6.8	105	0.00
87 T	1,3-Dichlorobenzene	1.655	1.708	-3.2	102	0.00
88 T	1,4-Dichlorobenzene	1.632	1.670	-2.3	102	0.00
89 T	n-Butylbenzene	2.969	3.131	-5.5	105	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD102319\
Data File : VD064017.D
Acq On : 23 Oct 2019 13:20
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Oct 24 06:32:55 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D100219S.M
Quant Title : SW846 8260
QLast Update : Sat Oct 05 03:51:17 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.574	0.617	-7.5	104	0.01
91 T	1,2-Dichlorobenzene	1.426	1.452	-1.8	99	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.101	0.086	14.9	85	0.00
93 T	1,2,4-Trichlorobenzene	1.100	1.093	0.6	98	0.00
94 T	Hexachlorobutadiene	0.607	0.668	-10.0	107	0.00
95 T	Naphthalene	1.849	1.829	1.1	93	0.01
96 T	1,2,3-Trichlorobenzene	0.949	0.948	0.1	97	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5