

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD103019\
 Data File : VD064124.D
 Acq On : 30 Oct 2019 20:46
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 31 05:03:40 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D102919S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 30 08:00:10 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	92	0.00
2 T	Dichlorodifluoromethane	0.511	0.483	5.5	88	0.00
3 P	Chloromethane	0.852	0.821	3.6	91	0.00
4 C	Vinyl Chloride	0.924	0.878	5.0#	87	0.00
5 T	Bromomethane	0.602	0.636	-5.6	94	0.00
6 T	Chloroethane	0.574	0.594	-3.5	95	0.00
7 T	Trichlorofluoromethane	1.272	1.249	1.8	90	0.00
8 T	Diethyl Ether	0.221	0.225	-1.8	98	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.458	0.433	5.5	88	0.00
10 T	Methyl Iodide	0.568	0.631	-11.1	94	0.00
11 T	Tert butyl alcohol	0.021	0.022	-4.8	90	0.00
12 CM	1,1-Dichloroethene	0.434	0.418	3.7#	91	0.00
13 T	Acrolein	0.025	0.020	20.0#	71	0.00
14 T	Allyl chloride	0.508	0.535	-5.3	95	0.00
15 T	Acrylonitrile	0.082	0.086	-4.9	96	0.00
16 T	Acetone	0.076	0.071	6.6	75	0.00
17 T	Carbon Disulfide	1.333	1.373	-3.0	94	0.00
18 T	Methyl Acetate	0.201	0.233	-15.9	109	0.00
19 T	Methyl tert-butyl Ether	0.880	0.949	-7.8	99	0.00
20 T	Methylene Chloride	0.541	0.540	0.2	102	0.00
21 T	trans-1,2-Dichloroethene	0.487	0.501	-2.9	95	0.00
22 T	Diisopropyl ether	1.124	1.203	-7.0	97	0.00
23 T	Vinyl Acetate	0.616	0.672	-9.1	95	0.00
24 P	1,1-Dichloroethane	0.759	0.798	-5.1	96	0.00
25 T	2-Butanone	0.105	0.107	-1.9	90	0.00
26 T	2,2-Dichloropropane	0.721	0.683	5.3	88	0.00
27 T	cis-1,2-Dichloroethene	0.545	0.578	-6.1	98	0.00
28 T	Bromochloromethane	0.277	0.308	-11.2	94	-0.01
29 T	Tetrahydrofuran	0.061	0.068	-11.5	99	0.00
30 C	Chloroform	0.869	0.927	-6.7#	100	0.00
31 T	Cyclohexane	0.740	0.679	8.2	90	0.00
32 T	1,1,1-Trichloroethane	0.809	0.829	-2.5	95	0.00
33 S	1,2-Dichloroethane-d4	0.398	0.425	-6.8	96	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	97	0.00
35 S	Dibromofluoromethane	0.308	0.312	-1.3	94	0.00
36 T	1,1-Dichloropropene	0.469	0.448	4.5	94	0.00
37 T	Ethyl Acetate	0.144	0.151	-4.9	97	0.00
38 T	Carbon Tetrachloride	0.511	0.479	6.3	89	0.00
39 T	Methylcyclohexane	0.575	0.553	3.8	87	0.00
40 TM	Benzene	1.278	1.309	-2.4	97	0.00
41 T	Methacrylonitrile	0.083	0.084	-1.2	96	0.00
42 TM	1,2-Dichloroethane	0.337	0.355	-5.3	97	0.00
43 T	Isopropyl Acetate	0.291	0.311	-6.9	101	0.00
44 TM	Trichloroethene	0.387	0.393	-1.6	95	0.00
45 C	1,2-Dichloropropane	0.296	0.296	0.0	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD103019\
 Data File : VD064124.D
 Acq On : 30 Oct 2019 20:46
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 31 05:03:40 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D102919S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 30 08:00:10 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.178	0.177	0.6	93	0.00
47 T	Bromodichloromethane	0.450	0.478	-6.2	98	0.00
48 T	Methyl methacrylate	0.135	0.144	-6.7	99	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	94	0.00
50 S	Toluene-d8	1.230	1.247	-1.4	96	0.00
51 T	4-Methyl-2-Pentanone	0.159	0.172	-8.2	99	0.00
52 CM	Toluene	0.895	0.922	-3.0#	96	0.00
53 T	t-1,3-Dichloropropene	0.420	0.450	-7.1	96	0.00
54 T	cis-1,3-Dichloropropene	0.494	0.527	-6.7	98	0.00
55 T	1,1,2-Trichloroethane	0.253	0.267	-5.5	98	0.00
56 T	Ethyl methacrylate	0.275	0.306	-11.3	99	0.00
57 T	1,3-Dichloropropane	0.418	0.437	-4.5	97	0.00
58 T	2-Chloroethyl Vinyl ether	0.111	0.128	-15.3	110	0.00
59 T	2-Hexanone	0.113	0.119	-5.3	91	0.00
60 T	Dibromochloromethane	0.343	0.364	-6.1	98	0.00
61 T	1,2-Dibromoethane	0.253	0.269	-6.3	97	0.00
62 S	4-Bromofluorobenzene	0.408	0.432	-5.9	98	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	97	0.00
64 T	Tetrachloroethene	0.359	0.360	-0.3	96	0.00
65 PM	Chlorobenzene	1.033	1.044	-1.1	96	0.00
66 T	1,1,1,2-Tetrachloroethane	0.387	0.393	-1.6	97	0.00
67 C	Ethyl Benzene	1.838	1.852	-0.8#	95	0.00
68 T	m/p-Xylenes	0.739	0.749	-1.4	94	0.00
69 T	o-Xylene	0.675	0.705	-4.4	97	0.00
70 T	Styrene	1.163	1.232	-5.9	96	0.00
71 P	Bromoform	0.206	0.219	-6.3	100	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	95	0.00
73 T	Isopropylbenzene	3.474	3.382	2.6	93	0.00
74 T	N-amyl acetate	0.577	0.600	-4.0	97	0.00
75 P	1,1,2,2-Tetrachloroethane	0.548	0.545	0.5	98	0.00
76 T	1,2,3-Trichloropropane	0.336	0.365	-8.6	96	0.00
77 T	Bromobenzene	0.839	0.841	-0.2	97	0.00
78 T	n-propylbenzene	4.072	3.895	4.3	91	0.00
79 T	2-Chlorotoluene	2.183	2.158	1.1	96	0.00
80 T	1,3,5-Trimethylbenzene	2.908	2.912	-0.1	95	0.00
81 T	trans-1,4-Dichloro-2-butene	0.165	0.163	1.2	93	0.00
82 T	4-Chlorotoluene	2.332	2.337	-0.2	96	0.00
83 T	tert-Butylbenzene	2.612	2.555	2.2	92	0.00
84 T	1,2,4-Trimethylbenzene	2.921	2.956	-1.2	96	0.00
85 T	sec-Butylbenzene	3.587	3.522	1.8	91	0.00
86 T	p-Isopropyltoluene	3.370	3.402	-0.9	92	0.00
87 T	1,3-Dichlorobenzene	1.681	1.740	-3.5	98	0.00
88 T	1,4-Dichlorobenzene	1.657	1.657	0.0	96	0.00
89 T	n-Butylbenzene	3.108	3.062	1.5	90	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD103019\
Data File : VD064124.D
Acq On : 30 Oct 2019 20:46
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Oct 31 05:03:40 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D102919S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 30 08:00:10 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.631	0.624	1.1	95	0.00
91 T	1,2-Dichlorobenzene	1.447	1.480	-2.3	97	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.080	0.085	-6.3	106	0.00
93 T	1,2,4-Trichlorobenzene	1.040	1.056	-1.5	95	0.00
94 T	Hexachlorobutadiene	0.608	0.608	0.0	93	0.00
95 T	Naphthalene	1.696	1.783	-5.1	97	0.00
96 T	1,2,3-Trichlorobenzene	0.901	0.894	0.8	97	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5