

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD110819\
 Data File : VD064161.D
 Acq On : 08 Nov 2019 18:18
 Operator : VA/SY
 Sample : VD1108SBL01
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 VD1108SBL01

Quant Time: Nov 11 08:29:32 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D110819S.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 11 08:23:58 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.98	168	819225	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.87	114	1196236	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.65	117	1044646	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.58	152	499640	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.34	65	363544	53.96	ug/l	0.00
Spiked Amount 50.000			Recovery	=	107.92%	
35) Dibromofluoromethane	7.92	113	350631	51.06	ug/l	0.00
Spiked Amount 50.000			Recovery	=	102.12%	
50) Toluene-d8	10.34	98	1319901	50.95	ug/l	0.00
Spiked Amount 50.000			Recovery	=	101.90%	
62) 4-Bromofluorobenzene	12.64	95	447779	49.92	ug/l	0.00
Spiked Amount 50.000			Recovery	=	99.84%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD110819\
Data File : VD064161.D
Acq On : 08 Nov 2019 18:18
Operator : VA/SY
Sample : VD1108SBL01
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
VD1108SBL01

Quant Time: Nov 11 08:29:32 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D110819S.M
Quant Title : SW846 8260
QLast Update : Mon Nov 11 08:23:58 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.98 min Scan# 1031

Delta R.T. -0.00 min

Lab File: VD064161.D

Acq: 08 Nov 2019 18:18

Instrument :

MSVOA_D

ClientSampleId :


VD1108SBL01

Tot Ion:168 Resp: 819225

Ion Ratio Lower Upper

168 100

99 49.9 41.6 62.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VDC

7.98

400000

300000



200000

100000

0

Time-->

7.90 8.00 8.10



#33

1,2-Dichloroethane-d4

Concen: 53.957 ug/l

RT: 8.34 min Scan# 1091

Delta R.T. -0.00 min

Lab File: VD064161.D


Acq: 08 Nov 2019 18:18

Tgt Ion: 65 Resp: 363544

Ion Ratio Lower Upper

65 100

67 52.0 0.0 104.4



Abundance Ion 64.90 (64.60 to 65.60): VDC

Ion 66.90 (66.60 to 67.60): VDC

8.34

200000

150000


100000


50000

0

Time-->

8.20 8.30 8.40









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.87 min Scan# 1181
 Delta R.T. -0.00 min
 Lab File: VD064161.D
 Acq: 08 Nov 2019 18:18

Instrument :
 MSVOA_D
 ClientSampleId :
 VD1108SBL01

Tot Ion:114 Resp: 1196236
 Ion Ratio Lower Upper
 114 100
 63 20.7 0.0 40.0
 88 15.5 0.0 30.2




Abundance Ion 113.90 (113.60 to 114.60): V
 800000
 Ion 63.00 (62.70 to 63.70): VDC
 Ion 87.90 (87.60 to 88.60): VDC






#35
 Dibromofluoromethane
 Concen: 51.063 ug/l
 RT: 7.92 min Scan# 1020
 Delta R.T. -0.00 min
 Lab File: VD064161.D
 Acq: 08 Nov 2019 18:18

Tgt Ion:113 Resp: 350631
 Ion Ratio Lower Upper
 113 100
 111 101.2 81.5 122.3
 192 23.8 18.8 28.2



Abundance Ion 112.80 (112.50 to 113.50): V
 200000
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 50.954 ug/l

RT: 10.34 min Scan# 1432

Delta R.T. -0.00 min

Lab File: VD064161.D

Acq: 08 Nov 2019 18:18

Instrument :

MSVOA_D

ClientSampleId :


VD1108SBL01

Tot Ion: 98 Resp: 1319901

Ion Ratio Lower Upper

98 100

100 65.5 52.6 78.8



Abundance Ion 98.00 (97.70 to 98.70): VD064157.D (-1421) (-)

Ion 100.00 (99.70 to 100.70): VD064157.D (-1421) (-)

10.34

800000



600000

400000

200000

0

Time-->



#62

4-Bromofluorobenzene

Concen: 49.916 ug/l

RT: 12.64 min Scan# 1822

Delta R.T. -0.00 min

Lab File: VD064161.D

Acq: 08 Nov 2019 18:18


Tgt Ion: 95 Resp: 447779

Ion Ratio Lower Upper

95 100

174 92.5 0.0 183.6

176 90.5 0.0 180.2



Abundance Ion 94.90 (94.60 to 95.60): VD064157.D (-1813) (-)

Ion 173.80 (173.50 to 174.50): VD064157.D (-1813) (-)

Ion 175.80 (175.50 to 176.50): VD064157.D (-1813) (-)

12.64


300000


200000

100000

0

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.65 min Scan# 1654
Delta R.T. -0.00 min
Lab File: VD064161.D
Acq: 08 Nov 2019 18:18

Instrument :
MSVOA_D
ClientSampleId :
VD1108SBL01

Tot Ion:117 Resp: 1044646
Ion Ratio Lower Upper
117 100
82 53.6 42.8 64.2
119 32.0 25.6 38.4



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.58 min Scan# 1982
Delta R.T. -0.00 min
Lab File: VD064161.D
Acq: 08 Nov 2019 18:18

Tgt Ion:152 Resp: 499640
Ion Ratio Lower Upper
152 100
115 55.9 27.4 82.2
150 157.3 0.0 351.6

