

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD111219\
 Data File : VD064200.D
 Acq On : 12 Nov 2019 17:05
 Operator : VA/SY
 Sample : K5749-01
 Misc : 4.99G/5.00ml/MSVOA D/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 NORTH-BERGEN-1

Quant Time: Nov 13 04:33:46 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D110819S.M
 Quant Title : SW846 8260
 QLast Update : Tue Nov 12 02:43:24 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.99	168	902293	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.87	114	1337880	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.65	117	1392708	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.58	152	730625	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.34	65	363006	48.92	ug/l	0.00
Spiked Amount	50.000		Recovery	=	97.84%	
35) Dibromofluoromethane	7.92	113	397886	51.81	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.62%	
50) Toluene-d8	10.34	98	1618021	55.85	ug/l	0.00
Spiked Amount	50.000		Recovery	=	111.70%	
62) 4-Bromofluorobenzene	12.64	95	649893	64.78	ug/l	0.00
Spiked Amount	50.000		Recovery	=	129.56%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD111219\
Data File : VD064200.D
Acq On : 12 Nov 2019 17:05
Operator : VA/SY
Sample : K5749-01
Misc : 4.99G/5.00ml/MSVOA D/SOIL
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
NORTH-BERGEN-1

Quant Time: Nov 13 04:33:46 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D110819S.M
Quant Title : SW846 8260
QLast Update : Tue Nov 12 02:43:24 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.99 min Scan# 1031

Delta R.T. 0.00 min

Lab File: VD064200.D

Acq: 12 Nov 2019 17:05


Instrument :
MSVOA_D
ClientSampleId :
NORTH-BERGEN-1

Tot Ion:168 Resp: 902293

Ion Ratio Lower Upper




168 100

99 51.7 41.6 62.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VDC



#33

1,2-Dichloroethane-d4

Concen: 48.917 ug/l

RT: 8.34 min Scan# 1091

Delta R.T. 0.00 min

Lab File: VD064200.D


Acq: 12 Nov 2019 17:05

Tgt Ion: 65 Resp: 363006

Ion Ratio Lower Upper



65 100


67 50.6 0.0 104.4



Abundance Ion 64.90 (64.60 to 65.60): VDC

Ion 66.90 (66.60 to 67.60): VDC





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.87 min Scan# 1181

Delta R.T. 0.00 min

Lab File: VD064200.D

Acq: 12 Nov 2019 17:05

Instrument :

MSVOA_D

ClientSampleId :

NORTH-BERGEN-1


Tot Ion:114 Resp: 1337880

Ion Ratio Lower Upper

114 100

63 19.0 0.0 40.0




88 14.2 0.0 30.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): V

Ion 87.90 (87.60 to 88.60): V



#35

Dibromofluoromethane

Concen: 51.810 ug/l

RT: 7.92 min Scan# 1020

Delta R.T. 0.00 min

Lab File: VD064200.D

Acq: 12 Nov 2019 17:05


Tgt Ion:113 Resp: 397886

Ion Ratio Lower Upper

113 100

111 101.6 81.5 122.3



192 23.9 18.8 28.2



Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 55.850 ug/l
RT: 10.34 min Scan# 1432
Delta R.T. 0.00 min
Lab File: VD064200.D
Acq: 12 Nov 2019 17:05




Instrument :
MSVOA_D
ClientSampleId :
NORTH-BERGEN-1

Tot Ion: 98 Resp: 1618021
Ion Ratio Lower Upper
98 100
100 65.6 52.6 78.8



#62
4-Bromofluorobenzene
Concen: 64.777 ug/l
RT: 12.64 min Scan# 1822
Delta R.T. 0.00 min
Lab File: VD064200.D
Acq: 12 Nov 2019 17:05

Tgt Ion: 95 Resp: 649893
Ion Ratio Lower Upper
95 100
174 95.1 0.0 183.6
176 93.7 0.0 180.2





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.65 min Scan# 1654

Delta R.T. 0.00 min

Lab File: VD064200.D

Acq: 12 Nov 2019 17:05

Instrument :

MSVOA_D

ClientSampleId :

NORTH-BERGEN-1


Tot Ion:117 Resp: 1392708

Ion Ratio Lower Upper

117 100

82 52.7 42.8 64.2




119 31.9 25.6 38.4



Abundance Ion 116.90 (116.60 to 117.60): V

Ion 82.00 (81.70 to 82.70): V

Ion 118.90 (118.60 to 119.60): V



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.58 min Scan# 1983

Delta R.T. 0.01 min

Lab File: VD064200.D

Acq: 12 Nov 2019 17:05


Tgt Ion:152 Resp: 730625

Ion Ratio Lower Upper

152 100

115 54.6 27.4 82.2

150 157.5 0.0 351.6



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

