

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD111219\
 Data File : VD064205.D
 Acq On : 12 Nov 2019 19:28
 Operator : VA/SY
 Sample : K5777-06
 Misc : 4.78G/5.00ml/MSVOA D/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 AOC-7-NORTH-(10)

Quant Time: Nov 13 04:50:39 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D110819S.M
 Quant Title : SW846 8260
 QLast Update : Tue Nov 12 02:43:24 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.98	168	893803	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.87	114	1294200	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.65	117	1350953	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.58	152	713816	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.34	65	331212	45.06	ug/l	0.00
Spiked Amount			Recovery	=	90.12%	
35) Dibromofluoromethane	7.92	113	377716	50.84	ug/l	0.00
Spiked Amount			Recovery	=	101.68%	
50) Toluene-d8	10.34	98	1551133	55.35	ug/l	0.00
Spiked Amount			Recovery	=	110.70%	
62) 4-Bromofluorobenzene	12.64	95	628317	64.74	ug/l	0.00
Spiked Amount			Recovery	=	129.48%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD111219\
Data File : VD064205.D
Acq On : 12 Nov 2019 19:28
Operator : VA/SY
Sample : K5777-06
Misc : 4.78G/5.00ml/MSVOA D/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
AOC-7-NORTH-(10)

Quant Time: Nov 13 04:50:39 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D110819S.M
Quant Title : SW846 8260
QLast Update : Tue Nov 12 02:43:24 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.98 min Scan# 1031

Delta R.T. -0.00 min

Lab File: VD064205.D

Acq: 12 Nov 2019 19:28


Instrument :
MSVOA_D
ClientSampleId :
AOC-7-NORTH-(10)

Tot Ion:168 Resp: 893803

Ion Ratio Lower Upper




168 100

99 49.9 41.6 62.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VDC



#33

1,2-Dichloroethane-d4

Concen: 45.057 ug/l

RT: 8.34 min Scan# 1091

Delta R.T. -0.00 min

Lab File: VD064205.D


Acq: 12 Nov 2019 19:28

Tgt Ion: 65 Resp: 331212

Ion Ratio Lower Upper



65 100


67 51.8 0.0 104.4



Abundance Ion 64.90 (64.60 to 65.60): VDC

Ion 66.90 (66.60 to 67.60): VDC









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.87 min Scan# 1181
Delta R.T. -0.00 min
Lab File: VD064205.D
Acq: 12 Nov 2019 19:28

Instrument :
MSVOA_D
ClientSampleId :
AOC-7-NORTH-(10)

Tot Ion:114 Resp: 1294200
Ion Ratio Lower Upper
114 100
63 19.3 0.0 40.0
88 14.3 0.0 30.2




Abundance Ion 113.90 (113.60 to 114.60): V
Ion 63.00 (62.70 to 63.70): VDC
Ion 87.90 (87.60 to 88.60): VDC






#35
Dibromofluoromethane
Concen: 50.844 ug/l
RT: 7.92 min Scan# 1020
Delta R.T. -0.00 min
Lab File: VD064205.D
Acq: 12 Nov 2019 19:28

Tgt Ion:113 Resp: 377716
Ion Ratio Lower Upper
113 100
111 101.8 81.5 122.3
192 23.5 18.8 28.2



Abundance Ion 112.80 (112.50 to 113.50): V
Ion 110.80 (110.50 to 111.50): V
Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 55.348 ug/l

RT: 10.34 min Scan# 1432

Delta R.T. -0.00 min

Lab File: VD064205.D

Acq: 12 Nov 2019 19:28

Instrument :

MSVOA_D

ClientSampleId :


AOC-7-NORTH-(10)

Tot Ion: 98 Resp: 1551133

Ion Ratio Lower Upper

98 100

100 65.6 52.6 78.8



Abundance Ion 98.00 (97.70 to 98.70): VDC

Ion 100.00 (99.70 to 100.70): VDC

10.34

800000



600000

400000

200000

0

Time-->



#62

4-Bromofluorobenzene

Concen: 64.740 ug/l

RT: 12.64 min Scan# 1822

Delta R.T. -0.00 min

Lab File: VD064205.D

Acq: 12 Nov 2019 19:28


Tgt Ion: 95 Resp: 628317

Ion Ratio Lower Upper

95 100

174 95.0 0.0 183.6

176 93.4 0.0 180.2



Abundance Ion 94.90 (94.60 to 95.60): VDC

Ion 173.80 (173.50 to 174.50): VDC

Ion 175.80 (175.50 to 176.50): VDC

12.64

500000

400000


300000


200000

100000

0

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.65 min Scan# 1654
Delta R.T. -0.00 min
Lab File: VD064205.D
Acq: 12 Nov 2019 19:28

Instrument :
MSVOA_D
ClientSampleId :
AOC-7-NORTH-(10)

Tot Ion:117 Resp: 1350953
Ion Ratio Lower Upper
117 100
82 53.9 42.8 64.2
119 33.2 25.6 38.4



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.58 min Scan# 1983
Delta R.T. 0.01 min
Lab File: VD064205.D
Acq: 12 Nov 2019 19:28

Tgt Ion:152 Resp: 713816
Ion Ratio Lower Upper
152 100
115 53.9 27.4 82.2
150 152.8 0.0 351.6

