

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD111220\
 Data File : VD067628.D
 Acq On : 12 Nov 2020 17:30
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 13 12:26:55 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D110320S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 04 00:56:28 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	99	0.00
2 T	Dichlorodifluoromethane	0.457	0.361	21.0	86	0.00
3 P	Chloromethane	0.311	0.247	20.6	89	0.00
4 C	Vinyl Chloride	0.347	0.283	18.4#	85	0.00
5 T	Bromomethane	0.281	0.227	19.2	85	0.00
6 T	Chloroethane	0.214	0.184	14.0	86	0.00
7 T	Trichlorofluoromethane	0.899	0.812	9.7	94	0.00
8 T	Diethyl Ether	0.181	0.187	-3.3	107	-0.01
9 T	1,1,2-Trichlorotrifluoroeth	0.454	0.432	4.8	98	0.00
10 T	Methyl Iodide	0.486	0.461	5.1	87	0.00
11 T	Tert butyl alcohol	0.022	0.024	-9.1	126	0.00
12 CM	1,1-Dichloroethene	0.417	0.398	4.6#	99	0.00
13 T	Acrolein	0.016	0.021	-31.3#	105	0.00
14 T	Allyl chloride	0.447	0.432	3.4	96	0.00
15 T	Acrylonitrile	0.067	0.071	-6.0	106	-0.01
16 T	Acetone	0.065	0.059	9.2	81	0.00
17 T	Carbon Disulfide	1.279	1.108	13.4	89	0.00
18 T	Methyl Acetate	0.135	0.150	-11.1	124	0.00
19 T	Methyl tert-butyl Ether	0.823	0.899	-9.2	107	0.00
20 T	Methylene Chloride	0.462	0.446	3.5	104	0.00
21 T	trans-1,2-Dichloroethene	0.486	0.459	5.6	96	0.00
22 T	Diisopropyl ether	0.870	0.910	-4.6	103	0.00
23 T	Vinyl Acetate	0.456	0.500	-9.6	103	0.00
24 P	1,1-Dichloroethane	0.712	0.696	2.2	101	0.00
25 T	2-Butanone	0.070	0.075	-7.1	107	0.00
26 T	2,2-Dichloropropane	0.751	0.718	4.4	97	0.00
27 T	cis-1,2-Dichloroethene	0.505	0.498	1.4	98	0.00
28 T	Bromochloromethane	0.253	0.260	-2.8	101	0.00
29 T	Tetrahydrofuran	0.042	0.047	-11.9	109	0.00
30 C	Chloroform	0.849	0.844	0.6#	101	0.00
31 T	Cyclohexane	0.634	0.570	10.1	94	0.00
32 T	1,1,1-Trichloroethane	0.876	0.824	5.9	97	0.00
33 S	1,2-Dichloroethane-d4	0.437	0.409	6.4	104	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	101	0.00
35 S	Dibromofluoromethane	0.301	0.285	5.3	101	0.00
36 T	1,1-Dichloropropene	0.428	0.410	4.2	98	0.00
37 T	Ethyl Acetate	0.111	0.112	-0.9	97	0.00
38 T	Carbon Tetrachloride	0.556	0.538	3.2	99	0.00
39 T	Methylcyclohexane	0.504	0.492	2.4	93	0.00
40 TM	Benzene	1.159	1.157	0.2	101	0.00
41 T	Methacrylonitrile	0.066	0.077	-16.7	129	0.00
42 TM	1,2-Dichloroethane	0.358	0.361	-0.8	103	0.00
43 T	Isopropyl Acetate	0.220	0.242	-10.0	111	0.00
44 TM	Trichloroethene	0.381	0.372	2.4	102	0.00
45 C	1,2-Dichloropropane	0.251	0.250	0.4#	103	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD111220\
 Data File : VD067628.D
 Acq On : 12 Nov 2020 17:30
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 13 12:26:55 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D110320S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 04 00:56:28 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.159	0.160	-0.6	102	0.00
47 T	Bromodichloromethane	0.433	0.439	-1.4	102	0.00
48 T	Methyl methacrylate	0.113	0.120	-6.2	102	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	112	0.00
50 S	Toluene-d8	1.059	0.978	7.6	99	0.00
51 T	4-Methyl-2-Pentanone	0.105	0.119	-13.3	111	0.00
52 CM	Toluene	0.777	0.844	-8.6#	109	0.00
53 T	t-1,3-Dichloropropene	0.371	0.385	-3.8	104	0.00
54 T	cis-1,3-Dichloropropene	0.441	0.448	-1.6	103	0.00
55 T	1,1,2-Trichloroethane	0.211	0.223	-5.7	106	0.00
56 T	Ethyl methacrylate	0.218	0.235	-7.8	106	0.00
57 T	1,3-Dichloropropane	0.339	0.350	-3.2	103	0.00
58 T	2-Chloroethyl Vinyl ether	0.102	0.116	-13.7	109	0.00
59 T	2-Hexanone	0.073	0.081	-11.0	104	0.00
60 T	Dibromochloromethane	0.312	0.322	-3.2	103	0.00
61 T	1,2-Dibromoethane	0.212	0.219	-3.3	106	0.00
62 S	4-Bromofluorobenzene	0.365	0.358	1.9	105	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	102	0.00
64 T	Tetrachloroethene	0.370	0.357	3.5	100	0.00
65 PM	Chlorobenzene	0.963	0.955	0.8	102	0.00
66 T	1,1,1,2-Tetrachloroethane	0.380	0.388	-2.1	106	0.00
67 C	Ethyl Benzene	1.648	1.678	-1.8#	102	0.00
68 T	m/p-Xylenes	0.641	0.645	-0.6	101	0.00
69 T	o-Xylene	0.572	0.588	-2.8	102	0.00
70 T	Styrene	0.998	1.016	-1.8	102	0.00
71 P	Bromoform	0.194	0.208	-7.2	110	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	102	0.00
73 T	Isopropylbenzene	3.231	3.288	-1.8	99	0.00
74 T	N-amyl acetate	0.425	0.464	-9.2	108	0.00
75 P	1,1,2,2-Tetrachloroethane	0.441	0.469	-6.3	111	0.00
76 T	1,2,3-Trichloropropane	0.302	0.357	-18.2	130	0.00
77 T	Bromobenzene	0.794	0.806	-1.5	103	0.00
78 T	n-propylbenzene	3.696	3.716	-0.5	98	0.00
79 T	2-Chlorotoluene	2.100	2.145	-2.1	101	0.00
80 T	1,3,5-Trimethylbenzene	2.760	2.835	-2.7	99	0.00
81 T	trans-1,4-Dichloro-2-butene	0.149	0.151	-1.3	109	0.00
82 T	4-Chlorotoluene	2.252	2.292	-1.8	102	0.00
83 T	tert-Butylbenzene	2.339	2.477	-5.9	103	0.00
84 T	1,2,4-Trimethylbenzene	2.748	2.840	-3.3	100	0.00
85 T	sec-Butylbenzene	3.158	3.260	-3.2	99	0.00
86 T	p-Isopropyltoluene	3.050	3.106	-1.8	100	0.00
87 T	1,3-Dichlorobenzene	1.514	1.514	0.0	102	0.00
88 T	1,4-Dichlorobenzene	1.533	1.474	3.8	100	0.00
89 T	n-Butylbenzene	2.634	2.674	-1.5	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD111220\
Data File : VD067628.D
Acq On : 12 Nov 2020 17:30
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Nov 13 12:26:55 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D110320S.M
Quant Title : SW846 8260
QLast Update : Wed Nov 04 00:56:28 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.574	0.579	-0.9	101	0.00
91 T	1,2-Dichlorobenzene	1.311	1.316	-0.4	102	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.078	0.081	-3.8	109	0.00
93 T	1,2,4-Trichlorobenzene	0.890	0.917	-3.0	102	0.00
94 T	Hexachlorobutadiene	0.595	0.578	2.9	100	0.00
95 T	Naphthalene	1.373	1.544	-12.5	106	0.00
96 T	1,2,3-Trichlorobenzene	0.762	0.798	-4.7	103	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6