

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD111423\
 Data File : VD077554.D
 Acq On : 14 Nov 2023 10:06
 Operator : JC/SY
 Sample : VD1114SBL01
 Misc : 5.00G/10ml/MSVOA_D/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 VBLK158

Quant Time: Nov 16 02:27:24 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM110923SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Nov 10 02:07:44 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.781	114	318520	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.586	117	291654	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.522	152	129292	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.281	65	166215	20.514	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.040%
7) Chloroethane-d5	2.810	69	143372	22.524	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.080%
11) 1,1-Dichloroethene-d2	3.922	65	52694	21.031	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	84.120%
21) 2-Butanone-d5	6.992	46	63858	45.520	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.040%
24) Chloroform-d	7.575	84	212847	23.132	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.520%
26) 1,2-Dichloroethane-d4	8.234	65	118512	24.214	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	96.840%
32) Benzene-d6	8.204	84	445502	23.535	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.120%
36) 1,2-Dichloropropane-d6	9.216	67	149405	24.231	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	96.920%
41) Toluene-d8	10.275	98	396733	23.194	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.760%
43) trans-1,3-Dichloroprop...	10.528	79	60106	22.609	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	90.440%
47) 2-Hexanone-d5	10.881	63	50460	45.748	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.500%
56) 1,1,2,2-Tetrachloroeth...	12.651	84	91531	22.406	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	89.640%
66) 1,2-Dichlorobenzene-d4	13.816	152	112530	24.465	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.880%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD111423\
Data File : VD077554.D
Acq On : 14 Nov 2023 10:06
Operator : JC/SY
Sample : VD1114SBL01
Misc : 5.00G/10ml/MSVOA_D/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
VBLK158

Quant Time: Nov 16 02:27:24 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM110923SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Nov 10 02:07:44 2023
Response via : Initial Calibration

