

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD111423\
 Data File : VD077564.D
 Acq On : 14 Nov 2023 15:43
 Operator : JC/SY
 Sample : 05416-01
 Misc : 2.89G/10ml/MSVOA_D/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 C0AB2

Quant Time: Nov 16 02:28:51 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM110923SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Nov 10 02:07:44 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.781	114	425486	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.581	117	343637	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.522	152	118677	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.281	65	188070	17.376	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	69.520%
7) Chloroethane-d5	2.811	69	165799	19.499	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.000%
11) 1,1-Dichloroethene-d2	3.922	65	60364	18.036	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	72.160%
21) 2-Butanone-d5	6.981	46	57407	30.634	ug/L	-0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	61.260%
24) Chloroform-d	7.569	84	228308	18.575	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	74.280%
26) 1,2-Dichloroethane-d4	8.234	65	126205	19.303	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	77.200%
32) Benzene-d6	8.204	84	494174	22.157	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.640%
36) 1,2-Dichloropropane-d6	9.210	67	162159	22.321	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	89.280%
41) Toluene-d8	10.269	98	416730	20.677	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	82.720%
43) trans-1,3-Dichloroprop...	10.528	79	59519	19.001	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	76.000%
47) 2-Hexanone-d5	10.881	63	46263	35.598	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	71.200%
56) 1,1,2,2-Tetrachloroeth...	12.651	84	86749	18.023	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	72.080%
66) 1,2-Dichlorobenzene-d4	13.816	152	82974	19.653	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	78.600%
Target Compounds						Qvalue
16) Methylene chloride	4.793	84	8768	1.221	ug/L	82
25) Chloroform	7.599	83	13252	1.130	ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD111423\
Data File : VD077564.D
Acq On : 14 Nov 2023 15:43
Operator : JC/SY
Sample : 05416-01
Misc : 2.89G/10ml/MSVOA_D/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
C0AB2

Quant Time: Nov 16 02:28:51 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM110923SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Nov 10 02:07:44 2023
Response via : Initial Calibration









#16
Methylene chloride
Concen: 1.221 ug/L
RT: 4.793 min Scan# 549
Delta R.T. -0.012 min
Lab File: VD077564.D
Acq: 14 Nov 2023 15:43

Instrument :
MSVOA_D
ClientSampleId :
C0AB2

Tgt Ion: 84 Resp: 8768

Ion	Ratio	Lower	Upper
84	100		
86	63.9	46.5	86.5
49	109.7	98.3	182.7



#25
Chloroform
Concen: 1.130 ug/L
RT: 7.599 min Scan# 1022
Delta R.T. -0.000 min
Lab File: VD077564.D
Acq: 14 Nov 2023 15:43

Tgt Ion: 83 Resp: 13252

Ion	Ratio	Lower	Upper
83	100		
85	70.6	45.9	85.3

