

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD111519\
 Data File : VD064226.D
 Acq On : 15 Nov 2019 14:38
 Operator : VA/SY
 Sample : K5864-01
 Misc : 5.10G/5.00ml/MSVOA D/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 SB-01-7.5-8.0

Quant Time: Nov 16 05:50:27 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D110819S.M
 Quant Title : SW846 8260
 QLast Update : Tue Nov 12 02:43:24 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.98	168	979634	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.87	114	1457836	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.65	117	1307257	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.58	152	645516	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.33	65	438929	54.48	ug/l	0.00
Spiked Amount	50.000		Recovery	=	108.96%	
35) Dibromofluoromethane	7.92	113	442561	52.89	ug/l	0.00
Spiked Amount	50.000		Recovery	=	105.78%	
50) Toluene-d8	10.34	98	1718918	54.45	ug/l	0.00
Spiked Amount	50.000		Recovery	=	108.90%	
62) 4-Bromofluorobenzene	12.64	95	584320	53.45	ug/l	0.00
Spiked Amount	50.000		Recovery	=	106.90%	


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD111519\
Data File : VD064226.D
Acq On : 15 Nov 2019 14:38
Operator : VA/SY
Sample : K5864-01
Misc : 5.10G/5.00ml/MSVOA D/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
SB-01-7.5-8.0

Quant Time: Nov 16 05:50:27 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D110819S.M
Quant Title : SW846 8260
QLast Update : Tue Nov 12 02:43:24 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.98 min Scan# 1030

Delta R.T. -0.01 min

Lab File: VD064226.D

Acq: 15 Nov 2019 14:38

Instrument :

MSVOA_D

ClientSampleId :


SB-01-7.5-8.0

Tot Ion:168 Resp: 979634

Ion Ratio Lower Upper

168 100

99 50.2 41.6 62.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VDC

7.98

400000



300000

200000

100000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 54.479 ug/l

RT: 8.33 min Scan# 1090

Delta R.T. -0.01 min

Lab File: VD064226.D


Acq: 15 Nov 2019 14:38

Tgt Ion: 65 Resp: 438929

Ion Ratio Lower Upper

65 100

67 50.6 0.0 104.4



Abundance Ion 64.90 (64.60 to 65.60): VDC

Ion 66.90 (66.60 to 67.60): VDC

8.33

200000


150000


100000

50000

0

Time-->







#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.87 min Scan# 1181
 Delta R.T. -0.00 min
 Lab File: VD064226.D
 Acq: 15 Nov 2019 14:38

Instrument :
 MSVOA_D
 ClientSampleId :
 SB-01-7.5-8.0



Tot Ion:114 Resp: 1457836
 Ion Ratio Lower Upper
 114 100
 63 18.9 0.0 40.0
 88 15.2 0.0 30.2



Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VDC
 Ion 87.90 (87.60 to 88.60): VDC




Time-->




#35
 Dibromofluoromethane
 Concen: 52.886 ug/l
 RT: 7.92 min Scan# 1020
 Delta R.T. -0.00 min
 Lab File: VD064226.D
 Acq: 15 Nov 2019 14:38


Tgt Ion:113 Resp: 442561
 Ion Ratio Lower Upper
 113 100
 111 102.3 81.5 122.3
 192 24.8 18.8 28.2




Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V



Time-->









#50
Toluene-d8
Concen: 54.450 ug/l
RT: 10.34 min Scan# 1432
Delta R.T. -0.00 min
Lab File: VD064226.D
Acq: 15 Nov 2019 14:38




Instrument :
MSVOA_D
ClientSampleId :
SB-01-7.5-8.0


Tot Ion: 98 Resp: 1718918
Ion Ratio Lower Upper
98 100
100 65.5 52.6 78.8



#62
4-Bromofluorobenzene
Concen: 53.449 ug/l
RT: 12.64 min Scan# 1822
Delta R.T. -0.00 min
Lab File: VD064226.D
Acq: 15 Nov 2019 14:38

Tgt Ion: 95 Resp: 584320
Ion Ratio Lower Upper
95 100
174 93.9 0.0 183.6
176 91.6 0.0 180.2








#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.65 min Scan# 1654
Delta R.T. -0.00 min
Lab File: VD064226.D
Acq: 15 Nov 2019 14:38

Instrument :
MSVOA_D
ClientSampleId :
SB-01-7.5-8.0

Tot Ion:117 Resp: 1307257
Ion Ratio Lower Upper
117 100
82 52.4 42.8 64.2
119 32.2 25.6 38.4



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.58 min Scan# 1983
Delta R.T. 0.01 min
Lab File: VD064226.D
Acq: 15 Nov 2019 14:38

Tgt Ion:152 Resp: 645516
Ion Ratio Lower Upper
152 100
115 54.8 27.4 82.2
150 157.8 0.0 351.6

