

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD111819\
 Data File : VD064262.D
 Acq On : 18 Nov 2019 14:05
 Operator : VA/SY
 Sample : K5905-01
 Misc : 9.50G/5.00ml/MSVOA D/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 RT-3037

Quant Time: Nov 19 05:34:26 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D110819S.M
 Quant Title : SW846 8260
 QLast Update : Tue Nov 12 02:43:24 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.98	168	251050	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.87	114	378746	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.65	117	352557	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.58	152	178259	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.34	65	150546	72.91	ug/l	0.00
Spiked Amount 50.000			Recovery	=	145.82%	
35) Dibromofluoromethane	7.92	113	124068	57.07	ug/l	0.00
Spiked Amount 50.000			Recovery	=	114.14%	
50) Toluene-d8	10.34	98	447832	54.60	ug/l	0.00
Spiked Amount 50.000			Recovery	=	109.20%	
62) 4-Bromofluorobenzene	12.64	95	159514	56.16	ug/l	0.00
Spiked Amount 50.000			Recovery	=	112.32%	
Target Compounds						
52) Toluene	10.41	92	79577	12.668	ug/l	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD111819\
Data File : VD064262.D
Acq On : 18 Nov 2019 14:05
Operator : VA/SY
Sample : K5905-01
Misc : 9.50G/5.00ml/MSVOA D/SOIL
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
RT-3037

Quant Time: Nov 19 05:34:26 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D110819S.M
Quant Title : SW846 8260
QLast Update : Tue Nov 12 02:43:24 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.98 min Scan# 1031

Delta R.T. -0.00 min

Lab File: VD064262.D

Acq: 18 Nov 2019 14:05

Instrument :

MSVOA_D

ClientSampleId :


RT-3037

Tot Ion:168 Resp: 251050

Ion Ratio Lower Upper




168 100

99 49.7 41.6 62.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VDC



#33

1,2-Dichloroethane-d4

Concen: 72.913 ug/l

RT: 8.34 min Scan# 1091

Delta R.T. -0.00 min

Lab File: VD064262.D


Acq: 18 Nov 2019 14:05

Tgt Ion: 65 Resp: 150546

Ion Ratio Lower Upper



65 100


67 53.9 0.0 104.4



Abundance Ion 64.90 (64.60 to 65.60): VDC

Ion 66.90 (66.60 to 67.60): VDC









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.87 min Scan# 1181
 Delta R.T. -0.00 min
 Lab File: VD064262.D
 Acq: 18 Nov 2019 14:05

Instrument :
 MSVOA_D
 ClientSampleId :
 RT-3037

Tot Ion:114 Resp: 378746
 Ion Ratio Lower Upper
 114 100
 63 20.5 0.0 40.0
 88 15.9 0.0 30.2




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): V
 Ion 87.90 (87.60 to 88.60): V





#35
 Dibromofluoromethane
 Concen: 57.067 ug/l
 RT: 7.92 min Scan# 1020
 Delta R.T. -0.00 min
 Lab File: VD064262.D
 Acq: 18 Nov 2019 14:05

Tgt Ion:113 Resp: 124068
 Ion Ratio Lower Upper
 113 100
 111 100.3 81.5 122.3
 192 23.6 18.8 28.2



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 54.604 ug/l

RT: 10.34 min Scan# 1432

Delta R.T. -0.00 min

Lab File: VD064262.D

Acq: 18 Nov 2019 14:05

Instrument :

MSVOA_D

ClientSampled :


RT-3037

Tot Ion: 98 Resp: 447832

Ion Ratio Lower Upper

98 100

100 64.4 52.6 78.8



Abundance Ion 98.00 (97.70 to 98.70): VDC

Ion 100.00 (99.70 to 100.70): VDC

10.34

250000

200000



150000

100000

50000

0

Time-->



#52

Toluene

Concen: 12.668 ug/l

RT: 10.41 min Scan# 1443

Delta R.T. -0.00 min

Lab File: VD064262.D


Acq: 18 Nov 2019 14:05

Tgt Ion: 92 Resp: 79577

Ion Ratio Lower Upper

92 100

91 169.9 136.4 204.6



Abundance Ion 92.00 (91.70 to 92.70): VDC

Ion 91.00 (90.70 to 91.70): VDC

10.41

80000


60000


40000

20000

0

Time-->





#62

4-Bromofluorobenzene

Concen: 56.162 ug/l

RT: 12.64 min Scan# 1822

Delta R.T. -0.00 min

Lab File: VD064262.D

Acq: 18 Nov 2019 14:05

Instrument :

MSVOA_D

ClientSampleId :

RT-3037


Tot Ion: 95 Resp: 159514

Ion Ratio Lower Upper

95 100

174 96.6 0.0 183.6




176 93.3 0.0 180.2



Abundance Ion 94.90 (94.60 to 95.60): V

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.65 min Scan# 1654

Delta R.T. -0.00 min

Lab File: VD064262.D

Acq: 18 Nov 2019 14:05


Tgt Ion: 117 Resp: 352557

Ion Ratio Lower Upper

117 100

82 54.9 42.8 64.2



119 32.4 25.6 38.4




Abundance Ion 116.90 (116.60 to 117.60): V

Ion 82.00 (81.70 to 82.70): V

Ion 118.90 (118.60 to 119.60): V





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.58 min Scan# 1983

Delta R.T. 0.01 min

Lab File: VD064262.D

Acq: 18 Nov 2019 14:05

Instrument :

MSVOA_D

ClientSampleId :

RT-3037


Tot Ion:152 Resp: 178259

Ion Ratio Lower Upper

152 100

115 55.9 27.4 82.2

150 157.3 0.0 351.6



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

