

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD111820\
 Data File : VD067685.D
 Acq On : 18 Nov 2020 14:57
 Operator : VA/SY
 Sample : L4770-24
 Misc : 3.60G/5.00ml/MSVOA D/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 FJ-BH-04-4-5

Quant Time: Nov 19 00:54:42 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D110320S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 04 00:56:28 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.98	168	276080	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.87	114	423039	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.65	117	461089	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.58	152	240060	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.34	65	121890	50.49	ug/l	0.00
Spiked Amount	50.000		Recovery	=	100.98%	
35) Dibromofluoromethane	7.91	113	131545	51.61	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.22%	
50) Toluene-d8	10.34	98	503594	56.22	ug/l	0.00
Spiked Amount	50.000		Recovery	=	112.44%	
62) 4-Bromofluorobenzene	12.64	95	201219	65.07	ug/l	0.00
Spiked Amount	50.000		Recovery	=	130.14%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD111820\
Data File : VD067685.D
Acq On : 18 Nov 2020 14:57
Operator : VA/SY
Sample : L4770-24
Misc : 3.60G/5.00ml/MSVOA D/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
FJ-BH-04-4-5

Quant Time: Nov 19 00:54:42 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D110320S.M
Quant Title : SW846 8260
QLast Update : Wed Nov 04 00:56:28 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.98 min Scan# 1031

Delta R.T. -0.00 min

Lab File: VD067685.D

Acq: 18 Nov 2020 14:57

Instrument :

MSVOA_D

ClientSampleId :


FJ-BH-04-4-5

Tot Ion:168 Resp: 276080

Ion Ratio Lower Upper




168 100

99 60.0 45.0 67.6



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VDC



#33

1,2-Dichloroethane-d4

Concen: 50.493 ug/l

RT: 8.34 min Scan# 1091

Delta R.T. -0.00 min

Lab File: VD067685.D


Acq: 18 Nov 2020 14:57

Tgt Ion: 65 Resp: 121890

Ion Ratio Lower Upper



65 100


67 48.3 0.0 99.4



Abundance Ion 64.90 (64.60 to 65.60): VDC

Ion 66.90 (66.60 to 67.60): VDC





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.87 min Scan# 1181

Delta R.T. -0.01 min

Lab File: VD067685.D

Acq: 18 Nov 2020 14:57

Instrument :

MSVOA_D

ClientSampleId :

FJ-BH-04-4-5


Tot Ion:114 Resp: 423039

Ion Ratio Lower Upper

114 100

63 18.6 0.0 35.0




88 15.8 0.0 33.0



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): V

Ion 87.90 (87.60 to 88.60): V



#35

Dibromofluoromethane

Concen: 51.611 ug/l

RT: 7.91 min Scan# 1019

Delta R.T. -0.01 min

Lab File: VD067685.D

Acq: 18 Nov 2020 14:57


Tgt Ion:113 Resp: 131545

Ion Ratio Lower Upper

113 100

111 101.9 80.0 120.0



192 21.3 16.3 24.5




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 56.223 ug/l

RT: 10.34 min Scan# 1432

Delta R.T. -0.00 min

Lab File: VD067685.D

Acq: 18 Nov 2020 14:57

Instrument :

MSVOA_D

ClientSampleId :





FJ-BH-04-4-5

Tot Ion: 98 Resp: 503594

Ion Ratio Lower Upper

98 100

100 67.0 53.0 79.6



#62

4-Bromofluorobenzene

Concen: 65.069 ug/l

RT: 12.64 min Scan# 1822

Delta R.T. -0.00 min

Lab File: VD067685.D

Acq: 18 Nov 2020 14:57




Tgt Ion: 95 Resp: 201219


Ion Ratio Lower Upper

95 100

174 91.8 0.0 177.8

176 90.5 0.0 172.0









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.65 min Scan# 1654
Delta R.T. -0.00 min
Lab File: VD067685.D
Acq: 18 Nov 2020 14:57

Instrument :
MSVOA_D
ClientSampleId :
FJ-BH-04-4-5

Tot Ion:117 Resp: 461089
Ion Ratio Lower Upper
117 100
82 50.6 41.6 62.4
119 32.7 25.1 37.7



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.58 min Scan# 1982
Delta R.T. -0.01 min
Lab File: VD067685.D
Acq: 18 Nov 2020 14:57

Tgt Ion:152 Resp: 240060
Ion Ratio Lower Upper
152 100
115 58.7 29.3 88.0
150 154.4 0.0 338.2

