




Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD111823\
 Data File : VD077632.D
 Acq On : 18 Nov 2023 15:45
 Operator : JC/SY
 Sample : 05459-11
 Misc : 4.19G/10ml/MSVOA_D/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 C0AJ6

Manual IntegrationsAPPROVED

Quant Time: Nov 19 23:25:16 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM110923SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sun Nov 19 23:22:21 2023
 Response via : Initial Calibration

Reviewed By :John Carlone 11/20/2023
 Supervised By :Mahesh Dadoda 11/20/2023



TIC: VD077632.D\data.ms

(13) Acetone (T)

4.017min (-0.005) 4.25 ug/L

response 6439

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	32.00	30.81
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD111823\
 Data File : VD077632.D
 Acq On : 18 Nov 2023 15:45
 Operator : JC/SY
 Sample : 05459-11
 Misc : 4.19G/10ml/MSVOA_D/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 C0AJ6

Manual IntegrationsAPPROVED

Quant Time: Nov 19 23:25:16 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM110923SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sun Nov 19 23:22:21 2023
 Response via : Initial Calibration

Reviewed By :John Carlone 11/20/2023
 Supervised By :Mahesh Dadoda 11/20/2023



TIC: VD077632.D\data.ms

(13) Acetone (T)

4.017min (-0.005) 9.39 ug/L m

response 14221

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	32.00	13.95
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD111823\
 Data File : VD077632.D
 Acq On : 18 Nov 2023 15:45
 Operator : JC/SY
 Sample : 05459-11
 Misc : 4.19G/10ml/MSVOA_D/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 C0AJ6

Manual IntegrationsAPPROVED

Quant Time: Nov 19 23:25:16 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM110923SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sun Nov 19 23:22:21 2023
 Response via : Initial Calibration

Reviewed By :John Carlone 11/20/2023
 Supervised By :Mahesh Dadoda 11/20/2023

Compound	R.T.	Q	Ion	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene	8.775	114		327019	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.581	117		279398	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.516	152		104429	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3	2.276	65		134888	16.215	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	64.840%		
7) Chloroethane-d5	2.805	69		131011	20.047	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	80.200%		
11) 1,1-Dichloroethene-d2	3.922	65		42175	16.395	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110		Recovery =	65.600%		
21) 2-Butanone-d5	6.987	46		72871	50.595	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	101.180%		
24) Chloroform-d	7.569	84		210165	22.247	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150		Recovery =	89.000%		
26) 1,2-Dichloroethane-d4	8.228	65		116472	23.179	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130		Recovery =	92.720%		
32) Benzene-d6	8.199	84		400912	22.108	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135		Recovery =	88.440%		
36) 1,2-Dichloropropane-d6	9.210	67		145087	24.563	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120		Recovery =	98.240%		
41) Toluene-d8	10.269	98		341399	20.834	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130		Recovery =	83.320%		
43) trans-1,3-Dichloroprop...	10.522	79		52249	20.516	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135		Recovery =	82.080%		
47) 2-Hexanone-d5	10.875	63		55176	52.218	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	104.440%		
56) 1,1,2,2-Tetrachloroeth...	12.651	84		100006	25.554	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120		Recovery =	102.200%		
66) 1,2-Dichlorobenzene-d4	13.816	152		88194	23.740	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120		Recovery =	94.960%		
Target Compounds							
13) Acetone	4.017	43		14221m	9.393	ug/L	
16) Methylene chloride	4.805	84		61182	11.081	ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD111823\
Data File : VD077632.D
Acq On : 18 Nov 2023 15:45
Operator : JC/SY
Sample : 05459-11
Misc : 4.19G/10ml/MSVOA_D/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
C0AJ6

Manual IntegrationsAPPROVED

Reviewed By :John Carlone 11/20/2023
Supervised By :Mahesh Dadoda 11/20/2023

Quant Time: Nov 19 23:25:16 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM110923SMA.M
Quant Title : SFAM01.0
QLast Update : Sun Nov 19 23:22:21 2023
Response via : Initial Calibration

