




Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD112223\
Data File : VD077664.D
Acq On : 22 Nov 2023 12:19
Operator : JC/SY
Sample : 05459-14
Misc : 4.30G/10ml/MSVOA_D/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
C0AK0

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 11/23/2023
Supervised By :Mahesh Dadoda 11/24/2023

Quant Time: Nov 23 00:31:38 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM110923SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Nov 22 01:40:25 2023
Response via : Initial Calibration



(11) 1,1-Dichloroethene-d2 (S)

3.934min (+ 0.006) 6.93 ug/L

response 782

Ion	Exp%	Act%
65.00	100.00	100.00
100.00	125.30	0.00#
102.00	19.10	0.00#
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD112223\
Data File : VD077664.D
Acq On : 22 Nov 2023 12:19
Operator : JC/SY
Sample : 05459-14
Misc : 4.30G/10ml/MSVOA_D/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
C0AK0

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 11/23/2023
Supervised By :Mahesh Dadoda 11/24/2023

Quant Time: Nov 23 00:31:38 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM110923SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Nov 22 01:40:25 2023
Response via : Initial Calibration



TIC: VD077664.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

3.934min (+ 0.006) 16.70 ug/L m

response 1884

Ion	Exp%	Act%
65.00	100.00	100.00
100.00	125.30	0.00#
102.00	19.10	0.00#
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD112223\
 Data File : VD077664.D
 Acq On : 22 Nov 2023 12:19
 Operator : JC/SY
 Sample : 05459-14
 Misc : 4.30G/10ml/MSVOA_D/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 C0AK0

Manual IntegrationsAPPROVED

Quant Time: Nov 23 00:31:38 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM110923SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Nov 22 01:40:25 2023
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 11/23/2023
 Supervised By :Mahesh Dadoda 11/24/2023



TIC: VD077664.D\data.ms

(16) Methylene chloride (T)

4.793min (-0.018) 4.97 ug/L

response 1204

Ion	Exp%	Act%
84.00	100.00	100.00
86.00	66.50	35.58#
49.00	140.50	101.92
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD112223\
 Data File : VD077664.D
 Acq On : 22 Nov 2023 12:19
 Operator : JC/SY
 Sample : 05459-14
 Misc : 4.30G/10ml/MSVOA_D/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 C0AK0

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 11/23/2023
 Supervised By :Mahesh Dadoda 11/24/2023

Quant Time: Nov 23 00:31:38 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM110923SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Nov 22 01:40:25 2023
 Response via : Initial Calibration



TIC: VD077664.D\data.ms

(16) Methylene chloride (T)

4.793min (-0.018) 9.42 ug/L m

response 2281

Ion	Exp%	Act%
84.00	100.00	100.00
86.00	66.50	35.58#
49.00	140.50	101.92
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD112223\
 Data File : VD077664.D
 Acq On : 22 Nov 2023 12:19
 Operator : JC/SY
 Sample : 05459-14
 Misc : 4.30G/10ml/MSVOA_D/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 C0AK0

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 11/23/2023
 Supervised By :Mahesh Dadoda 11/24/2023

Quant Time: Nov 23 00:31:38 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM110923SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Nov 22 01:40:25 2023
 Response via : Initial Calibration



TIC: VD077664.D\data.ms

(21) 2-Butanone-d5 (S)

6.981min (-0.012) 53.45 ug/L

response 3376

Ion	Exp%	Act%
46.00	100.00	100.00
77.00	22.40	29.30#
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD112223\
 Data File : VD077664.D
 Acq On : 22 Nov 2023 12:19
 Operator : JC/SY
 Sample : 05459-14
 Misc : 4.30G/10ml/MSVOA_D/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 C0AK0

Manual IntegrationsAPPROVED

Quant Time: Nov 23 00:31:38 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM110923SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Nov 22 01:40:25 2023
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 11/23/2023
 Supervised By :Mahesh Dadoda 11/24/2023



TIC: VD077664.D\data.ms

(21) 2-Butanone-d5 (S)

6.981min (-0.012) 103.47 ug/L m

response 6536

Ion	Exp%	Act%
46.00	100.00	100.00
77.00	22.40	15.13#
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD112223\
 Data File : VD077664.D
 Acq On : 22 Nov 2023 12:19
 Operator : JC/SY
 Sample : 05459-14
 Misc : 4.30G/10ml/MSVOA_D/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 COAK0

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 11/23/2023
 Supervised By :Mahesh Dadoda 11/24/2023

Quant Time: Nov 23 00:31:38 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM110923SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Nov 22 01:40:25 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.775	114	14342	25.000	ug/L	# 0.00
28) Chlorobenzene-d5	11.581	117	12732	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.522	152	4972	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.275	65	5541	15.187	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	60.760%		
7) Chloroethane-d5	2.805	69	4808	16.775	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	67.120%		
11) 1,1-Dichloroethene-d2	3.934	65	1884m	16.700	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	66.800%		
21) 2-Butanone-d5	6.981	46	6536m	103.473	ug/L	-0.01
Spiked Amount 50.000	Range 20 - 135		Recovery =	206.940%#		
24) Chloroform-d	7.569	84	9968	24.060	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	96.240%		
26) 1,2-Dichloroethane-d4	8.234	65	7053	32.004	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	128.000%		
32) Benzene-d6	8.199	84	17317	20.956	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	83.840%		
36) 1,2-Dichloropropane-d6	9.216	67	7180	26.675	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	106.680%		
41) Toluene-d8	10.269	98	13993	18.739	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	74.960%		
43) trans-1,3-Dichloroprop...	10.528	79	3339	28.771	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	115.080%		
47) 2-Hexanone-d5	10.875	63	4285	88.991	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	177.980%#		
56) 1,1,2,2-Tetrachloroeth...	12.657	84	7514	42.134	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	168.520%#		
66) 1,2-Dichlorobenzene-d4	13.816	152	4312	24.378	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	97.520%		
Target Compounds						Qvalue
16) Methylene chloride	4.793	84	2281m	9.420	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD112223\
Data File : VD077664.D
Acq On : 22 Nov 2023 12:19
Operator : JC/SY
Sample : 05459-14
Misc : 4.30G/10ml/MSVOA_D/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
C0AK0

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 11/23/2023
Supervised By :Mahesh Dadoda 11/24/2023

Quant Time: Nov 23 00:31:38 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\SFAMDLM110923SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Nov 22 01:40:25 2023
Response via : Initial Calibration

