

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD120320\
 Data File : VD067857.D
 Acq On : 03 Dec 2020 09:51
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 03 14:32:57 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D120120S.M
 Quant Title : SW846 8260
 QLast Update : Wed Dec 02 08:05:58 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	94	0.00
2 T	Dichlorodifluoromethane	0.435	0.478	-9.9	103	0.00
3 P	Chloromethane	0.251	0.227	9.6	89	0.00
4 C	Vinyl Chloride	0.316	0.336	-6.3#	105	0.00
5 T	Bromomethane	0.282	0.376	-33.3#	136	0.00
6 T	Chloroethane	0.206	0.215	-4.4	99	0.00
7 T	Trichlorofluoromethane	0.968	1.020	-5.4	106	0.00
8 T	Diethyl Ether	0.189	0.187	1.1	100	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.441	0.466	-5.7	104	0.00
10 T	Methyl Iodide	0.468	0.392	16.2	76	0.00
11 T	Tert butyl alcohol	0.042	0.027	35.7#	95	0.01
12 CM	1,1-Dichloroethene	0.414	0.419	-1.2#	100	0.00
13 T	Acrolein	0.021	0.019	9.5	84	0.00
14 T	Allyl chloride	0.383	0.392	-2.3	97	0.00
15 T	Acrylonitrile	0.065	0.063	3.1	91	-0.01
16 T	Acetone	0.066	0.075	-13.6	97	0.00
17 T	Carbon Disulfide	1.157	1.178	-1.8	101	0.00
18 T	Methyl Acetate	0.135	0.124	8.1	94	0.00
19 T	Methyl tert-butyl Ether	0.887	0.936	-5.5	97	0.00
20 T	Methylene Chloride	0.504	0.462	8.3	101	0.01
21 T	trans-1,2-Dichloroethene	0.471	0.475	-0.8	98	0.01
22 T	Diisopropyl ether	0.771	0.798	-3.5	97	0.00
23 T	Vinyl Acetate	0.429	0.463	-7.9	95	0.00
24 P	1,1-Dichloroethane	0.676	0.702	-3.8	99	0.00
25 T	2-Butanone	0.070	0.069	1.4	89	0.00
26 T	2,2-Dichloropropane	0.806	0.865	-7.3	106	0.00
27 T	cis-1,2-Dichloroethene	0.516	0.530	-2.7	99	0.00
28 T	Bromochloromethane	0.215	0.208	3.3	97	-0.01
29 T	Tetrahydrofuran	0.040	0.039	2.5	89	0.00
30 C	Chloroform	0.903	0.914	-1.2#	99	0.00
31 T	Cyclohexane	0.566	0.560	1.1	104	0.00
32 T	1,1,1-Trichloroethane	0.953	1.005	-5.5	105	0.00
33 S	1,2-Dichloroethane-d4	0.537	0.521	3.0	91	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	93	0.00
35 S	Dibromofluoromethane	0.335	0.347	-3.6	94	0.00
36 T	1,1-Dichloropropene	0.433	0.474	-9.5	103	0.00
37 T	Ethyl Acetate	0.117	0.113	3.4	91	0.00
38 T	Carbon Tetrachloride	0.655	0.704	-7.5	103	0.00
39 T	Methylcyclohexane	0.513	0.566	-10.3	103	0.00
40 TM	Benzene	1.184	1.289	-8.9	103	0.00
41 T	Methacrylonitrile	0.059	0.056	5.1	79	0.00
42 TM	1,2-Dichloroethane	0.422	0.446	-5.7	97	0.00
43 T	Isopropyl Acetate	0.230	0.234	-1.7	92	0.00
44 TM	Trichloroethene	0.407	0.427	-4.9	100	0.00
45 C	1,2-Dichloropropane	0.243	0.249	-2.5#	99	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD120320\
 Data File : VD067857.D
 Acq On : 03 Dec 2020 09:51
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 03 14:32:57 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D120120S.M
 Quant Title : SW846 8260
 QLast Update : Wed Dec 02 08:05:58 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.169	0.176	-4.1	97	0.00
47 T	Bromodichloromethane	0.482	0.512	-6.2	102	0.00
48 T	Methyl methacrylate	0.117	0.116	0.9	93	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	85	0.00
50 S	Toluene-d8	1.204	1.275	-5.9	97	0.00
51 T	4-Methyl-2-Pentanone	0.109	0.111	-1.8	92	0.00
52 CM	Toluene	0.828	0.888	-7.2#	101	0.00
53 T	t-1,3-Dichloropropene	0.416	0.439	-5.5	98	0.00
54 T	cis-1,3-Dichloropropene	0.452	0.490	-8.4	101	0.00
55 T	1,1,2-Trichloroethane	0.231	0.241	-4.3	102	0.00
56 T	Ethyl methacrylate	0.235	0.242	-3.0	93	0.00
57 T	1,3-Dichloropropane	0.366	0.367	-0.3	98	0.00
58 T	2-Chloroethyl Vinyl ether	0.107	0.110	-2.8	86	0.00
59 T	2-Hexanone	0.077	0.085	-10.4	96	0.00
60 T	Dibromochloromethane	0.349	0.376	-7.7	104	0.00
61 T	1,2-Dibromoethane	0.227	0.228	-0.4	97	0.00
62 S	4-Bromofluorobenzene	0.416	0.450	-8.2	99	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	96	0.00
64 T	Tetrachloroethene	0.408	0.419	-2.7	106	0.00
65 PM	Chlorobenzene	1.032	1.073	-4.0	103	0.00
66 T	1,1,1,2-Tetrachloroethane	0.421	0.446	-5.9	106	0.00
67 C	Ethyl Benzene	1.757	1.900	-8.1#	105	0.00
68 T	m/p-Xylenes	0.693	0.740	-6.8	104	0.00
69 T	o-Xylene	0.615	0.689	-12.0	107	0.00
70 T	Styrene	1.070	1.163	-8.7	103	0.00
71 P	Bromoform	0.223	0.226	-1.3	94	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	100	0.00
73 T	Isopropylbenzene	3.438	3.634	-5.7	106	0.00
74 T	N-amyl acetate	0.425	0.411	3.3	94	0.00
75 P	1,1,2,2-Tetrachloroethane	0.454	0.430	5.3	96	0.00
76 T	1,2,3-Trichloropropane	0.364	0.339	6.9	99	0.00
77 T	Bromobenzene	0.855	0.870	-1.8	101	0.00
78 T	n-propylbenzene	3.811	3.996	-4.9	104	0.00
79 T	2-Chlorotoluene	2.242	2.342	-4.5	105	0.00
80 T	1,3,5-Trimethylbenzene	2.977	3.167	-6.4	105	0.00
81 T	trans-1,4-Dichloro-2-butene	0.152	0.139	8.6	92	0.00
82 T	4-Chlorotoluene	2.392	2.467	-3.1	104	0.00
83 T	tert-Butylbenzene	2.533	2.709	-6.9	102	0.00
84 T	1,2,4-Trimethylbenzene	2.960	3.135	-5.9	103	0.00
85 T	sec-Butylbenzene	3.381	3.552	-5.1	106	0.00
86 T	p-Isopropyltoluene	3.314	3.434	-3.6	103	0.00
87 T	1,3-Dichlorobenzene	1.649	1.670	-1.3	105	0.00
88 T	1,4-Dichlorobenzene	1.650	1.637	0.8	105	0.00
89 T	n-Butylbenzene	2.753	2.934	-6.6	104	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD120320\
Data File : VD067857.D
Acq On : 03 Dec 2020 09:51
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Dec 03 14:32:57 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D120120S.M
Quant Title : SW846 8260
QLast Update : Wed Dec 02 08:05:58 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.612	0.640	-4.6	110	0.00
91 T	1,2-Dichlorobenzene	1.430	1.413	1.2	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.095	0.091	4.2	97	0.00
93 T	1,2,4-Trichlorobenzene	1.000	1.031	-3.1	101	0.00
94 T	Hexachlorobutadiene	0.653	0.692	-6.0	106	0.00
95 T	Naphthalene	1.628	1.646	-1.1	96	0.00
96 T	1,2,3-Trichlorobenzene	0.864	0.882	-2.1	100	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6