

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD120721\
 Data File : VD071193.D
 Acq On : 07 Dec 2021 19:46
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 08 02:53:13 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D112921S.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 29 17:54:09 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	72	0.00
2 T	Dichlorodifluoromethane	0.426	0.368	13.6	67	0.00
3 P	Chloromethane	0.564	0.572	-1.4	77	0.00
4 C	Vinyl Chloride	0.629	0.678	-7.8#	79	0.00
5 T	Bromomethane	0.454	0.504	-11.0	85	0.00
6 T	Chloroethane	0.433	0.490	-13.2	80	0.00
7 T	Trichlorofluoromethane	0.853	0.885	-3.8	75	0.00
8 T	Diethyl Ether	0.231	0.244	-5.6	77	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.503	0.530	-5.4	76	0.00
10 T	Methyl Iodide	0.509	0.551	-8.3	71	0.00
11 T	Tert butyl alcohol	0.065	0.034	47.7#	66	-0.01
12 CM	1,1-Dichloroethene	0.464	0.469	-1.1#	75	0.00
13 T	Acrolein	0.040	0.023	42.5#	48#	0.00
14 T	Allyl chloride	0.882	0.908	-2.9	73	0.00
15 T	Acrylonitrile	0.112	0.129	-15.2	86	0.00
16 T	Acetone	0.140	0.149	-6.4	79	0.00
17 T	Carbon Disulfide	1.359	1.282	5.7	70	0.00
18 T	Methyl Acetate	0.433	0.460	-6.2	85	0.00
19 T	Methyl tert-butyl Ether	1.138	1.256	-10.4	80	0.00
20 T	Methylene Chloride	0.737	0.620	15.9	77	0.00
21 T	trans-1,2-Dichloroethene	0.523	0.540	-3.3	74	0.00
22 T	Diisopropyl ether	1.766	2.009	-13.8	81	0.00
23 T	Vinyl Acetate	0.837	0.932	-11.4	79	0.00
24 P	1,1-Dichloroethane	1.016	1.137	-11.9	78	0.00
25 T	2-Butanone	0.161	0.179	-11.2	83	0.00
26 T	2,2-Dichloropropane	0.924	0.919	0.5	71	0.00
27 T	cis-1,2-Dichloroethene	0.591	0.644	-9.0	75	0.00
28 T	Bromochloromethane	0.441	0.469	-6.3	76	0.00
29 T	Tetrahydrofuran	0.093	0.106	-14.0	89	0.00
30 C	Chloroform	1.020	1.154	-13.1#	79	0.00
31 T	Cyclohexane	0.998	0.950	4.8	72	0.00
32 T	1,1,1-Trichloroethane	0.915	1.002	-9.5	76	0.00
33 S	1,2-Dichloroethane-d4	0.587	0.587	0.0	79	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	74	0.00
35 S	Dibromofluoromethane	0.318	0.318	0.0	77	0.00
36 T	1,1-Dichloropropene	0.467	0.465	0.4	73	0.00
37 T	Ethyl Acetate	0.202	0.225	-11.4	92	0.00
38 T	Carbon Tetrachloride	0.461	0.488	-5.9	77	0.00
39 T	Methylcyclohexane	0.562	0.554	1.4	72	0.00
40 TM	Benzene	1.269	1.343	-5.8	78	0.00
41 T	Methacrylonitrile	0.119	0.123	-3.4	89	0.00
42 TM	1,2-Dichloroethane	0.387	0.436	-12.7	84	0.00
43 T	Isopropyl Acetate	0.398	0.431	-8.3	83	0.00
44 TM	Trichloroethene	0.338	0.355	-5.0	77	0.00
45 C	1,2-Dichloropropane	0.334	0.371	-11.1#	80	0.00
46 T	Dibromomethane	0.173	0.194	-12.1	85	0.00
47 T	Bromodichloromethane	0.458	0.507	-10.7	81	0.00
48 T	Methyl methacrylate	0.198	0.215	-8.6	83	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD120721\
 Data File : VD071193.D
 Acq On : 07 Dec 2021 19:46
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 08 02:53:13 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D112921S.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 29 17:54:09 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	80	0.00
50 S	Toluene-d8	1.212	1.120	7.6	72	0.00
51 T	4-Methyl-2-Pentanone	0.200	0.226	-13.0	88	0.00
52 CM	Toluene	0.805	0.874	-8.6#	78	0.00
53 T	t-1,3-Dichloropropene	0.421	0.453	-7.6	78	0.00
54 T	cis-1,3-Dichloropropene	0.500	0.537	-7.4	77	0.00
55 T	1,1,2-Trichloroethane	0.227	0.260	-14.5	87	0.00
56 T	Ethyl methacrylate	0.286	0.315	-10.1	84	0.00
57 T	1,3-Dichloropropane	0.399	0.447	-12.0	83	0.00
58 T	2-Chloroethyl Vinyl ether	0.155	0.157	-1.3	83	0.00
59 T	2-Hexanone	0.147	0.159	-8.2	83	0.00
60 T	Dibromochloromethane	0.282	0.318	-12.8	84	0.00
61 T	1,2-Dibromoethane	0.218	0.247	-13.3	86	0.00
62 S	4-Bromofluorobenzene	0.420	0.415	1.2	77	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	78	0.00
64 T	Tetrachloroethene	0.317	0.313	1.3	77	0.00
65 PM	Chlorobenzene	0.928	0.970	-4.5	80	0.00
66 T	1,1,1,2-Tetrachloroethane	0.339	0.365	-7.7	83	0.00
67 C	Ethyl Benzene	1.746	1.790	-2.5#	77	0.00
68 T	m/p-Xylenes	0.659	0.684	-3.8	78	0.00
69 T	o-Xylene	0.620	0.648	-4.5	79	0.00
70 T	Styrene	1.044	1.121	-7.4	80	0.00
71 P	Bromoform	0.175	0.195	-11.4	88	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	83	0.00
73 T	Isopropylbenzene	3.620	3.598	0.6	78	0.00
74 T	N-amyl acetate	0.876	0.879	-0.3	84	0.00
75 P	1,1,2,2-Tetrachloroethane	0.596	0.610	-2.3	84	0.00
76 T	1,2,3-Trichloropropane	0.476	0.450	5.5	86	0.00
77 T	Bromobenzene	0.784	0.800	-2.0	82	0.00
78 T	n-propylbenzene	4.509	4.520	-0.2	79	0.00
79 T	2-Chlorotoluene	2.530	2.539	-0.4	80	0.00
80 T	1,3,5-Trimethylbenzene	2.985	3.038	-1.8	80	0.00
81 T	trans-1,4-Dichloro-2-butene	0.180	0.170	5.6	79	0.00
82 T	4-Chlorotoluene	2.627	2.633	-0.2	80	0.00
83 T	tert-Butylbenzene	2.564	2.600	-1.4	80	0.00
84 T	1,2,4-Trimethylbenzene	2.915	2.981	-2.3	80	0.00
85 T	sec-Butylbenzene	3.916	3.952	-0.9	79	0.00
86 T	p-Isopropyltoluene	3.203	3.283	-2.5	80	0.00
87 T	1,3-Dichlorobenzene	1.561	1.590	-1.9	80	0.00
88 T	1,4-Dichlorobenzene	1.547	1.570	-1.5	81	0.00
89 T	n-Butylbenzene	3.127	3.224	-3.1	79	0.00
90 T	Hexachloroethane	0.607	0.618	-1.8	79	0.00
91 T	1,2-Dichlorobenzene	1.328	1.392	-4.8	84	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.097	0.099	-2.1	89	0.00
93 T	1,2,4-Trichlorobenzene	0.828	0.850	-2.7	80	0.00
94 T	Hexachlorobutadiene	0.469	0.475	-1.3	78	0.00
95 T	Naphthalene	1.460	1.529	-4.7	84	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD120721\
Data File : VD071193.D
Acq On : 07 Dec 2021 19:46
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Dec 08 02:53:13 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D112921S.M
Quant Title : SW846 8260
QLast Update : Mon Nov 29 17:54:09 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.703	0.736	-4.7	82	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6