

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD120820\
 Data File : VD067909.D
 Acq On : 08 Dec 2020 12:20
 Operator : VA/SY
 Sample : L4965-01
 Misc : 5.07G/5.00ml/MSVOA D/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 CRT012

Quant Time: Dec 09 04:41:59 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D120120S.M
 Quant Title : SW846 8260
 QLast Update : Wed Dec 02 08:05:58 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.98	168	238444	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.87	114	334570	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.65	117	295245	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.58	152	141438	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.34	65	111140	43.42	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	86.84%
35) Dibromofluoromethane	7.92	113	95626	42.71	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	85.42%
50) Toluene-d8	10.34	98	379455	47.08	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	94.16%
62) 4-Bromofluorobenzene	12.64	95	128814	46.23	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	92.46%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD120820\
Data File : VD067909.D
Acq On : 08 Dec 2020 12:20
Operator : VA/SY
Sample : L4965-01
Misc : 5.07G/5.00ml/MSVOA D/SOIL
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
CRT012

Quant Time: Dec 09 04:41:59 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D120120S.M
Quant Title : SW846 8260
QLast Update : Wed Dec 02 08:05:58 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.98 min Scan# 1031

Delta R.T. -0.00 min

Lab File: VD067909.D

Acq: 08 Dec 2020 12:20

Instrument :

MSVOA_D

ClientSampleId :


CRT012

Tot Ion:168 Resp: 238444

Ion Ratio Lower Upper

168 100

99 58.1 47.1 70.7



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VDC

7.98

120000

100000

80000



60000

40000

20000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 43.418 ug/l

RT: 8.34 min Scan# 1091

Delta R.T. -0.00 min

Lab File: VD067909.D


Acq: 08 Dec 2020 12:20

Tgt Ion: 65 Resp: 111140

Ion Ratio Lower Upper

65 100

67 44.9 0.0 92.0



Abundance Ion 64.90 (64.60 to 65.60): VDC

Ion 66.90 (66.60 to 67.60): VDC

8.34

60000

50000

40000


30000


20000

10000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.87 min Scan# 1181

Delta R.T. -0.00 min

Lab File: VD067909.D

Acq: 08 Dec 2020 12:20

Instrument :

MSVOA_D

ClientSampleId :

CRT012


Tot Ion:114 Resp: 334570

Ion Ratio Lower Upper

114 100

63 16.3 0.0 30.8




88 15.0 0.0 31.8



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): V

Ion 87.90 (87.60 to 88.60): V



#35

Dibromofluoromethane

Concen: 42.714 ug/l

RT: 7.92 min Scan# 1020

Delta R.T. -0.00 min

Lab File: VD067909.D

Acq: 08 Dec 2020 12:20


Tgt Ion:113 Resp: 95626

Ion Ratio Lower Upper

113 100

111 104.9 81.2 121.8



192 21.8 16.8 25.2




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 47.084 ug/l
RT: 10.34 min Scan# 1432
Delta R.T. -0.00 min
Lab File: VD067909.D
Acq: 08 Dec 2020 12:20




Instrument :
MSVOA_D
ClientSampleId :
CRT012


Tot Ion: 98 Resp: 379455
Ion Ratio Lower Upper
98 100
100 65.6 52.9 79.3



#62
4-Bromofluorobenzene
Concen: 46.232 ug/l
RT: 12.64 min Scan# 1822
Delta R.T. -0.00 min
Lab File: VD067909.D
Acq: 08 Dec 2020 12:20

Tgt Ion: 95 Resp: 128814
Ion Ratio Lower Upper
95 100
174 92.9 0.0 186.0
176 87.2 0.0 184.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.65 min Scan# 1654
Delta R.T. -0.00 min
Lab File: VD067909.D
Acq: 08 Dec 2020 12:20

Instrument :
MSVOA_D
ClientSampleId :
CRT012

Tot Ion:117 Resp: 295245
Ion Ratio Lower Upper
117 100
82 48.7 40.6 60.8
119 31.7 25.1 37.7




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.58 min Scan# 1982
Delta R.T. -0.00 min
Lab File: VD067909.D
Acq: 08 Dec 2020 12:20

Tgt Ion:152 Resp: 141438
Ion Ratio Lower Upper
152 100
115 60.7 29.1 87.4
150 155.5 0.0 339.0



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

