

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD120921\
 Data File : VD071230.D
 Acq On : 09 Dec 2021 16:07
 Operator : VA/SY
 Sample : M4990-04
 Misc : 7.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 R3-7

Quant Time: Dec 10 06:45:42 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D112921S.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 29 17:54:09 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.979	168	102771	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.861	114	179325	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.638	117	211473	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.567	152	112253	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.326	65	76801	63.69	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 127.38%	
35) Dibromofluoromethane	7.914	113	63124	55.28	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 110.56%	
50) Toluene-d8	10.338	98	237678	54.69	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	= 109.38%	
62) 4-Bromofluorobenzene	12.626	95	107472	71.35	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	= 142.70%	

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD120921\
Data File : VD071230.D
Acq On : 09 Dec 2021 16:07
Operator : VA/SY
Sample : M4990-04
Misc : 7.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
R3-7

Quant Time: Dec 10 06:45:42 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D112921S.M
Quant Title : SW846 8260
QLast Update : Mon Nov 29 17:54:09 2021
Response via : Initial Calibration

