

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD120921\
 Data File : VD071219.D
 Acq On : 09 Dec 2021 09:54
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 10 06:41:05 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D112921S.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 29 17:54:09 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	77	0.00
2 T	Dichlorodifluoromethane	0.426	0.398	6.6	78	0.00
3 P	Chloromethane	0.564	0.576	-2.1	83	0.00
4 C	Vinyl Chloride	0.629	0.703	-11.8#	87	0.00
5 T	Bromomethane	0.454	0.495	-9.0	89	0.00
6 T	Chloroethane	0.433	0.514	-18.7	90	0.00
7 T	Trichlorofluoromethane	0.853	0.905	-6.1	82	0.00
8 T	Diethyl Ether	0.231	0.257	-11.3	86	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.503	0.555	-10.3	85	0.00
10 T	Methyl Iodide	0.509	0.540	-6.1	74	0.00
11 T	Tert butyl alcohol	0.065	0.040	38.5#	83	-0.02
12 CM	1,1-Dichloroethene	0.464	0.481	-3.7#	82	0.00
13 T	Acrolein	0.040	0.030	25.0#	67	0.00
14 T	Allyl chloride	0.882	0.956	-8.4	82	0.00
15 T	Acrylonitrile	0.112	0.131	-17.0	93	0.00
16 T	Acetone	0.140	0.168	-20.0	95	0.00
17 T	Carbon Disulfide	1.359	1.297	4.6	75	0.00
18 T	Methyl Acetate	0.433	0.485	-12.0	96	0.00
19 T	Methyl tert-butyl Ether	1.138	1.265	-11.2	86	0.00
20 T	Methylene Chloride	0.737	0.608	17.5	81	0.00
21 T	trans-1,2-Dichloroethene	0.523	0.560	-7.1	82	0.00
22 T	Diisopropyl ether	1.766	2.012	-13.9	86	0.00
23 T	Vinyl Acetate	0.837	0.972	-16.1	87	0.00
24 P	1,1-Dichloroethane	1.016	1.146	-12.8	84	0.00
25 T	2-Butanone	0.161	0.188	-16.8	93	0.00
26 T	2,2-Dichloropropane	0.924	0.973	-5.3	80	0.00
27 T	cis-1,2-Dichloroethene	0.591	0.664	-12.4	83	0.00
28 T	Bromochloromethane	0.441	0.472	-7.0	82	0.00
29 T	Tetrahydrofuran	0.093	0.108	-16.1	97	0.00
30 C	Chloroform	1.020	1.170	-14.7#	86	0.00
31 T	Cyclohexane	0.998	0.989	0.9	80	0.00
32 T	1,1,1-Trichloroethane	0.915	1.035	-13.1	84	0.00
33 S	1,2-Dichloroethane-d4	0.587	0.594	-1.2	86	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	76	0.00
35 S	Dibromofluoromethane	0.318	0.335	-5.3	83	0.00
36 T	1,1-Dichloropropene	0.467	0.510	-9.2	82	0.00
37 T	Ethyl Acetate	0.202	0.218	-7.9	91	0.00
38 T	Carbon Tetrachloride	0.461	0.531	-15.2	86	0.00
39 T	Methylcyclohexane	0.562	0.584	-3.9	78	0.00
40 TM	Benzene	1.269	1.411	-11.2	84	0.00
41 T	Methacrylonitrile	0.119	0.139	-16.8	104	0.00
42 TM	1,2-Dichloroethane	0.387	0.450	-16.3	89	0.00
43 T	Isopropyl Acetate	0.398	0.445	-11.8	88	0.00
44 TM	Trichloroethene	0.338	0.376	-11.2	83	0.00
45 C	1,2-Dichloropropane	0.334	0.381	-14.1#	85	0.00
46 T	Dibromomethane	0.173	0.196	-13.3	88	0.00
47 T	Bromodichloromethane	0.458	0.538	-17.5	88	0.00
48 T	Methyl methacrylate	0.198	0.226	-14.1	90	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD120921\
 Data File : VD071219.D
 Acq On : 09 Dec 2021 09:54
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 10 06:41:05 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D112921S.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 29 17:54:09 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	94	0.00
50 S	Toluene-d8	1.212	1.202	0.8	80	0.00
51 T	4-Methyl-2-Pentanone	0.200	0.236	-18.0	94	0.00
52 CM	Toluene	0.805	0.900	-11.8#	83	0.00
53 T	t-1,3-Dichloropropene	0.421	0.478	-13.5	84	0.00
54 T	cis-1,3-Dichloropropene	0.500	0.564	-12.8	83	0.00
55 T	1,1,2-Trichloroethane	0.227	0.264	-16.3	91	0.00
56 T	Ethyl methacrylate	0.286	0.331	-15.7	91	0.00
57 T	1,3-Dichloropropane	0.399	0.464	-16.3	88	0.00
58 T	2-Chloroethyl Vinyl ether	0.155	0.169	-9.0	92	0.00
59 T	2-Hexanone	0.147	0.174	-18.4	93	0.00
60 T	Dibromochloromethane	0.282	0.343	-21.6	93	0.00
61 T	1,2-Dibromoethane	0.218	0.249	-14.2	89	0.00
62 S	4-Bromofluorobenzene	0.420	0.432	-2.9	82	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	77	0.00
64 T	Tetrachloroethene	0.317	0.339	-6.9	81	0.00
65 PM	Chlorobenzene	0.928	1.057	-13.9	85	0.00
66 T	1,1,1,2-Tetrachloroethane	0.339	0.396	-16.8	88	0.00
67 C	Ethyl Benzene	1.746	1.975	-13.1#	84	0.00
68 T	m/p-Xylenes	0.659	0.748	-13.5	84	0.00
69 T	o-Xylene	0.620	0.701	-13.1	84	0.00
70 T	Styrene	1.044	1.207	-15.6	85	0.00
71 P	Bromoform	0.175	0.205	-17.1	91	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	82	0.00
73 T	Isopropylbenzene	3.620	3.935	-8.7	85	0.00
74 T	N-ethyl acetate	0.876	0.973	-11.1	92	0.00
75 P	1,1,2,2-Tetrachloroethane	0.596	0.670	-12.4	92	0.00
76 T	1,2,3-Trichloropropane	0.476	0.482	-1.3	91	0.00
77 T	Bromobenzene	0.784	0.839	-7.0	86	0.00
78 T	n-propylbenzene	4.509	4.938	-9.5	85	0.00
79 T	2-Chlorotoluene	2.530	2.708	-7.0	85	0.00
80 T	1,3,5-Trimethylbenzene	2.985	3.239	-8.5	84	0.00
81 T	trans-1,4-Dichloro-2-butene	0.180	0.184	-2.2	85	0.00
82 T	4-Chlorotoluene	2.627	2.822	-7.4	85	0.00
83 T	tert-Butylbenzene	2.564	2.785	-8.6	85	0.00
84 T	1,2,4-Trimethylbenzene	2.915	3.222	-10.5	85	0.00
85 T	sec-Butylbenzene	3.916	4.292	-9.6	85	0.00
86 T	p-Isopropyltoluene	3.203	3.496	-9.1	84	0.00
87 T	1,3-Dichlorobenzene	1.561	1.720	-10.2	86	0.00
88 T	1,4-Dichlorobenzene	1.547	1.680	-8.6	86	0.00
89 T	n-Butylbenzene	3.127	3.446	-10.2	84	0.00
90 T	Hexachloroethane	0.607	0.685	-12.9	86	0.00
91 T	1,2-Dichlorobenzene	1.328	1.466	-10.4	88	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.097	0.110	-13.4	98	0.00
93 T	1,2,4-Trichlorobenzene	0.828	0.887	-7.1	83	0.00
94 T	Hexachlorobutadiene	0.469	0.507	-8.1	83	0.00
95 T	Naphthalene	1.460	1.630	-11.6	89	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD120921\
Data File : VD071219.D
Acq On : 09 Dec 2021 09:54
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Dec 10 06:41:05 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D112921S.M
Quant Title : SW846 8260
QLast Update : Mon Nov 29 17:54:09 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.703	0.739	-5.1	82	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6