

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_D\DATA\VD121018\
 Data File : VD060516.D
 Acq On : 10 Dec 2018 10:57
 Operator : VA/AP
 Sample : VD1210SBL01
 Misc : 5.00g/5ml/MSVOA_D/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 VD1210SBL01

Quant Time: Dec 11 06:57:27 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D120518S.M
 Quant Title : SW846 8260
 QLast Update : Thu Dec 06 01:49:20 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.41	168	1639764	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	7.45	114	2264822	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.28	117	1811331	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.37	152	869066	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.79	65	628183	54.05	ug/l	0.00
Spiked Amount	50.000		Recovery	=	108.10%	
35) Dibromofluoromethane	6.33	113	914466	54.97	ug/l	0.00
Spiked Amount	50.000		Recovery	=	109.94%	
50) Toluene-d8	9.45	98	2718705	56.47	ug/l	0.00
Spiked Amount	50.000		Recovery	=	112.94%	
62) 4-Bromofluorobenzene	12.43	95	924879	53.69	ug/l	0.00
Spiked Amount	50.000		Recovery	=	107.38%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_D\DATA\VD121018\
Data File : VD060516.D
Acq On : 10 Dec 2018 10:57
Operator : VA/AP
Sample : VD1210SBL01
Misc : 5.00g/5ml/MSVOA_D/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
VD1210SBL01

Quant Time: Dec 11 06:57:27 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D120518S.M
Quant Title : SW846 8260
QLast Update : Thu Dec 06 01:49:20 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 6.41 min Scan# 497

Delta R.T. -0.01 min

Lab File: VD060516.D

Acq: 10 Dec 2018 10:57

Instrument :

MSVOA_D

ClientSampleId :


VD1210SBL01

Tgt Ion:168 Resp: 1639764

Ion Ratio Lower Upper

168 100

99 46.9 35.6 53.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC

6.41



600000

400000

200000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: Below ug/l

RT: 6.79 min Scan# 535

Delta R.T. -0.01 min

Lab File: VD060516.D


Acq: 10 Dec 2018 10:57

Tgt Ion: 65 Resp: 628183

Ion Ratio Lower Upper

65 100

67 52.6 0.0 106.8



Abundance Ion 64.95 (64.65 to 65.65): VDC

Ion 66.90 (66.60 to 67.60): VDC

6.79

250000

200000


150000


100000

50000

0

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 7.45 min Scan# 602
 Delta R.T. -0.01 min
 Lab File: VD060516.D
 Acq: 10 Dec 2018 10:57

Instrument :
 MSVOA_D
 ClientSampleId :
 VD1210SBL01

Tgt Ion:114 Resp: 2264822
 Ion Ratio Lower Upper
 114 100
 63 17.4 0.0 34.2
 88 17.6 0.0 35.0




Abundance Ion 114.00 (113.70 to 114.70): V
 Ion 62.95 (62.65 to 63.65): V
 Ion 87.90 (87.60 to 88.60): V






#35
 Dibromofluoromethane
 Concen: 50.000 ug/l
 RT: 6.33 min Scan# 488
 Delta R.T. -0.01 min
 Lab File: VD060516.D
 Acq: 10 Dec 2018 10:57

Tgt Ion:113 Resp: 914466
 Ion Ratio Lower Upper
 113 100
 111 105.0 80.2 120.4
 192 20.2 16.6 24.8



Abundance Ion 112.90 (112.60 to 113.60): V
 Ion 110.90 (110.60 to 111.60): V
 Ion 191.80 (191.50 to 192.50): V









#50
Toluene-d8
Concen: N.D. ug/l
RT: 9.45 min Scan# 806
Delta R.T. -0.01 min
Lab File: VD060516.D
Acq: 10 Dec 2018 10:57

Instrument :
MSVOA_D
ClientSampleId :
VD1210SBL01

Tgt Ion: 98 Resp: 2718705
Ion Ratio Lower Upper
98 100
100 68.8 55.7 83.5




Abundance Ion 98.05 (97.75 to 98.75): VD060492.D (-799) (-)
Ion 100.05 (99.75 to 100.75): VD060492.D (-799) (-)






#62
4-Bromofluorobenzene
Concen: Below ug/l
RT: 12.43 min Scan# 1108
Delta R.T. -0.01 min
Lab File: VD060516.D
Acq: 10 Dec 2018 10:57

Tgt Ion: 95 Resp: 924879
Ion Ratio Lower Upper
95 100
174 84.8 0.0 219.4
176 82.8 0.0 214.6



Abundance Ion 95.00 (94.70 to 95.70): VD060492.D (-1103) (-)
Ion 173.90 (173.60 to 174.60): VD060492.D (-1103) (-)
Ion 175.90 (175.60 to 176.60): VD060492.D (-1103) (-)









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.28 min Scan# 992
Delta R.T. 0.00 min
Lab File: VD060516.D
Acq: 10 Dec 2018 10:57

Instrument :
MSVOA_D
ClientSampleId :
VD1210SBL01

Tgt Ion:117 Resp: 1811331
Ion Ratio Lower Upper
117 100
82 52.8 45.2 67.8
119 32.2 26.1 39.1




Abundance Ion 116.95 (116.65 to 117.65): V
Ion 82.05 (81.75 to 82.75): V
Ion 118.95 (118.65 to 119.65): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.37 min Scan# 1204
Delta R.T. -0.01 min
Lab File: VD060516.D
Acq: 10 Dec 2018 10:57

Tgt Ion:152 Resp: 869066
Ion Ratio Lower Upper
152 100
115 57.7 24.6 74.0
150 158.8 0.0 309.0



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 115.00 (114.70 to 115.70): V
Ion 149.90 (149.60 to 150.60): V

