

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD121019\
 Data File : VD064491.D
 Acq On : 10 Dec 2019 18:44
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 11 01:21:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D112719S.M
 Quant Title : SW846 8260
 QLast Update : Fri Nov 29 07:18:03 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	84	0.00
2 T	Dichlorodifluoromethane	0.453	0.415	8.4	80	0.00
3 P	Chloromethane	0.571	0.537	6.0	82	0.00
4 C	Vinyl Chloride	0.660	0.645	2.3#	82	0.00
5 T	Bromomethane	0.488	0.471	3.5	86	0.00
6 T	Chloroethane	0.441	0.448	-1.6	86	0.00
7 T	Trichlorofluoromethane	1.097	1.106	-0.8	85	0.00
8 T	Diethyl Ether	0.228	0.232	-1.8	86	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.470	0.481	-2.3	87	0.00
10 T	Methyl Iodide	0.497	0.563	-13.3	84	0.00
11 T	Tert butyl alcohol	0.029	0.029	0.0	82	0.00
12 CM	1,1-Dichloroethene	0.451	0.449	0.4#	84	0.00
13 T	Acrolein	0.039	0.044	-12.8	99	0.00
14 T	Allyl chloride	0.703	0.723	-2.8	85	0.00
15 T	Acrylonitrile	0.100	0.099	1.0	84	0.00
16 T	Acetone	0.091	0.080	12.1	68	0.00
17 T	Carbon Disulfide	1.427	1.377	3.5	80	0.00
18 T	Methyl Acetate	0.267	0.263	1.5	85	0.00
19 T	Methyl tert-butyl Ether	1.034	1.059	-2.4	84	0.00
20 T	Methylene Chloride	0.526	0.517	1.7	88	0.00
21 T	trans-1,2-Dichloroethene	0.510	0.519	-1.8	85	0.00
22 T	Diisopropyl ether	1.388	1.477	-6.4	88	0.00
23 T	Vinyl Acetate	0.819	0.852	-4.0	84	0.00
24 P	1,1-Dichloroethane	0.835	0.883	-5.7	87	0.00
25 T	2-Butanone	0.129	0.123	4.7	78	0.00
26 T	2,2-Dichloropropane	0.726	0.753	-3.7	87	0.00
27 T	cis-1,2-Dichloroethene	0.556	0.586	-5.4	88	0.00
28 T	Bromochloromethane	0.285	0.316	-10.9	87	0.01
29 T	Tetrahydrofuran	0.082	0.082	0.0	84	0.00
30 C	Chloroform	0.865	0.920	-6.4#	88	0.00
31 T	Cyclohexane	0.818	0.773	5.5	84	0.00
32 T	1,1,1-Trichloroethane	0.802	0.829	-3.4	86	0.00
33 S	1,2-Dichloroethane-d4	0.453	0.468	-3.3	88	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	87	0.00
35 S	Dibromofluoromethane	0.315	0.315	0.0	87	0.00
36 T	1,1-Dichloropropene	0.473	0.459	3.0	86	0.00
37 T	Ethyl Acetate	0.201	0.191	5.0	82	0.00
38 T	Carbon Tetrachloride	0.499	0.499	0.0	85	0.00
39 T	Methylcyclohexane	0.587	0.560	4.6	82	0.00
40 TM	Benzene	1.314	1.315	-0.1	86	0.00
41 T	Methacrylonitrile	0.115	0.109	5.2	71	0.00
42 TM	1,2-Dichloroethane	0.383	0.382	0.3	87	0.00
43 T	Isopropyl Acetate	0.395	0.384	2.8	83	0.00
44 TM	Trichloroethene	0.396	0.382	3.5	85	0.00
45 C	1,2-Dichloropropane	0.314	0.324	-3.2#	87	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD121019\
 Data File : VD064491.D
 Acq On : 10 Dec 2019 18:44
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 11 01:21:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D112719S.M
 Quant Title : SW846 8260
 QLast Update : Fri Nov 29 07:18:03 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.177	0.179	-1.1	86	0.00
47 T	Bromodichloromethane	0.456	0.476	-4.4	88	0.00
48 T	Methyl methacrylate	0.181	0.176	2.8	83	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	85	0.00
50 S	Toluene-d8	1.187	1.188	-0.1	89	0.00
51 T	4-Methyl-2-Pentanone	0.195	0.188	3.6	83	0.00
52 CM	Toluene	0.856	0.850	0.7#	87	0.00
53 T	t-1,3-Dichloropropene	0.434	0.440	-1.4	85	0.00
54 T	cis-1,3-Dichloropropene	0.516	0.533	-3.3	87	0.00
55 T	1,1,2-Trichloroethane	0.243	0.244	-0.4	88	0.00
56 T	Ethyl methacrylate	0.310	0.307	1.0	83	0.00
57 T	1,3-Dichloropropane	0.413	0.418	-1.2	87	0.00
58 T	2-Chloroethyl Vinyl ether	0.123	0.116	5.7	86	0.00
59 T	2-Hexanone	0.135	0.126	6.7	79	0.00
60 T	Dibromochloromethane	0.329	0.333	-1.2	87	0.00
61 T	1,2-Dibromoethane	0.242	0.240	0.8	86	0.00
62 S	4-Bromofluorobenzene	0.381	0.375	1.6	89	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	89	0.00
64 T	Tetrachloroethene	0.381	0.369	3.1	85	0.00
65 PM	Chlorobenzene	1.043	1.022	2.0	87	0.00
66 T	1,1,1,2-Tetrachloroethane	0.386	0.400	-3.6	90	0.00
67 C	Ethyl Benzene	1.855	1.825	1.6#	87	0.00
68 T	m/p-Xylenes	0.707	0.709	-0.3	88	0.00
69 T	o-Xylene	0.653	0.659	-0.9	88	0.00
70 T	Styrene	1.135	1.145	-0.9	89	0.00
71 P	Bromoform	0.231	0.221	4.3	85	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	93	0.00
73 T	Isopropylbenzene	3.596	3.431	4.6	87	0.00
74 T	N-amyl acetate	0.816	0.766	6.1	83	0.00
75 P	1,1,2,2-Tetrachloroethane	0.595	0.543	8.7	83	0.00
76 T	1,2,3-Trichloropropane	0.411	0.331	19.5	77	0.00
77 T	Bromobenzene	0.888	0.859	3.3	88	0.00
78 T	n-propylbenzene	4.149	3.962	4.5	87	0.00
79 T	2-Chlorotoluene	2.283	2.188	4.2	88	0.00
80 T	1,3,5-Trimethylbenzene	2.939	2.825	3.9	87	0.00
81 T	trans-1,4-Dichloro-2-butene	0.189	0.176	6.9	84	0.00
82 T	4-Chlorotoluene	2.417	2.356	2.5	90	0.00
83 T	tert-Butylbenzene	2.555	2.500	2.2	89	0.00
84 T	1,2,4-Trimethylbenzene	2.955	2.834	4.1	88	0.00
85 T	sec-Butylbenzene	3.506	3.338	4.8	86	0.00
86 T	p-Isopropyltoluene	3.310	3.179	4.0	88	0.00
87 T	1,3-Dichlorobenzene	1.685	1.632	3.1	89	0.00
88 T	1,4-Dichlorobenzene	1.664	1.604	3.6	89	0.00
89 T	n-Butylbenzene	3.006	2.900	3.5	87	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD121019\
Data File : VD064491.D
Acq On : 10 Dec 2019 18:44
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Dec 11 01:21:43 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D112719S.M
Quant Title : SW846 8260
QLast Update : Fri Nov 29 07:18:03 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.619	0.614	0.8	90	0.00
91 T	1,2-Dichlorobenzene	1.440	1.400	2.8	88	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.100	0.086	14.0	84	0.00
93 T	1,2,4-Trichlorobenzene	1.103	1.046	5.2	87	0.00
94 T	Hexachlorobutadiene	0.681	0.637	6.5	84	0.00
95 T	Naphthalene	1.841	1.694	8.0	83	0.00
96 T	1,2,3-Trichlorobenzene	0.942	0.906	3.8	86	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6