

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD121121\
 Data File : VD071271.D
 Acq On : 11 Dec 2021 15:51
 Operator : VA/SY
 Sample : M5018-19
 Misc : 5.02G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 TP4

Quant Time: Dec 12 17:53:59 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D112921S.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 29 17:54:09 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.979	168	236605	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.861	114	402117	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.637	117	458626	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.567	152	228867	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.326	65	134783	48.548	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	97.100%
35) Dibromofluoromethane	7.908	113	133095	51.977	ug/l	-0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	=	103.960%
50) Toluene-d8	10.338	98	518583	53.218	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	106.440%
62) 4-Bromofluorobenzene	12.626	95	223670	66.217	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	132.440%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD121121\
Data File : VD071271.D
Acq On : 11 Dec 2021 15:51
Operator : VA/SY
Sample : M5018-19
Misc : 5.02G/5.00ml/MSVOA_D/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
TP4

Quant Time: Dec 12 17:53:59 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D112921S.M
Quant Title : SW846 8260
QLast Update : Mon Nov 29 17:54:09 2021
Response via : Initial Calibration

