

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD121321\
 Data File : VD071287.D
 Acq On : 13 Dec 2021 09:13
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 14 08:12:03 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D112921S.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 29 17:54:09 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	72	0.00
2 T	Dichlorodifluoromethane	0.426	0.375	12.0	69	0.00
3 P	Chloromethane	0.564	0.584	-3.5	79	0.00
4 C	Vinyl Chloride	0.629	0.680	-8.1#	79	0.00
5 T	Bromomethane	0.454	0.495	-9.0	83	0.00
6 T	Chloroethane	0.433	0.509	-17.6	84	0.00
7 T	Trichlorofluoromethane	0.853	0.909	-6.6	77	0.00
8 T	Diethyl Ether	0.231	0.254	-10.0	80	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.503	0.552	-9.7	79	0.00
10 T	Methyl Iodide	0.509	0.492	3.3	63	0.00
11 T	Tert butyl alcohol	0.065	0.042	35.4#	81	-0.02
12 CM	1,1-Dichloroethene	0.464	0.472	-1.7#	75	0.00
13 T	Acrolein	0.040	0.028	30.0#	59	0.00
14 T	Allyl chloride	0.882	0.937	-6.2	76	0.00
15 T	Acrylonitrile	0.112	0.133	-18.8	89	0.00
16 T	Acetone	0.140	0.173	-23.6	92	0.00
17 T	Carbon Disulfide	1.359	1.247	8.2	68	0.00
18 T	Methyl Acetate	0.433	0.483	-11.5	90	0.00
19 T	Methyl tert-butyl Ether	1.138	1.289	-13.3	83	0.00
20 T	Methylene Chloride	0.737	0.618	16.1	77	0.00
21 T	trans-1,2-Dichloroethene	0.523	0.555	-6.1	76	0.00
22 T	Diisopropyl ether	1.766	2.077	-17.6	83	0.00
23 T	Vinyl Acetate	0.837	0.973	-16.2	82	0.00
24 P	1,1-Dichloroethane	1.016	1.157	-13.9	80	0.00
25 T	2-Butanone	0.161	0.182	-13.0	85	0.00
26 T	2,2-Dichloropropane	0.924	0.989	-7.0	76	0.00
27 T	cis-1,2-Dichloroethene	0.591	0.668	-13.0	78	0.00
28 T	Bromochloromethane	0.441	0.464	-5.2	76	0.00
29 T	Tetrahydrofuran	0.093	0.111	-19.4	93	0.00
30 C	Chloroform	1.020	1.205	-18.1#	83	0.00
31 T	Cyclohexane	0.998	0.956	4.2	73	0.00
32 T	1,1,1-Trichloroethane	0.915	1.036	-13.2	79	0.00
33 S	1,2-Dichloroethane-d4	0.587	0.638	-8.7	86	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	71	0.00
35 S	Dibromofluoromethane	0.318	0.348	-9.4	81	0.00
36 T	1,1-Dichloropropene	0.467	0.510	-9.2	77	0.00
37 T	Ethyl Acetate	0.202	0.235	-16.3	92	0.00
38 T	Carbon Tetrachloride	0.461	0.537	-16.5	82	0.00
39 T	Methylcyclohexane	0.562	0.570	-1.4	72	0.00
40 TM	Benzene	1.269	1.435	-13.1	80	0.00
41 T	Methacrylonitrile	0.119	0.132	-10.9	92	0.00
42 TM	1,2-Dichloroethane	0.387	0.458	-18.3	85	0.00
43 T	Isopropyl Acetate	0.398	0.462	-16.1	86	0.00
44 TM	Trichloroethene	0.338	0.365	-8.0	76	0.00
45 C	1,2-Dichloropropane	0.334	0.388	-16.2#	81	0.00
46 T	Dibromomethane	0.173	0.205	-18.5	86	0.00
47 T	Bromodichloromethane	0.458	0.549	-19.9	84	0.00
48 T	Methyl methacrylate	0.198	0.231	-16.7	86	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD121321\
 Data File : VD071287.D
 Acq On : 13 Dec 2021 09:13
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 14 08:12:03 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D112921S.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 29 17:54:09 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	91	0.00
50 S	Toluene-d8	1.212	1.237	-2.1	77	0.00
51 T	4-Methyl-2-Pentanone	0.200	0.242	-21.0	91	0.00
52 CM	Toluene	0.805	0.910	-13.0#	78	0.00
53 T	t-1,3-Dichloropropene	0.421	0.494	-17.3	82	0.00
54 T	cis-1,3-Dichloropropene	0.500	0.577	-15.4	80	0.00
55 T	1,1,2-Trichloroethane	0.227	0.271	-19.4	87	0.00
56 T	Ethyl methacrylate	0.286	0.337	-17.8	87	0.00
57 T	1,3-Dichloropropane	0.399	0.472	-18.3	84	0.00
58 T	2-Chloroethyl Vinyl ether	0.155	0.170	-9.7	86	0.00
59 T	2-Hexanone	0.147	0.175	-19.0	88	0.00
60 T	Dibromochloromethane	0.282	0.342	-21.3	87	0.00
61 T	1,2-Dibromoethane	0.218	0.254	-16.5	85	0.00
62 S	4-Bromofluorobenzene	0.420	0.463	-10.2	82	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	74	0.00
64 T	Tetrachloroethene	0.317	0.332	-4.7	77	0.00
65 PM	Chlorobenzene	0.928	1.026	-10.6	80	0.00
66 T	1,1,1,2-Tetrachloroethane	0.339	0.403	-18.9	86	0.00
67 C	Ethyl Benzene	1.746	1.968	-12.7#	80	0.00
68 T	m/p-Xylenes	0.659	0.736	-11.7	80	0.00
69 T	o-Xylene	0.620	0.691	-11.5	80	0.00
70 T	Styrene	1.044	1.217	-16.6	82	0.00
71 P	Bromoform	0.175	0.213	-21.7	91	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	81	0.00
73 T	Isopropylbenzene	3.620	3.766	-4.0	80	0.00
74 T	N-amyl acetate	0.876	0.912	-4.1	85	0.00
75 P	1,1,2,2-Tetrachloroethane	0.596	0.661	-10.9	89	0.00
76 T	1,2,3-Trichloropropane	0.476	0.562	-18.1	105	0.00
77 T	Bromobenzene	0.784	0.825	-5.2	83	0.00
78 T	n-propylbenzene	4.509	4.718	-4.6	80	0.00
79 T	2-Chlorotoluene	2.530	2.610	-3.2	80	0.00
80 T	1,3,5-Trimethylbenzene	2.985	3.180	-6.5	81	0.00
81 T	trans-1,4-Dichloro-2-butene	0.180	0.193	-7.2	88	0.00
82 T	4-Chlorotoluene	2.627	2.768	-5.4	82	0.00
83 T	tert-Butylbenzene	2.564	2.710	-5.7	81	0.00
84 T	1,2,4-Trimethylbenzene	2.915	3.160	-8.4	82	0.00
85 T	sec-Butylbenzene	3.916	4.170	-6.5	81	0.00
86 T	p-Isopropyltoluene	3.203	3.447	-7.6	82	0.00
87 T	1,3-Dichlorobenzene	1.561	1.719	-10.1	84	0.00
88 T	1,4-Dichlorobenzene	1.547	1.668	-7.8	84	0.00
89 T	n-Butylbenzene	3.127	3.377	-8.0	81	0.00
90 T	Hexachloroethane	0.607	0.674	-11.0	84	0.00
91 T	1,2-Dichlorobenzene	1.328	1.471	-10.8	86	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.097	0.106	-9.3	93	0.00
93 T	1,2,4-Trichlorobenzene	0.828	0.877	-5.9	81	0.00
94 T	Hexachlorobutadiene	0.469	0.488	-4.1	78	0.00
95 T	Naphthalene	1.460	1.577	-8.0	85	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD121321\
Data File : VD071287.D
Acq On : 13 Dec 2021 09:13
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Dec 14 08:12:03 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D112921S.M
Quant Title : SW846 8260
QLast Update : Mon Nov 29 17:54:09 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.703	0.735	-4.6	80	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6