

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD121718\
 Data File : VD060614.D
 Acq On : 17 Dec 2018 22:10
 Operator : VA/AP
 Sample : J6319-11
 Misc : 5.07g/5ml/MSVOA D/SOIL
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 065_SW-W-1

Quant Time: Dec 18 16:45:23 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D120518S.M
 Quant Title : SW846 8260
 QLast Update : Thu Dec 06 01:49:20 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.42	168	1283719	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	7.46	114	1851469	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.29	117	1434923	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.38	152	574750	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.80	65	525072	57.71	ug/l	0.00
Spiked Amount	50.000		Recovery	=	115.42%	
35) Dibromofluoromethane	6.34	113	672763	49.47	ug/l	0.00
Spiked Amount	50.000		Recovery	=	98.94%	
50) Toluene-d8	9.47	98	1905279	48.41	ug/l	0.00
Spiked Amount	50.000		Recovery	=	96.82%	
62) 4-Bromofluorobenzene	12.43	95	605249	42.98	ug/l	0.00
Spiked Amount	50.000		Recovery	=	85.96%	
Target Compounds						
78) n-propylbenzene	12.65	91	112931	2.197	ug/l	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD121718\
Data File : VD060614.D
Acq On : 17 Dec 2018 22:10
Operator : VA/AP
Sample : J6319-11
Misc : 5.07g/5ml/MSVOA D/SOIL
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
065_SW-W-1

Quant Time: Dec 18 16:45:23 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D120518S.M
Quant Title : SW846 8260
QLast Update : Thu Dec 06 01:49:20 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 6.42 min Scan# 497

Delta R.T. -0.00 min

Lab File: VD060614.D

Acq: 17 Dec 2018 22:10

Instrument :

MSVOA_D

ClientSampleId :


065_SW-W-1

Tot Ion:168 Resp: 1283719

Ion Ratio Lower Upper

168 100

99 48.7 35.6 53.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC

6.42

500000

400000



300000

200000

100000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: N.D. ug/l

RT: 6.80 min Scan# 536

Delta R.T. 0.01 min

Lab File: VD060614.D


Acq: 17 Dec 2018 22:10

Tgt Ion: 65 Resp: 525072

Ion Ratio Lower Upper

65 100

67 54.2 0.0 106.8



Abundance Ion 64.95 (64.65 to 65.65): VDC

Ion 66.90 (66.60 to 67.60): VDC

6.80

200000


150000


100000

50000

0

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 7.46 min Scan# 603
 Delta R.T. 0.01 min
 Lab File: VD060614.D
 Acq: 17 Dec 2018 22:10

Instrument :
 MSVOA_D
 ClientSampleId :
 065_SW-W-1

Tot Ion:114 Resp: 1851469
 Ion Ratio Lower Upper
 114 100
 63 18.4 0.0 34.2
 88 18.3 0.0 35.0




Abundance Ion 114.00 (113.70 to 114.70): V
 Ion 62.95 (62.65 to 63.65): V
 Ion 87.90 (87.60 to 88.60): V






#35
 Dibromofluoromethane
 Concen: 50.000 ug/l
 RT: 6.34 min Scan# 489
 Delta R.T. 0.01 min
 Lab File: VD060614.D
 Acq: 17 Dec 2018 22:10

Tgt Ion:113 Resp: 672763
 Ion Ratio Lower Upper
 113 100
 111 104.7 80.2 120.4
 192 20.8 16.6 24.8



Abundance Ion 112.90 (112.60 to 113.60): V
 Ion 110.90 (110.60 to 111.60): V
 Ion 191.80 (191.50 to 192.50): V





#50

Toluene-d8

Concen: N.D. ug/l

RT: 9.47 min Scan# 807

Delta R.T. 0.01 min

Lab File: VD060614.D

Acq: 17 Dec 2018 22:10

Instrument :

MSVOA_D

ClientSampleId :


065_SW-W-1

Tot Ion: 98 Resp: 1905279

Ion Ratio Lower Upper

98 100

100 69.0 55.7 83.5



Abundance Ion 98.05 (97.75 to 98.75): VD0

Ion 100.05 (99.75 to 100.75): VD

9.47

800000



600000

400000

200000

0

Time-->



#62

4-Bromofluorobenzene

Concen: Below ug/l

RT: 12.43 min Scan# 1108

Delta R.T. -0.00 min

Lab File: VD060614.D

Acq: 17 Dec 2018 22:10


Tgt Ion: 95 Resp: 605249

Ion Ratio Lower Upper

95 100

174 86.5 0.0 219.4

176 83.4 0.0 214.6



Abundance Ion 95.00 (94.70 to 95.70): VD0

Ion 173.90 (173.60 to 174.60): V

Ion 175.90 (175.60 to 176.60): V

600000

500000

400000


300000


200000

100000

0

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.29 min Scan# 992
Delta R.T. 0.01 min
Lab File: VD060614.D
Acq: 17 Dec 2018 22:10

Instrument :
MSVOA_D
ClientSampleId :
065_SW-W-1

Tot Ion:117 Resp: 1434923
Ion Ratio Lower Upper
117 100
82 55.9 45.2 67.8
119 32.7 26.1 39.1




Abundance Ion 116.95 (116.65 to 117.65): V
Ion 82.05 (81.75 to 82.75): V
Ion 118.95 (118.65 to 119.65): V






#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.38 min Scan# 1204
Delta R.T. -0.00 min
Lab File: VD060614.D
Acq: 17 Dec 2018 22:10

Tgt Ion:152 Resp: 574750
Ion Ratio Lower Upper
152 100
115 54.4 24.6 74.0
150 156.4 0.0 309.0



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 115.00 (114.70 to 115.70): V
Ion 149.90 (149.60 to 150.60): V





#78

n-propylbenzene

Concen: 2.197 ug/l

RT: 12.65 min Scan# 1130

Delta R.T. 0.01 min

Lab File: VD060614.D

Acq: 17 Dec 2018 22:10

Instrument :

MSVOA_D

ClientSampleId :

065_SW-W-1

Tot Ion: 91 Resp: 112931

Ion Ratio Lower Upper

91 100

120 20.4 10.4 31.1

