

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD121719\
 Data File : VD064556.D
 Acq On : 17 Dec 2019 20:26
 Operator : VA/SY
 Sample : K6357-13
 Misc : 5.16G/5.00ml/MSVOA D/SOIL
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 PF-H

Quant Time: Dec 18 03:38:56 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D112719S.M
 Quant Title : SW846 8260
 QLast Update : Fri Nov 29 07:18:03 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.98	168	249966	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.87	114	381861	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.65	117	402193	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.58	152	211325	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.34	65	129365	57.18	ug/l	0.00
Spiked Amount 50.000			Recovery	=	114.36%	
35) Dibromofluoromethane	7.92	113	124186	51.62	ug/l	0.00
Spiked Amount 50.000			Recovery	=	103.24%	
50) Toluene-d8	10.34	98	457458	50.48	ug/l	0.00
Spiked Amount 50.000			Recovery	=	100.96%	
62) 4-Bromofluorobenzene	12.64	95	179345	61.58	ug/l	0.00
Spiked Amount 50.000			Recovery	=	123.16%	
Target Compounds						
30) Chloroform	7.71	83	7314	1.692	ug/l	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD121719\
Data File : VD064556.D
Acq On : 17 Dec 2019 20:26
Operator : VA/SY
Sample : K6357-13
Misc : 5.16G/5.00ml/MSVOA D/SOIL
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
PF-H

Quant Time: Dec 18 03:38:56 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D112719S.M
Quant Title : SW846 8260
QLast Update : Fri Nov 29 07:18:03 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.98 min Scan# 1031

Delta R.T. 0.01 min

Lab File: VD064556.D

Acq: 17 Dec 2019 20:26

Instrument :

MSVOA_D

ClientSampleId :


PF-H

Tot Ion:168 Resp: 249966

Ion Ratio Lower Upper

168 100

99 50.6 40.7 61.1



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VDC

7.98

120000

100000

80000



60000

40000

20000

0

Time--> 7.90 8.00 8.10



#30

Chloroform

Concen: 1.692 ug/l

RT: 7.71 min Scan# 985

Delta R.T. 0.00 min

Lab File: VD064556.D


Acq: 17 Dec 2019 20:26

Tgt Ion: 83 Resp: 7314

Ion Ratio Lower Upper

83 100

85 66.7 51.8 77.6



Abundance Ion 82.90 (82.60 to 83.60): VDC

Ion 84.90 (84.60 to 85.60): VDC

7.71


3000


2000

1000

0

Time--> 7.60 7.65 7.70 7.75 7.80









#33
 1,2-Dichloroethane-d4
 Concen: 57.176 ug/l
 RT: 8.34 min Scan# 1091
 Delta R.T. 0.00 min
 Lab File: VD064556.D
 Acq: 17 Dec 2019 20:26




Instrument :
 MSVOA_D
 ClientSampleId :
 PF-H


Tot Ion: 65 Resp: 129365
 Ion Ratio Lower Upper
 65 100
 67 51.5 0.0 102.0



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.87 min Scan# 1181
 Delta R.T. 0.00 min
 Lab File: VD064556.D
 Acq: 17 Dec 2019 20:26

Tgt Ion: 114 Resp: 381861
 Ion Ratio Lower Upper
 114 100
 63 20.0 0.0 40.0
 88 13.0 0.0 29.2









#35
 Dibromofluoromethane
 Concen: 51.617 ug/l
 RT: 7.92 min Scan# 1020
 Delta R.T. 0.00 min
 Lab File: VD064556.D
 Acq: 17 Dec 2019 20:26

Instrument :
 MSVOA_D
 ClientSampleId :
 PF-H

Tot Ion:113 Resp: 124186
 Ion Ratio Lower Upper
 113 100
 111 101.8 79.4 119.2
 192 22.5 18.6 28.0




Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V






#50
 Toluene-d8
 Concen: 50.476 ug/l
 RT: 10.34 min Scan# 1431
 Delta R.T. -0.01 min
 Lab File: VD064556.D
 Acq: 17 Dec 2019 20:26

Tgt Ion: 98 Resp: 457458
 Ion Ratio Lower Upper
 98 100
 100 66.0 52.6 79.0



Abundance Ion 98.00 (97.70 to 98.70): VDC
 Ion 100.00 (99.70 to 100.70): VDC









#62
4-Bromofluorobenzene
Concen: 61.577 ug/l
RT: 12.64 min Scan# 1822
Delta R.T. 0.00 min
Lab File: VD064556.D
Acq: 17 Dec 2019 20:26




Instrument :
MSVOA_D
ClientSampleId :
PF-H


Tot Ion: 95 Resp: 179345
Ion Ratio Lower Upper
95 100
174 96.8 0.0 197.2
176 95.5 0.0 189.6



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.65 min Scan# 1654
Delta R.T. 0.00 min
Lab File: VD064556.D
Acq: 17 Dec 2019 20:26

Tgt Ion: 117 Resp: 402193
Ion Ratio Lower Upper
117 100
82 52.3 41.4 62.2
119 32.1 26.2 39.2





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.58 min Scan# 1983

Delta R.T. 0.00 min

Lab File: VD064556.D

Acq: 17 Dec 2019 20:26

Instrument :

MSVOA_D

ClientSampleId :

PF-H


Tot Ion:152 Resp: 211325

Ion Ratio Lower Upper

152 100

115 55.9 26.7 80.1

150 157.4 0.0 347.2



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

