

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD123020\
 Data File : VD067975.D
 Acq On : 30 Dec 2020 14:43
 Operator : VA/SY
 Sample : L5242-04
 Misc : 6.16G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 SAMPLE-2(484+26)VOC-GRAB

Quant Time: Dec 31 00:15:36 2020
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D122220S.M
 Quant Title : SW846 8260
 QLast Update : Wed Dec 23 07:34:16 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.979	168	225512	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.867	114	460424	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.644	117	424582	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.573	152	175956	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.332	65	164209	67.43	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	134.86%
35) Dibromofluoromethane	7.914	113	160216	55.23	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	110.46%
50) Toluene-d8	10.344	98	585915	53.73	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	107.46%
62) 4-Bromofluorobenzene	12.632	95	169365	45.41	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	90.82%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD123020\
Data File : VD067975.D
Acq On : 30 Dec 2020 14:43
Operator : VA/SY
Sample : L5242-04
Misc : 6.16G/5.00ml/MSVOA_D/SOIL
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
SAMPLE-2(484+26)VOC-GRAB

Quant Time: Dec 31 00:15:36 2020
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D122220S.M
Quant Title : SW846 8260
QLast Update : Wed Dec 23 07:34:16 2020
Response via : Initial Calibration









(-1019) (-)
Pentafluorobenzene
Concen: 50.00 ug/l
RT: 7.979 min Scan# 1030
Delta R.T. -0.006 min
Lab File: VD067975.D
Acq: 30 Dec 2020 14:43




Instrument :
MSVOA_D
ClientSampleId :
SAMPLE-2(484+26)VOC-GRAB


Tgt Ion:168 Resp: 225512
Ion Ratio Lower Upper
168 100
99 61.9 48.0 72.0



(-1030) (-)
1,2-Dichloroethane-d4
Concen: 67.43 ug/l
RT: 8.332 min Scan# 1090
Delta R.T. 0.000 min
Lab File: VD067975.D
Acq: 30 Dec 2020 14:43

Tgt Ion: 65 Resp: 164209
Ion Ratio Lower Upper
65 100
67 52.8 0.0 110.0









1,4-Difluorobenzene
Concen: 50.00 ug/l
RT: 8.867 min Scan# 1181
Delta R.T. 0.000 min
Lab File: VD067975.D
Acq: 30 Dec 2020 14:43




Instrument :
MSVOA_D
ClientSampleId :
SAMPLE-2(484+26)VOC-GRAB


Tgt Ion:	114	Resp:	460424
Ion Ratio	Lower	Upper	
114	100		
63	21.6	0.0	41.4
88	15.4	0.0	33.2



Dibromofluoromethane
Concen: 55.23 ug/l
RT: 7.914 min Scan# 1019
Delta R.T. -0.006 min
Lab File: VD067975.D
Acq: 30 Dec 2020 14:43

Tgt Ion:	113	Resp:	160216
Ion Ratio	Lower	Upper	
113	100		
111	105.5	79.3	118.9
192	17.7	14.5	21.7









#5022 (-)
Toluene-d8
Concen: 53.73 ug/l
RT: 10.344 min Scan# 1432
Delta R.T. 0.000 min
Lab File: VD067975.D
Acq: 30 Dec 2020 14:43




Instrument :
MSVOA_D
ClientSampleId :
SAMPLE-2(484+26)VOC-GRAB


Tgt Ion: 98 Resp: 585915
Ion Ratio Lower Upper
98 100
100 64.6 52.5 78.7



#6813 (-)
4-Bromofluorobenzene
Concen: 45.41 ug/l
RT: 12.632 min Scan# 1821
Delta R.T. 0.000 min
Lab File: VD067975.D
Acq: 30 Dec 2020 14:43

Tgt Ion: 95 Resp: 169365
Ion Ratio Lower Upper
95 100
174 79.1 0.0 150.6
176 74.6 0.0 151.2









#6344 (-)
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 11.644 min Scan# 1653
Delta R.T. -0.006 min
Lab File: VD067975.D
Acq: 30 Dec 2020 14:43

Instrument :
MSVOA_D
ClientSampleId :
SAMPLE-2(484+26)VOC-GRAB

Tgt Ion:	117	Resp:	424582
Ion Ratio	Lower	Upper	
117	100		
82	58.4	45.4	68.0
119	32.5	26.7	40.1



#7873 (-)
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 13.573 min Scan# 1981
Delta R.T. -0.006 min
Lab File: VD067975.D
Acq: 30 Dec 2020 14:43

Tgt Ion:	152	Resp:	175956
Ion Ratio	Lower	Upper	
152	100		
115	60.8	29.3	88.0
150	157.4	0.0	340.0

