

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD041719\
 Data File : VD061855.D
 Acq On : 17 Apr 2019 16:22
 Operator : VA/AP
 Sample : K2376-02RE
 Misc : 3.85g/5ml/MSVOA D/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 TP-4-S2RE

Quant Time: Apr 17 16:48:08 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D041519S.M
 Quant Title : SW846 8260
 QLast Update : Tue Apr 16 08:53:01 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.04	168	318429	50.00	ug/l	-0.05
34) 1,4-Difluorobenzene	8.21	114	523453	50.00	ug/l	-0.05
63) Chlorobenzene-d5	12.36	117	368253	50.00	ug/l	-0.04
72) 1,4-Dichlorobenzene-d4	14.51	152	108214	50.00	ug/l	-0.03
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	7.44	65	144729	54.23	ug/l	-0.05
Spiked Amount 50.000			Recovery	=	108.46%	
35) Dibromofluoromethane	6.91	113	201956	51.07	ug/l	-0.06
Spiked Amount 50.000			Recovery	=	102.14%	
50) Toluene-d8	10.40	98	415089	44.30	ug/l	-0.04
Spiked Amount 50.000			Recovery	=	88.60%	
62) 4-Bromofluorobenzene	13.55	95	125850	33.14	ug/l	-0.03
Spiked Amount 50.000			Recovery	=	66.28%	
Target Compounds						
16) Acetone	3.21	43	17198	26.147	ug/l	92
20) Methylene Chloride	3.81	84	21145	2.070	ug/l	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD041719\
Data File : VD061855.D
Acq On : 17 Apr 2019 16:22
Operator : VA/AP
Sample : K2376-02RE
Misc : 3.85µl/5ml/MSVOA D/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
TP-4-S2RE

Quant Time: Apr 17 16:48:08 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D041519S.M
Quant Title : SW846 8260
QLast Update : Tue Apr 16 08:53:01 2019
Response via : Initial Calibration

