

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051823\
 Data File : VD076145.D
 Acq On : 18 May 2023 17:29
 Operator : KP/SY
 Sample : 02816-07
 Misc : 6.39G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 CB-22-K2-SO-34-051623

Quant Time: May 19 01:54:27 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D051523S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 16 10:08:53 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.875	168	146003	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.775	114	274095	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.581	117	284284	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.522	152	129546	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.228	65	115045	81.530	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	163.060%#
35) Dibromofluoromethane	7.804	113	134837	71.169	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	142.340%
50) Toluene-d8	10.269	98	419115	56.747	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	113.500%
62) 4-Bromofluorobenzene	12.575	95	131983	64.331	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	128.660%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051823\
Data File : VD076145.D
Acq On : 18 May 2023 17:29
Operator : KP/SY
Sample : 02816-07
Misc : 6.39G/5.00ml/MSVOA_D/SOIL
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
CB-22-K2-SO-34-051623

Quant Time: May 19 01:54:27 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D051523S.M
Quant Title : SW846 8260
QLast Update : Tue May 16 10:08:53 2023
Response via : Initial Calibration

