

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051823\
 Data File : VD076146.D
 Acq On : 18 May 2023 17:59
 Operator : KP/SY
 Sample : 02816-08
 Misc : 5.73G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 CB-22-K2-SO-39-051623

Quant Time: May 19 01:54:37 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D051523S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 16 10:08:53 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.875	168	133140	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.775	114	249498	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.581	117	247998	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.516	152	113592	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.228	65	100564	78.153	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	156.300%
35) Dibromofluoromethane	7.805	113	119344	69.202	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	138.400%
50) Toluene-d8	10.269	98	359547	53.481	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	106.960%
62) 4-Bromofluorobenzene	12.575	95	109827	58.809	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	117.620%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051823\
Data File : VD076146.D
Acq On : 18 May 2023 17:59
Operator : KP/SY
Sample : 02816-08
Misc : 5.73G/5.00ml/MSVOA_D/SOIL
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
CB-22-K2-SO-39-051623

Quant Time: May 19 01:54:37 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D051523S.M
Quant Title : SW846 8260
QLast Update : Tue May 16 10:08:53 2023
Response via : Initial Calibration

