

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051923\
 Data File : VD076167.D
 Acq On : 19 May 2023 20:39
 Operator : KP/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: May 22 01:32:28 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D051523S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 16 10:08:53 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	71	0.00
2 T	Dichlorodifluoromethane	0.451	0.401	11.1	73	0.00
3 P	Chloromethane	0.857	0.841	1.9	80	0.00
4 C	Vinyl Chloride	0.973	1.030	-5.9#	84	0.00
5 T	Bromomethane	0.655	0.619	5.5	72	0.00
6 T	Chloroethane	0.654	0.679	-3.8	80	0.00
7 T	Trichlorofluoromethane	0.824	0.768	6.8	77	0.00
8 T	Diethyl Ether	0.271	0.271	0.0	71	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.543	0.520	4.2	79	0.00
10 T	Methyl Iodide	0.565	0.597	-5.7	71	0.00
11 T	Tert butyl alcohol	0.026	0.030	-15.4	85	0.02
12 CM	1,1-Dichloroethene	0.540	0.504	6.7#	72	0.00
13 T	Acrolein	0.063	0.053	15.9	59	0.00
14 T	Allyl chloride	0.548	0.549	-0.2	72	-0.01
15 T	Acrylonitrile	0.112	0.125	-11.6	79	0.00
16 T	Acetone	0.096	0.084	12.5	61	0.00
17 T	Carbon Disulfide	1.620	1.439	11.2	71	0.00
18 T	Methyl Acetate	0.343	0.368	-7.3	76	0.00
19 T	Methyl tert-butyl Ether	1.058	1.142	-7.9	75	0.00
20 T	Methylene Chloride	1.029	0.736	28.5#	68	0.00
21 T	trans-1,2-Dichloroethene	0.623	0.600	3.7	70	0.00
22 T	Diisopropyl ether	1.273	1.400	-10.0	74	0.00
23 T	Vinyl Acetate	0.501	0.554	-10.6	75	0.00
24 P	1,1-Dichloroethane	1.004	1.014	-1.0	75	0.00
25 T	2-Butanone	0.121	0.131	-8.3	75	0.00
26 T	2,2-Dichloropropane	0.819	0.789	3.7	73	0.00
27 T	cis-1,2-Dichloroethene	0.691	0.715	-3.5	73	0.00
28 T	Bromochloromethane	0.335	0.364	-8.7	81	0.00
29 T	Tetrahydrofuran	0.070	0.081	-15.7	77	0.00
30 C	Chloroform	1.074	1.080	-0.6#	75	0.00
31 T	Cyclohexane	0.740	0.691	6.6	75	0.00
32 T	1,1,1-Trichloroethane	0.856	0.821	4.1	74	0.00
33 S	1,2-Dichloroethane-d4	0.483	0.496	-2.7	79	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	77	0.00
35 S	Dibromofluoromethane	0.346	0.328	5.2	77	0.00
36 T	1,1-Dichloropropene	0.467	0.435	6.9	75	0.00
37 T	Ethyl Acetate	0.162	0.169	-4.3	76	0.00
38 T	Carbon Tetrachloride	0.422	0.381	9.7	75	0.00
39 T	Methylcyclohexane	0.537	0.493	8.2	77	0.00
40 TM	Benzene	1.501	1.417	5.6	74	0.00
41 T	Methacrylonitrile	0.089	0.074	16.9	57	0.00
42 TM	1,2-Dichloroethane	0.355	0.345	2.8	77	0.00
43 T	Isopropyl Acetate	0.302	0.303	-0.3	78	0.00
44 TM	Trichloroethene	0.423	0.370	12.5	71	0.00
45 C	1,2-Dichloropropane	0.370	0.356	3.8#	76	0.00
46 T	Dibromomethane	0.207	0.202	2.4	77	0.00
47 T	Bromodichloromethane	0.499	0.482	3.4	76	0.00
48 T	Methyl methacrylate	0.134	0.145	-8.2	81	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051923\
 Data File : VD076167.D
 Acq On : 19 May 2023 20:39
 Operator : KP/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: May 22 01:32:28 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D051523S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 16 10:08:53 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	85	0.00
50 S	Toluene-d8	1.347	1.286	4.5	76	0.00
51 T	4-Methyl-2-Pentanone	0.161	0.170	-5.6	78	0.00
52 CM	Toluene	0.937	0.916	2.2#	75	0.00
53 T	t-1,3-Dichloropropene	0.449	0.440	2.0	74	0.00
54 T	cis-1,3-Dichloropropene	0.548	0.541	1.3	75	0.00
55 T	1,1,2-Trichloroethane	0.298	0.291	2.3	76	0.00
56 T	Ethyl methacrylate	0.299	0.325	-8.7	78	0.00
57 T	1,3-Dichloropropane	0.467	0.470	-0.6	77	0.00
58 T	2-Chloroethyl Vinyl ether	0.143	0.150	-4.9	77	0.00
59 T	2-Hexanone	0.113	0.117	-3.5	74	0.00
60 T	Dibromochloromethane	0.335	0.333	0.6	77	0.00
61 T	1,2-Dibromoethane	0.265	0.268	-1.1	79	0.00
62 S	4-Bromofluorobenzene	0.374	0.369	1.3	81	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	81	0.00
64 T	Tetrachloroethene	0.384	0.320	16.7	70	0.00
65 PM	Chlorobenzene	1.138	1.034	9.1	75	0.00
66 T	1,1,1,2-Tetrachloroethane	0.392	0.362	7.7	77	0.00
67 C	Ethyl Benzene	1.819	1.742	4.2#	77	0.00
68 T	m/p-Xylenes	0.743	0.727	2.2	78	0.00
69 T	o-Xylene	0.678	0.666	1.8	77	0.00
70 T	Styrene	1.176	1.201	-2.1	80	0.00
71 P	Bromoform	0.220	0.202	8.2	75	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	86	0.00
73 T	Isopropylbenzene	3.308	3.118	5.7	79	0.00
74 T	N-amyl acetate	0.589	0.555	5.8	76	0.00
75 P	1,1,2,2-Tetrachloroethane	0.711	0.682	4.1	83	0.00
76 T	1,2,3-Trichloropropane	0.438	0.448	-2.3	100	0.00
77 T	Bromobenzene	0.887	0.767	13.5	73	0.00
78 T	n-propylbenzene	4.117	3.910	5.0	80	0.00
79 T	2-Chlorotoluene	2.279	2.138	6.2	79	0.00
80 T	1,3,5-Trimethylbenzene	2.742	2.636	3.9	79	0.00
81 T	trans-1,4-Dichloro-2-butene	0.209	0.208	0.5	83	0.00
82 T	4-Chlorotoluene	2.424	2.234	7.8	78	0.00
83 T	tert-Butylbenzene	2.317	2.184	5.7	80	0.00
84 T	1,2,4-Trimethylbenzene	2.731	2.655	2.8	79	0.00
85 T	sec-Butylbenzene	3.611	3.412	5.5	82	0.00
86 T	p-Isopropyltoluene	2.955	2.827	4.3	80	0.00
87 T	1,3-Dichlorobenzene	1.792	1.656	7.6	79	0.00
88 T	1,4-Dichlorobenzene	1.775	1.600	9.9	78	0.00
89 T	n-Butylbenzene	2.785	2.605	6.5	81	0.00
90 T	Hexachloroethane	0.608	0.547	10.0	82	0.00
91 T	1,2-Dichlorobenzene	1.573	1.447	8.0	80	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.092	0.089	3.3	82	0.00
93 T	1,2,4-Trichlorobenzene	0.915	0.767	16.2	68	0.00
94 T	Hexachlorobutadiene	0.467	0.358	23.3	67	0.00
95 T	Naphthalene	1.700	1.644	3.3	77	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051923\
Data File : VD076167.D
Acq On : 19 May 2023 20:39
Operator : KP/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: May 22 01:32:28 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D051523S.M
Quant Title : SW846 8260
QLast Update : Tue May 16 10:08:53 2023
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.832	0.689	17.2	67	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6