

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD052423\
 Data File : VD076225.D
 Acq On : 24 May 2023 20:40
 Operator : KP/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: May 25 06:03:41 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D051523S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 16 10:08:53 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	72	0.00
2 T	Dichlorodifluoromethane	0.451	0.375	16.9	69	0.00
3 P	Chloromethane	0.857	0.815	4.9	79	0.00
4 C	Vinyl Chloride	0.973	0.972	0.1#	80	0.00
5 T	Bromomethane	0.655	0.544	16.9	64	0.00
6 T	Chloroethane	0.654	0.671	-2.6	80	0.00
7 T	Trichlorofluoromethane	0.824	0.730	11.4	74	0.00
8 T	Diethyl Ether	0.271	0.282	-4.1	75	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.543	0.502	7.6	77	-0.01
10 T	Methyl Iodide	0.565	0.590	-4.4	71	-0.01
11 T	Tert butyl alcohol	0.026	0.030	-15.4	87	0.01
12 CM	1,1-Dichloroethene	0.540	0.494	8.5#	72	-0.01
13 T	Acrolein	0.063	0.044	30.2#	49#	0.00
14 T	Allyl chloride	0.548	0.539	1.6	72	-0.01
15 T	Acrylonitrile	0.112	0.131	-17.0	83	0.00
16 T	Acetone	0.096	0.089	7.3	65	0.00
17 T	Carbon Disulfide	1.620	1.289	20.4	64	0.00
18 T	Methyl Acetate	0.343	0.399	-16.3	84	0.00
19 T	Methyl tert-butyl Ether	1.058	1.170	-10.6	77	-0.01
20 T	Methylene Chloride	1.029	0.830	19.3	78	0.00
21 T	trans-1,2-Dichloroethene	0.623	0.599	3.9	71	0.00
22 T	Diisopropyl ether	1.273	1.408	-10.6	75	0.00
23 T	Vinyl Acetate	0.501	0.568	-13.4	77	0.00
24 P	1,1-Dichloroethane	1.004	1.007	-0.3	75	0.00
25 T	2-Butanone	0.121	0.132	-9.1	76	0.00
26 T	2,2-Dichloropropane	0.819	0.746	8.9	70	0.00
27 T	cis-1,2-Dichloroethene	0.691	0.695	-0.6	71	0.00
28 T	Bromochloromethane	0.335	0.341	-1.8	76	0.00
29 T	Tetrahydrofuran	0.070	0.085	-21.4	83	0.00
30 C	Chloroform	1.074	1.096	-2.0#	77	0.00
31 T	Cyclohexane	0.740	0.666	10.0	73	0.00
32 T	1,1,1-Trichloroethane	0.856	0.822	4.0	74	0.00
33 S	1,2-Dichloroethane-d4	0.483	0.451	6.6	73	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	78	0.00
35 S	Dibromofluoromethane	0.346	0.313	9.5	74	0.00
36 T	1,1-Dichloropropene	0.467	0.417	10.7	73	0.00
37 T	Ethyl Acetate	0.162	0.165	-1.9	76	0.00
38 T	Carbon Tetrachloride	0.422	0.372	11.8	74	0.00
39 T	Methylcyclohexane	0.537	0.466	13.2	74	0.00
40 TM	Benzene	1.501	1.407	6.3	74	0.00
41 T	Methacrylonitrile	0.089	0.083	6.7	64	0.00
42 TM	1,2-Dichloroethane	0.355	0.341	3.9	77	0.00
43 T	Isopropyl Acetate	0.302	0.321	-6.3	84	0.00
44 TM	Trichloroethene	0.423	0.370	12.5	71	0.00
45 C	1,2-Dichloropropane	0.370	0.356	3.8#	76	0.00
46 T	Dibromomethane	0.207	0.201	2.9	78	0.00
47 T	Bromodichloromethane	0.499	0.478	4.2	76	0.00
48 T	Methyl methacrylate	0.134	0.139	-3.7	78	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD052423\
 Data File : VD076225.D
 Acq On : 24 May 2023 20:40
 Operator : KP/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: May 25 06:03:41 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D051523S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 16 10:08:53 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.003	-50.0#	91	0.00
50 S	Toluene-d8	1.347	1.186	12.0	71	0.00
51 T	4-Methyl-2-Pentanone	0.161	0.178	-10.6	83	0.00
52 CM	Toluene	0.937	0.896	4.4#	75	0.00
53 T	t-1,3-Dichloropropene	0.449	0.450	-0.2	77	0.00
54 T	cis-1,3-Dichloropropene	0.548	0.543	0.9	76	0.00
55 T	1,1,2-Trichloroethane	0.298	0.303	-1.7	80	0.00
56 T	Ethyl methacrylate	0.299	0.329	-10.0	80	0.00
57 T	1,3-Dichloropropane	0.467	0.469	-0.4	78	0.00
58 T	2-Chloroethyl Vinyl ether	0.143	0.151	-5.6	78	0.00
59 T	2-Hexanone	0.113	0.121	-7.1	78	0.00
60 T	Dibromochloromethane	0.335	0.337	-0.6	79	0.00
61 T	1,2-Dibromoethane	0.265	0.269	-1.5	80	0.00
62 S	4-Bromofluorobenzene	0.374	0.343	8.3	76	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	81	0.00
64 T	Tetrachloroethene	0.384	0.321	16.4	71	0.00
65 PM	Chlorobenzene	1.138	1.044	8.3	76	0.00
66 T	1,1,1,2-Tetrachloroethane	0.392	0.369	5.9	79	0.00
67 C	Ethyl Benzene	1.819	1.721	5.4#	77	0.00
68 T	m/p-Xylenes	0.743	0.714	3.9	78	0.00
69 T	o-Xylene	0.678	0.668	1.5	78	0.00
70 T	Styrene	1.176	1.187	-0.9	80	0.00
71 P	Bromoform	0.220	0.211	4.1	79	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	91	0.00
73 T	Isopropylbenzene	3.308	2.958	10.6	79	0.00
74 T	N-amyl acetate	0.589	0.555	5.8	80	0.00
75 P	1,1,2,2-Tetrachloroethane	0.711	0.642	9.7	83	0.00
76 T	1,2,3-Trichloropropane	0.438	0.418	4.6	98	0.00
77 T	Bromobenzene	0.887	0.759	14.4	76	0.00
78 T	n-propylbenzene	4.117	3.693	10.3	80	0.00
79 T	2-Chlorotoluene	2.279	2.006	12.0	78	0.00
80 T	1,3,5-Trimethylbenzene	2.742	2.467	10.0	78	0.00
81 T	trans-1,4-Dichloro-2-butene	0.209	0.194	7.2	82	0.00
82 T	4-Chlorotoluene	2.424	2.110	13.0	77	0.00
83 T	tert-Butylbenzene	2.317	2.110	8.9	82	0.00
84 T	1,2,4-Trimethylbenzene	2.731	2.531	7.3	80	0.00
85 T	sec-Butylbenzene	3.611	3.235	10.4	82	0.00
86 T	p-Isopropyltoluene	2.955	2.682	9.2	80	0.00
87 T	1,3-Dichlorobenzene	1.792	1.570	12.4	79	0.00
88 T	1,4-Dichlorobenzene	1.775	1.560	12.1	80	0.00
89 T	n-Butylbenzene	2.785	2.467	11.4	81	0.00
90 T	Hexachloroethane	0.608	0.499	17.9	79	0.00
91 T	1,2-Dichlorobenzene	1.573	1.382	12.1	81	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.092	0.087	5.4	84	0.00
93 T	1,2,4-Trichlorobenzene	0.915	0.757	17.3	71	0.00
94 T	Hexachlorobutadiene	0.467	0.350	25.1#	69	0.00
95 T	Naphthalene	1.700	1.627	4.3	80	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD052423\
Data File : VD076225.D
Acq On : 24 May 2023 20:40
Operator : KP/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: May 25 06:03:41 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D051523S.M
Quant Title : SW846 8260
QLast Update : Tue May 16 10:08:53 2023
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.832	0.714	14.2	73	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6