

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD060222\
 Data File : VD073461.D
 Acq On : 02 Jun 2022 09:56
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 03 01:27:42 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D051922S.M
 Quant Title : SW846 8260
 QLast Update : Thu May 19 15:13:42 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	100	0.00
2 T	Dichlorodifluoromethane	0.500	0.537	-7.4	122	0.00
3 P	Chloromethane	0.565	0.478	15.4	97	0.00
4 C	Vinyl Chloride	0.517	0.484	6.4#	101	0.00
5 T	Bromomethane	0.374	0.346	7.5	103	0.00
6 T	Chloroethane	0.318	0.298	6.3	100	0.00
7 T	Trichlorofluoromethane	0.913	0.912	0.1	107	0.00
8 T	Diethyl Ether	0.251	0.231	8.0	93	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.545	0.547	-0.4	109	0.00
10 T	Methyl Iodide	0.588	0.542	7.8	93	0.00
11 T	Tert butyl alcohol	0.086	0.028	67.4#	63	0.00
12 CM	1,1-Dichloroethene	0.502	0.493	1.8#	102	0.00
13 T	Acrolein	0.039	0.021	46.2#	65	0.00
14 T	Allyl chloride	0.811	0.720	11.2	92	0.00
15 T	Acrylonitrile	0.115	0.101	12.2	90	0.00
16 T	Acetone	0.096	0.082	14.6	99	0.00
17 T	Carbon Disulfide	1.666	1.601	3.9	103	0.00
18 T	Methyl Acetate	0.266	0.221	16.9	89	0.00
19 T	Methyl tert-butyl Ether	1.145	1.060	7.4	94	0.00
20 T	Methylene Chloride	0.716	0.564	21.2	96	0.00
21 T	trans-1,2-Dichloroethene	0.608	0.590	3.0	100	0.00
22 T	Diisopropyl ether	1.700	1.557	8.4	91	0.00
23 T	Vinyl Acetate	0.907	0.819	9.7	90	0.00
24 P	1,1-Dichloroethane	1.091	0.997	8.6	97	0.00
25 T	2-Butanone	0.140	0.120	14.3	91	0.00
26 T	2,2-Dichloropropane	0.931	0.888	4.6	101	0.00
27 T	cis-1,2-Dichloroethene	0.672	0.628	6.5	96	0.00
28 T	Bromochloromethane	0.376	0.299	20.5	81	0.00
29 T	Tetrahydrofuran	0.091	0.078	14.3	88	0.00
30 C	Chloroform	1.139	1.053	7.6#	97	-0.01
31 T	Cyclohexane	0.966	0.892	7.7	99	0.00
32 T	1,1,1-Trichloroethane	0.997	0.938	5.9	99	0.00
33 S	1,2-Dichloroethane-d4	0.553	0.475	14.1	90	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	95	0.00
35 S	Dibromofluoromethane	0.330	0.328	0.6	93	0.00
36 T	1,1-Dichloropropene	0.496	0.525	-5.8	102	0.00
37 T	Ethyl Acetate	0.196	0.176	10.2	89	0.00
38 T	Carbon Tetrachloride	0.503	0.550	-9.3	103	0.00
39 T	Methylcyclohexane	0.553	0.601	-8.7	101	0.00
40 TM	Benzene	1.430	1.476	-3.2	100	0.00
41 T	Methacrylonitrile	0.114	0.108	5.3	105	0.00
42 TM	1,2-Dichloroethane	0.398	0.390	2.0	95	0.00
43 T	Isopropyl Acetate	0.362	0.344	5.0	90	0.00
44 TM	Trichloroethene	0.381	0.403	-5.8	102	0.00
45 C	1,2-Dichloropropane	0.360	0.356	1.1#	95	0.00
46 T	Dibromomethane	0.198	0.193	2.5	95	0.00
47 T	Bromodichloromethane	0.506	0.497	1.8	95	0.00
48 T	Methyl methacrylate	0.182	0.175	3.8	91	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD060222\
 Data File : VD073461.D
 Acq On : 02 Jun 2022 09:56
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 03 01:27:42 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D051922S.M
 Quant Title : SW846 8260
 QLast Update : Thu May 19 15:13:42 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	93	0.00
50 S	Toluene-d8	1.216	1.201	1.2	91	0.00
51 T	4-Methyl-2-Pentanone	0.188	0.183	2.7	91	0.00
52 CM	Toluene	0.904	0.971	-7.4#	100	0.00
53 T	t-1,3-Dichloropropene	0.457	0.456	0.2	96	0.00
54 T	cis-1,3-Dichloropropene	0.547	0.551	-0.7	96	0.00
55 T	1,1,2-Trichloroethane	0.267	0.271	-1.5	98	0.00
56 T	Ethyl methacrylate	0.297	0.312	-5.1	93	0.00
57 T	1,3-Dichloropropane	0.449	0.446	0.7	94	0.00
58 T	2-Chloroethyl Vinyl ether	0.122	0.134	-9.8	96	0.00
59 T	2-Hexanone	0.124	0.125	-0.8	93	0.00
60 T	Dibromochloromethane	0.334	0.339	-1.5	98	0.00
61 T	1,2-Dibromoethane	0.256	0.258	-0.8	98	0.00
62 S	4-Bromofluorobenzene	0.427	0.442	-3.5	98	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	97	0.00
64 T	Tetrachloroethene	0.327	0.343	-4.9	104	0.00
65 PM	Chlorobenzene	1.026	1.043	-1.7	100	0.00
66 T	1,1,1,2-Tetrachloroethane	0.380	0.395	-3.9	101	0.00
67 C	Ethyl Benzene	1.801	1.907	-5.9#	100	0.00
68 T	m/p-Xylenes	0.700	0.749	-7.0	99	0.00
69 T	o-Xylene	0.643	0.689	-7.2	100	0.00
70 T	Styrene	1.106	1.197	-8.2	100	0.00
71 P	Bromoform	0.196	0.204	-4.1	103	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	103	0.00
73 T	Isopropylbenzene	3.564	3.679	-3.2	101	0.00
74 T	N-amyl acetate	0.778	0.725	6.8	94	0.00
75 P	1,1,2,2-Tetrachloroethane	0.657	0.608	7.5	97	0.00
76 T	1,2,3-Trichloropropane	0.491	0.429	12.6	91	0.00
77 T	Bromobenzene	0.839	0.835	0.5	103	0.00
78 T	n-propylbenzene	4.475	4.668	-4.3	103	0.00
79 T	2-Chlorotoluene	2.584	2.590	-0.2	101	0.00
80 T	1,3,5-Trimethylbenzene	3.019	3.182	-5.4	104	0.00
81 T	trans-1,4-Dichloro-2-butene	0.204	0.190	6.9	93	0.00
82 T	4-Chlorotoluene	2.708	2.733	-0.9	101	0.00
83 T	tert-Butylbenzene	2.545	2.607	-2.4	101	0.00
84 T	1,2,4-Trimethylbenzene	2.983	3.138	-5.2	105	0.00
85 T	sec-Butylbenzene	3.886	4.054	-4.3	104	0.00
86 T	p-Isopropyltoluene	3.167	3.387	-6.9	105	0.00
87 T	1,3-Dichlorobenzene	1.691	1.715	-1.4	105	0.00
88 T	1,4-Dichlorobenzene	1.707	1.673	2.0	104	0.00
89 T	n-Butylbenzene	3.018	3.190	-5.7	103	0.00
90 T	Hexachloroethane	0.655	0.664	-1.4	105	0.00
91 T	1,2-Dichlorobenzene	1.463	1.491	-1.9	105	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.101	0.093	7.9	98	0.00
93 T	1,2,4-Trichlorobenzene	0.831	0.866	-4.2	104	0.00
94 T	Hexachlorobutadiene	0.468	0.500	-6.8	115	0.00
95 T	Naphthalene	1.466	1.505	-2.7	101	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD060222\
Data File : VD073461.D
Acq On : 02 Jun 2022 09:56
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Jun 03 01:27:42 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D051922S.M
Quant Title : SW846 8260
QLast Update : Thu May 19 15:13:42 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.737	0.772	-4.7	105	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6