

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD062320\
 Data File : VD065851.D
 Acq On : 23 Jun 2020 10:45
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 24 05:33:04 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D060520S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 05 13:07:30 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	92	0.00
2 T	Dichlorodifluoromethane	0.378	0.296	21.7#	81	0.00
3 P	Chloromethane	0.637	0.506	20.6#	79	0.00
4 C	Vinyl Chloride	0.738	0.643	12.9#	83	0.00
5 T	Bromomethane	0.516	0.437	15.3	83	0.00
6 T	Chloroethane	0.499	0.440	11.8	84	0.00
7 T	Trichlorofluoromethane	0.836	0.770	7.9	89	0.00
8 T	Diethyl Ether	0.220	0.196	10.9	80	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.498	0.461	7.4	89	0.00
10 T	Methyl Iodide	0.485	0.455	6.2	83	0.00
11 T	Tert butyl alcohol	0.036	0.026	27.8#	86	0.00
12 CM	1,1-Dichloroethene	0.454	0.418	7.9#	87	0.00
13 T	Acrolein	0.028	0.025	10.7	90	0.00
14 T	Allyl chloride	0.751	0.706	6.0	87	0.00
15 T	Acrylonitrile	0.100	0.090	10.0	81	0.00
16 T	Acetone	0.093	0.111	-19.4	113	0.00
17 T	Carbon Disulfide	1.525	1.303	14.6	81	0.00
18 T	Methyl Acetate	0.241	0.196	18.7	83	0.00
19 T	Methyl tert-butyl Ether	1.029	0.955	7.2	83	0.00
20 T	Methylene Chloride	0.571	0.477	16.5	86	-0.01
21 T	trans-1,2-Dichloroethene	0.532	0.494	7.1	86	0.00
22 T	Diisopropyl ether	1.517	1.463	3.6	87	-0.01
23 T	Vinyl Acetate	0.857	0.825	3.7	82	0.00
24 P	1,1-Dichloroethane	0.924	0.874	5.4	89	-0.01
25 T	2-Butanone	0.129	0.121	6.2	83	0.00
26 T	2,2-Dichloropropane	0.820	0.815	0.6	93	0.00
27 T	cis-1,2-Dichloroethene	0.572	0.544	4.9	86	0.00
28 T	Bromochloromethane	0.357	0.371	-3.9	93	0.00
29 T	Tetrahydrofuran	0.081	0.073	9.9	81	0.00
30 C	Chloroform	0.958	0.899	6.2#	88	0.00
31 T	Cyclohexane	0.886	0.792	10.6	87	0.00
32 T	1,1,1-Trichloroethane	0.881	0.835	5.2	89	0.00
33 S	1,2-Dichloroethane-d4	0.494	0.497	-0.6	91	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	92	0.00
35 S	Dibromofluoromethane	0.316	0.324	-2.5	92	0.00
36 T	1,1-Dichloropropene	0.479	0.452	5.6	87	0.00
37 T	Ethyl Acetate	0.189	0.170	10.1	80	0.00
38 T	Carbon Tetrachloride	0.504	0.491	2.6	89	0.00
39 T	Methylcyclohexane	0.567	0.549	3.2	88	0.00
40 TM	Benzene	1.309	1.250	4.5	87	0.00
41 T	Methacrylonitrile	0.112	0.112	0.0	80	0.00
42 TM	1,2-Dichloroethane	0.395	0.357	9.6	83	0.00
43 T	Isopropyl Acetate	0.375	0.337	10.1	80	0.00
44 TM	Trichloroethene	0.364	0.352	3.3	89	0.00
45 C	1,2-Dichloropropane	0.329	0.305	7.3#	84	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD062320\
 Data File : VD065851.D
 Acq On : 23 Jun 2020 10:45
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 24 05:33:04 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D060520S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 05 13:07:30 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.178	0.162	9.0	82	0.00
47 T	Bromodichloromethane	0.478	0.442	7.5	85	0.00
48 T	Methyl methacrylate	0.182	0.168	7.7	79	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	74	0.00
50 S	Toluene-d8	1.178	1.218	-3.4	90	0.00
51 T	4-Methyl-2-Pentanone	0.184	0.171	7.1	82	0.00
52 CM	Toluene	0.851	0.814	4.3#	86	0.00
53 T	t-1,3-Dichloropropene	0.433	0.423	2.3	87	0.00
54 T	cis-1,3-Dichloropropene	0.511	0.490	4.1	85	0.00
55 T	1,1,2-Trichloroethane	0.238	0.223	6.3	84	0.00
56 T	Ethyl methacrylate	0.280	0.269	3.9	83	0.00
57 T	1,3-Dichloropropane	0.413	0.387	6.3	84	0.00
58 T	2-Chloroethyl Vinyl ether	0.130	0.139	-6.9	92	0.00
59 T	2-Hexanone	0.124	0.126	-1.6	87	0.00
60 T	Dibromochloromethane	0.322	0.304	5.6	84	0.00
61 T	1,2-Dibromoethane	0.234	0.218	6.8	83	0.00
62 S	4-Bromofluorobenzene	0.399	0.409	-2.5	91	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	88	0.00
64 T	Tetrachloroethene	0.338	0.316	6.5	86	0.00
65 PM	Chlorobenzene	0.976	0.948	2.9	86	0.00
66 T	1,1,1,2-Tetrachloroethane	0.364	0.363	0.3	88	0.00
67 C	Ethyl Benzene	1.744	1.776	-1.8#	89	0.00
68 T	m/p-Xylenes	0.672	0.681	-1.3	89	0.00
69 T	o-Xylene	0.606	0.625	-3.1	89	0.00
70 T	Styrene	1.048	1.080	-3.1	87	0.00
71 P	Bromoform	0.200	0.190	5.0	82	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	90	0.00
73 T	Isopropylbenzene	3.352	3.370	-0.5	89	0.00
74 T	N-amyl acetate	0.746	0.684	8.3	80	0.00
75 P	1,1,2,2-Tetrachloroethane	0.566	0.529	6.5	85	0.00
76 T	1,2,3-Trichloropropane	0.389	0.380	2.3	96	0.00
77 T	Bromobenzene	0.793	0.773	2.5	85	0.00
78 T	n-propylbenzene	4.035	4.040	-0.1	89	0.00
79 T	2-Chlorotoluene	2.214	2.193	0.9	88	0.00
80 T	1,3,5-Trimethylbenzene	2.790	2.819	-1.0	89	0.00
81 T	trans-1,4-Dichloro-2-butene	0.180	0.170	5.6	83	0.00
82 T	4-Chlorotoluene	2.376	2.348	1.2	89	0.00
83 T	tert-Butylbenzene	2.421	2.470	-2.0	90	0.00
84 T	1,2,4-Trimethylbenzene	2.792	2.811	-0.7	88	0.00
85 T	sec-Butylbenzene	3.369	3.485	-3.4	91	0.00
86 T	p-Isopropyltoluene	3.088	3.197	-3.5	90	0.00
87 T	1,3-Dichlorobenzene	1.564	1.534	1.9	89	0.00
88 T	1,4-Dichlorobenzene	1.556	1.492	4.1	87	0.00
89 T	n-Butylbenzene	2.945	3.046	-3.4	92	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD062320\
Data File : VD065851.D
Acq On : 23 Jun 2020 10:45
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Jun 24 05:33:04 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D060520S.M
Quant Title : SW846 8260
QLast Update : Fri Jun 05 13:07:30 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.618	0.626	-1.3	90	0.00
91 T	1,2-Dichlorobenzene	1.346	1.307	2.9	87	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.094	0.081	13.8	78	0.00
93 T	1,2,4-Trichlorobenzene	0.915	0.888	3.0	86	0.00
94 T	Hexachlorobutadiene	0.553	0.539	2.5	87	0.00
95 T	Naphthalene	1.550	1.447	6.6	80	0.00
96 T	1,2,3-Trichlorobenzene	0.788	0.755	4.2	83	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6