

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD062323\
 Data File : VD076569.D
 Acq On : 23 Jun 2023 20:33
 Operator : KP/SY
 Sample : 03361-18
 Misc : 13.43G/5.0ml/MSVOA_D/SOIL
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 TOTAL-VOC-SB-21-GRAB-5

Quant Time: Jun 24 01:00:40 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D061623S.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 19 04:51:45 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.875	168	90438	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.775	114	161115	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.580	117	121491	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.516	152	35731	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.233	65	66377	73.255	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	146.500%
35) Dibromofluoromethane	7.804	113	60430	63.137	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	126.280%
50) Toluene-d8	10.269	98	188579	51.952	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	103.900%
62) 4-Bromofluorobenzene	12.574	95	40158	34.088	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	68.180%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD062323\
Data File : VD076569.D
Acq On : 23 Jun 2023 20:33
Operator : KP/SY
Sample : 03361-18
Misc : 13.43G/5.0ml/MSVOA_D/SOIL
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
TOTAL-VOC-SB-21-GRAB-5

Quant Time: Jun 24 01:00:40 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D061623S.M
Quant Title : SW846 8260
QLast Update : Mon Jun 19 04:51:45 2023
Response via : Initial Calibration

