

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD073119\
 Data File : VD063282.D
 Acq On : 31 Jul 2019 16:42
 Operator : VA/AP
 Sample : K4107-04
 Misc : 5.03g/5ml/MSVOA D/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 T-2A

Quant Time: Aug 01 04:36:34 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D072919S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 30 03:04:50 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.04	168	875193	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.21	114	1175068	50.00	ug/l	0.00
63) Chlorobenzene-d5	12.36	117	975472	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	14.52	152	431682	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	7.44	65	318610	32.81	ug/l	0.00
Spiked Amount 50.000			Recovery	=	65.62%	
35) Dibromofluoromethane	6.91	113	332586	33.15	ug/l	0.00
Spiked Amount 50.000			Recovery	=	66.30%	
50) Toluene-d8	10.40	98	699882	31.17	ug/l	0.00
Spiked Amount 50.000			Recovery	=	62.34%	
62) 4-Bromofluorobenzene	13.55	95	309105	30.21	ug/l	0.00
Spiked Amount 50.000			Recovery	=	60.42%	
Target Compounds						
16) Acetone	3.22	43	227521	120.248	ug/l	99
25) 2-Butanone	6.06	43	47727	25.134	ug/l	93
52) Toluene	10.50	92	18250	1.221	ug/l	89
67) Ethyl Benzene	12.52	91	227379	7.134	ug/l	98
86) p-Isopropyltoluene	14.49	119	170896	6.369	ug/l	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD073119\
Data File : VD063282.D
Acq On : 31 Jul 2019 16:42
Operator : VA/AP
Sample : K4107-04
Misc : 5.03g/5ml/MSVOA D/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
T-2A

Quant Time: Aug 01 04:36:34 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D072919S.M
Quant Title : SW846 8260
QLast Update : Tue Jul 30 03:04:50 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.04 min Scan# 570

Delta R.T. -0.00 min

Lab File: VD063282.D

Acq: 31 Jul 2019 16:42

Instrument :

MSVOA_D

ClientSampleId :


T-2A

Tot Ion:168 Resp: 875193

Ion Ratio Lower Upper




168 100

99 64.1 43.7 65.5



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC



#16

Acetone

Concen: 120.248 ug/l

RT: 3.22 min Scan# 182

Delta R.T. -0.00 min

Lab File: VD063282.D


Acq: 31 Jul 2019 16:42

Tgt Ion: 43 Resp: 227521

Ion Ratio Lower Upper



43 100


58 15.9 13.0 19.4



Abundance Ion 42.95 (42.65 to 43.65): VDC

Ion 57.95 (57.65 to 58.65): VDC





#25

2-Butanone

Concen: 25.134 ug/l

RT: 6.06 min Scan# 471

Delta R.T. -0.00 min

Lab File: VD063282.D

Acq: 31 Jul 2019 16:42

Instrument :

MSVOA_D

ClientSampleId :





T-2A

Tot Ion: 43 Resp: 47727

Ion Ratio Lower Upper

43 100

72 17.3 16.3 24.5



#33

1,2-Dichloroethane-d4

Concen: 32.809 ug/l

RT: 7.44 min Scan# 611

Delta R.T. -0.00 min

Lab File: VD063282.D




Acq: 31 Jul 2019 16:42


Tgt Ion: 65 Resp: 318610

Ion Ratio Lower Upper

65 100

67 47.9 0.0 85.8





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.21 min Scan# 689

Delta R.T. -0.00 min

Lab File: VD063282.D

Acq: 31 Jul 2019 16:42

Instrument :

MSVOA_D

ClientSampleId :

T-2A


Tot Ion:114 Resp: 1175068

Ion Ratio Lower Upper

114 100

63 18.4 0.0 35.2

88 17.9 0.0 34.6





Abundance Ion 114.00 (113.70 to 114.70): V

Ion 62.95 (62.65 to 63.65): V

Ion 87.90 (87.60 to 88.60): V

8.21

Time-->



#35

Dibromofluoromethane

Concen: 33.151 ug/l

RT: 6.91 min Scan# 557

Delta R.T. -0.00 min

Lab File: VD063282.D

Acq: 31 Jul 2019 16:42


Tgt Ion:113 Resp: 332586

Ion Ratio Lower Upper

113 100

111 98.0 83.2 124.8

192 14.5 11.8 17.8




Abundance Ion 112.90 (112.60 to 113.60): V


Ion 110.90 (110.60 to 111.60): V

Ion 191.80 (191.50 to 192.50): V

6.91

Time-->









#50
Toluene-d8
Concen: 31.171 ug/l
RT: 10.40 min Scan# 912
Delta R.T. -0.00 min
Lab File: VD063282.D
Acq: 31 Jul 2019 16:42




Instrument :
MSVOA_D
ClientSampleId :
T-2A


Tot Ion: 98 Resp: 699882
Ion Ratio Lower Upper
98 100
100 64.5 53.2 79.8



#52
Toluene
Concen: 1.221 ug/l
RT: 10.50 min Scan# 922
Delta R.T. -0.00 min
Lab File: VD063282.D
Acq: 31 Jul 2019 16:42

Tgt Ion: 92 Resp: 18250
Ion Ratio Lower Upper
92 100
91 191.9 140.8 211.2





#62

4-Bromofluorobenzene

Concen: 30.211 ug/l

RT: 13.55 min Scan# 1232

Delta R.T. -0.00 min

Lab File: VD063282.D

Acq: 31 Jul 2019 16:42

Instrument :

MSVOA_D

ClientSampleId :

T-2A


Tot Ion: 95 Resp: 309105

Ion Ratio Lower Upper

95 100

174 96.6 0.0 205.4




176 94.4 0.0 211.8



Abundance Ion 95.00 (94.70 to 95.70): V

Ion 173.90 (173.60 to 174.60): V

Ion 175.90 (175.60 to 176.60): V



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 12.36 min Scan# 1111

Delta R.T. -0.00 min

Lab File: VD063282.D

Acq: 31 Jul 2019 16:42


Tgt Ion: 117 Resp: 975472

Ion Ratio Lower Upper

117 100

82 50.7 40.1 60.1



119 30.7 26.5 39.7




Abundance Ion 116.95 (116.65 to 117.65): V

Ion 82.05 (81.75 to 82.75): V

Ion 118.95 (118.65 to 119.65): V









#67
Ethyl Benzene
Concen: 7.134 ug/l
RT: 12.52 min Scan# 1127
Delta R.T. -0.00 min
Lab File: VD063282.D
Acq: 31 Jul 2019 16:42




Instrument :
MSVOA_D
ClientSampled :
T-2A


Tot Ion: 91 Resp: 227379
Ion Ratio Lower Upper
91 100
106 27.4 22.9 34.3



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 14.52 min Scan# 1330
Delta R.T. -0.00 min
Lab File: VD063282.D
Acq: 31 Jul 2019 16:42

Tgt Ion: 152 Resp: 431682
Ion Ratio Lower Upper
152 100
115 48.1 27.5 82.4
150 157.9 0.0 320.6





#86
 p-Isopropyltoluene
 Concen: 6.369 ug/l
 RT: 14.49 min Scan# 1327
 Delta R.T. -0.00 min
 Lab File: VD063282.D
 Acq: 31 Jul 2019 16:42

Instrument :
 MSVOA_D
 ClientSampleId :
 T-2A

Tot Ion:	119	Resp:	170896
Ion	Ratio	Lower	Upper
119	100		
134	21.3	11.5	34.5
91	21.3	12.6	37.6

