

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD081320\
 Data File : VD066209.D
 Acq On : 13 Aug 2020 13:45
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 14 03:16:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D080520S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 05 13:49:25 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	91	0.00
2 T	Dichlorodifluoromethane	0.441	0.380	13.8	89	0.00
3 P	Chloromethane	0.343	0.303	11.7	92	0.00
4 C	Vinyl Chloride	0.303	0.297	2.0#	98	0.00
5 T	Bromomethane	0.201	0.210	-4.5	100	0.01
6 T	Chloroethane	0.186	0.181	2.7	97	0.00
7 T	Trichlorofluoromethane	0.791	0.787	0.5	98	0.01
8 T	Diethyl Ether	0.223	0.219	1.8	93	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.469	0.467	0.4	95	0.00
10 T	Methyl Iodide	0.353	0.499	-41.4#	126	0.00
11 T	Tert butyl alcohol	0.046	0.031	32.6#	90	-0.02
12 CM	1,1-Dichloroethene	0.443	0.435	1.8#	94	0.00
13 T	Acrolein	0.036	0.029	19.4	82	0.00
14 T	Allyl chloride	0.671	0.659	1.8	92	0.00
15 T	Acrylonitrile	0.094	0.093	1.1	92	0.00
16 T	Acetone	0.085	0.099	-16.5	105	0.00
17 T	Carbon Disulfide	1.408	1.258	10.7	86	0.00
18 T	Methyl Acetate	0.215	0.203	5.6	95	0.00
19 T	Methyl tert-butyl Ether	1.015	1.039	-2.4	96	0.00
20 T	Methylene Chloride	0.576	0.538	6.6	100	0.00
21 T	trans-1,2-Dichloroethene	0.509	0.491	3.5	93	0.00
22 T	Diisopropyl ether	1.327	1.333	-0.5	94	0.00
23 T	Vinyl Acetate	0.777	0.788	-1.4	93	0.00
24 P	1,1-Dichloroethane	0.821	0.816	0.6	95	0.00
25 T	2-Butanone	0.124	0.126	-1.6	97	0.00
26 T	2,2-Dichloropropane	0.736	0.784	-6.5	103	0.00
27 T	cis-1,2-Dichloroethene	0.534	0.539	-0.9	95	0.00
28 T	Bromochloromethane	0.288	0.291	-1.0	92	0.00
29 T	Tetrahydrofuran	0.077	0.077	0.0	91	0.00
30 C	Chloroform	0.862	0.868	-0.7#	96	0.00
31 T	Cyclohexane	0.781	0.726	7.0	93	0.00
32 T	1,1,1-Trichloroethane	0.808	0.844	-4.5	99	0.00
33 S	1,2-Dichloroethane-d4	0.446	0.432	3.1	88	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	90	0.00
35 S	Dibromofluoromethane	0.317	0.315	0.6	87	0.00
36 T	1,1-Dichloropropene	0.470	0.486	-3.4	95	0.00
37 T	Ethyl Acetate	0.186	0.188	-1.1	97	0.00
38 T	Carbon Tetrachloride	0.524	0.557	-6.3	100	0.00
39 T	Methylcyclohexane	0.568	0.586	-3.2	95	0.00
40 TM	Benzene	1.303	1.315	-0.9	94	0.00
41 T	Methacrylonitrile	0.109	0.110	-0.9	96	0.00
42 TM	1,2-Dichloroethane	0.383	0.397	-3.7	97	0.00
43 T	Isopropyl Acetate	0.367	0.378	-3.0	97	0.00
44 TM	Trichloroethene	0.393	0.409	-4.1	97	0.00
45 C	1,2-Dichloropropane	0.319	0.325	-1.9#	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD081320\
 Data File : VD066209.D
 Acq On : 13 Aug 2020 13:45
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 14 03:16:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D080520S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 05 13:49:25 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.176	0.181	-2.8	93	0.00
47 T	Bromodichloromethane	0.464	0.484	-4.3	96	0.00
48 T	Methyl methacrylate	0.187	0.194	-3.7	91	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	90	0.00
50 S	Toluene-d8	1.169	1.164	0.4	86	0.00
51 T	4-Methyl-2-Pentanone	0.188	0.196	-4.3	95	0.00
52 CM	Toluene	0.858	0.881	-2.7#	93	0.00
53 T	t-1,3-Dichloropropene	0.440	0.461	-4.8	95	0.00
54 T	cis-1,3-Dichloropropene	0.516	0.553	-7.2	98	0.00
55 T	1,1,2-Trichloroethane	0.253	0.256	-1.2	95	0.00
56 T	Ethyl methacrylate	0.304	0.324	-6.6	95	0.00
57 T	1,3-Dichloropropane	0.420	0.430	-2.4	94	0.00
58 T	2-Chloroethyl Vinyl ether	0.137	0.150	-9.5	97	0.00
59 T	2-Hexanone	0.132	0.139	-5.3	96	0.00
60 T	Dibromochloromethane	0.349	0.356	-2.0	94	0.00
61 T	1,2-Dibromoethane	0.243	0.251	-3.3	94	0.00
62 S	4-Bromofluorobenzene	0.421	0.415	1.4	87	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	87	0.00
64 T	Tetrachloroethene	0.384	0.390	-1.6	92	0.00
65 PM	Chlorobenzene	1.015	1.072	-5.6	95	0.00
66 T	1,1,1,2-Tetrachloroethane	0.397	0.422	-6.3	95	0.00
67 C	Ethyl Benzene	1.759	1.935	-10.0#	98	0.00
68 T	m/p-Xylenes	0.681	0.731	-7.3	94	0.00
69 T	o-Xylene	0.620	0.673	-8.5	96	0.00
70 T	Styrene	1.086	1.172	-7.9	94	0.00
71 P	Bromoform	0.235	0.248	-5.5	95	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	88	0.00
73 T	Isopropylbenzene	3.338	3.684	-10.4	97	0.00
74 T	N-amyl acetate	0.735	0.784	-6.7	92	0.00
75 P	1,1,2,2-Tetrachloroethane	0.569	0.600	-5.4	98	0.00
76 T	1,2,3-Trichloropropane	0.417	0.396	5.0	89	0.00
77 T	Bromobenzene	0.859	0.899	-4.7	93	0.00
78 T	n-propylbenzene	3.880	4.241	-9.3	97	0.00
79 T	2-Chlorotoluene	2.219	2.383	-7.4	95	0.00
80 T	1,3,5-Trimethylbenzene	2.791	3.058	-9.6	96	0.00
81 T	trans-1,4-Dichloro-2-butene	0.189	0.207	-9.5	97	0.00
82 T	4-Chlorotoluene	2.342	2.501	-6.8	94	0.00
83 T	tert-Butylbenzene	2.455	2.655	-8.1	94	0.00
84 T	1,2,4-Trimethylbenzene	2.793	3.056	-9.4	95	0.00
85 T	sec-Butylbenzene	3.314	3.670	-10.7	97	0.00
86 T	p-Isopropyltoluene	3.108	3.446	-10.9	98	0.00
87 T	1,3-Dichlorobenzene	1.615	1.691	-4.7	95	0.00
88 T	1,4-Dichlorobenzene	1.610	1.691	-5.0	94	0.00
89 T	n-Butylbenzene	2.785	3.085	-10.8	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD081320\
Data File : VD066209.D
Acq On : 13 Aug 2020 13:45
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Aug 14 03:16:35 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D080520S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 05 13:49:25 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.620	0.669	-7.9	98	0.00
91 T	1,2-Dichlorobenzene	1.428	1.499	-5.0	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.098	0.101	-3.1	97	0.00
93 T	1,2,4-Trichlorobenzene	1.052	1.178	-12.0	99	0.00
94 T	Hexachlorobutadiene	0.620	0.691	-11.5	100	0.00
95 T	Naphthalene	1.715	1.921	-12.0	96	0.00
96 T	1,2,3-Trichlorobenzene	0.929	0.998	-7.4	94	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6