

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD081920\
 Data File : VD066331.D
 Acq On : 19 Aug 2020 22:43
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 20 07:56:58 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D080520S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 05 13:49:25 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	62	0.00
2 T	Dichlorodifluoromethane	0.441	0.360	18.4	57	0.00
3 P	Chloromethane	0.343	0.289	15.7	60	0.00
4 C	Vinyl Chloride	0.303	0.299	1.3#	67	0.01
5 T	Bromomethane	0.201	0.231	-14.9	75	0.01
6 T	Chloroethane	0.186	0.199	-7.0	73	0.00
7 T	Trichlorofluoromethane	0.791	0.816	-3.2	69	0.02
8 T	Diethyl Ether	0.223	0.218	2.2	63	0.01
9 T	1,1,2-Trichlorotrifluoroeth	0.469	0.473	-0.9	66	0.00
10 T	Methyl Iodide	0.353	0.550	-55.8#	94	0.00
11 T	Tert butyl alcohol	0.046	0.031	32.6#	61	0.00
12 CM	1,1-Dichloroethene	0.443	0.420	5.2#	62	0.01
13 T	Acrolein	0.036	0.025	30.6#	48#	0.01
14 T	Allyl chloride	0.671	0.648	3.4	62	0.01
15 T	Acrylonitrile	0.094	0.096	-2.1	65	0.00
16 T	Acetone	0.085	0.078	8.2	56	0.00
17 T	Carbon Disulfide	1.408	1.152	18.2	54	0.01
18 T	Methyl Acetate	0.215	0.218	-1.4	69	0.00
19 T	Methyl tert-butyl Ether	1.015	1.082	-6.6	68	0.00
20 T	Methylene Chloride	0.576	0.575	0.2	73	0.00
21 T	trans-1,2-Dichloroethene	0.509	0.503	1.2	65	0.00
22 T	Diisopropyl ether	1.327	1.298	2.2	62	0.00
23 T	Vinyl Acetate	0.777	0.775	0.3	62	0.00
24 P	1,1-Dichloroethane	0.821	0.855	-4.1	68	0.00
25 T	2-Butanone	0.124	0.112	9.7	59	0.00
26 T	2,2-Dichloropropane	0.736	0.768	-4.3	69	0.00
27 T	cis-1,2-Dichloroethene	0.534	0.578	-8.2	69	0.00
28 T	Bromochloromethane	0.288	0.295	-2.4	63	0.00
29 T	Tetrahydrofuran	0.077	0.072	6.5	59	0.00
30 C	Chloroform	0.862	0.955	-10.8#	72	0.00
31 T	Cyclohexane	0.781	0.679	13.1	59	0.00
32 T	1,1,1-Trichloroethane	0.808	0.903	-11.8	72	0.00
33 S	1,2-Dichloroethane-d4	0.446	0.502	-12.6	69	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	63	0.00
35 S	Dibromofluoromethane	0.317	0.342	-7.9	66	0.00
36 T	1,1-Dichloropropene	0.470	0.471	-0.2	64	0.00
37 T	Ethyl Acetate	0.186	0.179	3.8	64	0.00
38 T	Carbon Tetrachloride	0.524	0.593	-13.2	74	0.00
39 T	Methylcyclohexane	0.568	0.544	4.2	61	0.00
40 TM	Benzene	1.303	1.334	-2.4	66	0.00
41 T	Methacrylonitrile	0.109	0.108	0.9	65	0.00
42 TM	1,2-Dichloroethane	0.383	0.431	-12.5	73	0.00
43 T	Isopropyl Acetate	0.367	0.365	0.5	65	0.00
44 TM	Trichloroethene	0.393	0.414	-5.3	68	0.00
45 C	1,2-Dichloropropane	0.319	0.328	-2.8#	67	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD081920\
 Data File : VD066331.D
 Acq On : 19 Aug 2020 22:43
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 20 07:56:58 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D080520S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 05 13:49:25 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.176	0.186	-5.7	66	0.00
47 T	Bromodichloromethane	0.464	0.526	-13.4	73	0.00
48 T	Methyl methacrylate	0.187	0.170	9.1	56	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	60	0.00
50 S	Toluene-d8	1.169	1.235	-5.6	63	0.00
51 T	4-Methyl-2-Pentanone	0.188	0.184	2.1	62	0.00
52 CM	Toluene	0.858	0.912	-6.3#	67	0.00
53 T	t-1,3-Dichloropropene	0.440	0.481	-9.3	69	0.00
54 T	cis-1,3-Dichloropropene	0.516	0.541	-4.8	67	0.00
55 T	1,1,2-Trichloroethane	0.253	0.256	-1.2	66	0.00
56 T	Ethyl methacrylate	0.304	0.316	-3.9	64	0.00
57 T	1,3-Dichloropropane	0.420	0.442	-5.2	67	0.00
58 T	2-Chloroethyl Vinyl ether	0.137	0.148	-8.0	67	0.00
59 T	2-Hexanone	0.132	0.124	6.1	59	0.00
60 T	Dibromochloromethane	0.349	0.379	-8.6	69	0.00
61 T	1,2-Dibromoethane	0.243	0.255	-4.9	67	0.00
62 S	4-Bromofluorobenzene	0.421	0.432	-2.6	63	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	62	0.00
64 T	Tetrachloroethene	0.384	0.399	-3.9	68	0.00
65 PM	Chlorobenzene	1.015	1.100	-8.4	70	0.00
66 T	1,1,1,2-Tetrachloroethane	0.397	0.433	-9.1	70	0.00
67 C	Ethyl Benzene	1.759	1.918	-9.0#	69	0.00
68 T	m/p-Xylenes	0.681	0.722	-6.0	67	0.00
69 T	o-Xylene	0.620	0.674	-8.7	68	0.00
70 T	Styrene	1.086	1.172	-7.9	67	0.00
71 P	Bromoform	0.235	0.250	-6.4	68	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	61	0.00
73 T	Isopropylbenzene	3.338	3.759	-12.6	69	0.00
74 T	N-amyl acetate	0.735	0.718	2.3	58	0.00
75 P	1,1,2,2-Tetrachloroethane	0.569	0.580	-1.9	66	0.00
76 T	1,2,3-Trichloropropane	0.417	0.383	8.2	60	0.00
77 T	Bromobenzene	0.859	0.936	-9.0	68	0.00
78 T	n-propylbenzene	3.880	4.222	-8.8	67	0.00
79 T	2-Chlorotoluene	2.219	2.445	-10.2	68	0.00
80 T	1,3,5-Trimethylbenzene	2.791	3.183	-14.0	69	0.00
81 T	trans-1,4-Dichloro-2-butene	0.189	0.186	1.6	61	0.00
82 T	4-Chlorotoluene	2.342	2.527	-7.9	66	0.00
83 T	tert-Butylbenzene	2.455	2.759	-12.4	68	0.00
84 T	1,2,4-Trimethylbenzene	2.793	3.116	-11.6	68	0.00
85 T	sec-Butylbenzene	3.314	3.644	-10.0	67	0.00
86 T	p-Isopropyltoluene	3.108	3.494	-12.4	69	0.00
87 T	1,3-Dichlorobenzene	1.615	1.702	-5.4	67	0.00
88 T	1,4-Dichlorobenzene	1.610	1.684	-4.6	65	0.00
89 T	n-Butylbenzene	2.785	3.048	-9.4	66	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD081920\
Data File : VD066331.D
Acq On : 19 Aug 2020 22:43
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Aug 20 07:56:58 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D080520S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 05 13:49:25 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.620	0.678	-9.4	69	0.00
91 T	1,2-Dichlorobenzene	1.428	1.539	-7.8	68	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.098	0.105	-7.1	70	0.00
93 T	1,2,4-Trichlorobenzene	1.052	1.133	-7.7	66	0.00
94 T	Hexachlorobutadiene	0.620	0.701	-13.1	71	0.00
95 T	Naphthalene	1.715	1.920	-12.0	66	0.00
96 T	1,2,3-Trichlorobenzene	0.929	0.999	-7.5	66	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6