

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD082620\
 Data File : VD066427.D
 Acq On : 26 Aug 2020 18:17
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 27 08:47:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D082120S.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 21 13:36:12 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	68	0.00
2 T	Dichlorodifluoromethane	0.425	0.333	21.6#	57	0.00
3 P	Chloromethane	0.301	0.243	19.3	59	0.00
4 C	Vinyl Chloride	0.324	0.261	19.4#	58	0.00
5 T	Bromomethane	0.242	0.294	-21.5#	88	0.00
6 T	Chloroethane	0.207	0.191	7.7	66	0.00
7 T	Trichlorofluoromethane	0.880	0.828	5.9	67	0.00
8 T	Diethyl Ether	0.197	0.196	0.5	70	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.434	0.367	15.4	61	0.00
10 T	Methyl Iodide	0.495	0.239	51.7#	32#	0.00
11 T	Tert butyl alcohol	0.037	0.037	0.0	89	0.00
12 CM	1,1-Dichloroethene	0.408	0.352	13.7#	60	0.00
13 T	Acrolein	0.022	0.015	31.8#	47#	0.00
14 T	Allyl chloride	0.544	0.471	13.4	60	0.00
15 T	Acrylonitrile	0.079	0.074	6.3	65	0.00
16 T	Acetone	0.088	0.068	22.7#	53	0.00
17 T	Carbon Disulfide	1.235	1.049	15.1	59	0.00
18 T	Methyl Acetate	0.166	0.157	5.4	66	0.00
19 T	Methyl tert-butyl Ether	0.981	1.043	-6.3	72	0.00
20 T	Methylene Chloride	0.605	0.429	29.1#	61	0.00
21 T	trans-1,2-Dichloroethene	0.474	0.436	8.0	65	0.00
22 T	Diisopropyl ether	1.053	0.949	9.9	60	0.00
23 T	Vinyl Acetate	0.652	0.604	7.4	61	0.00
24 P	1,1-Dichloroethane	0.744	0.689	7.4	65	0.00
25 T	2-Butanone	0.100	0.089	11.0	61	0.00
26 T	2,2-Dichloropropane	0.798	0.731	8.4	63	0.00
27 T	cis-1,2-Dichloroethene	0.508	0.475	6.5	65	0.00
28 T	Bromochloromethane	0.256	0.280	-9.4	73	0.00
29 T	Tetrahydrofuran	0.057	0.051	10.5	61	0.00
30 C	Chloroform	0.861	0.891	-3.5#	71	0.00
31 T	Cyclohexane	0.681	0.513	24.7#	56	0.00
32 T	1,1,1-Trichloroethane	0.881	0.890	-1.0	70	0.00
33 S	1,2-Dichloroethane-d4	0.490	0.582	-18.8	81	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	71	0.00
35 S	Dibromofluoromethane	0.313	0.320	-2.2	71	0.00
36 T	1,1-Dichloropropene	0.456	0.400	12.3	62	0.00
37 T	Ethyl Acetate	0.155	0.128	17.4	58	0.00
38 T	Carbon Tetrachloride	0.594	0.588	1.0	70	0.00
39 T	Methylcyclohexane	0.537	0.465	13.4	58	0.00
40 TM	Benzene	1.200	1.131	5.7	65	0.00
41 T	Methacrylonitrile	0.096	0.177	-84.4#	120	-0.06
42 TM	1,2-Dichloroethane	0.423	0.466	-10.2	77	0.00
43 T	Isopropyl Acetate	0.311	0.298	4.2	66	0.00
44 TM	Trichloroethene	0.390	0.377	3.3	69	0.00
45 C	1,2-Dichloropropane	0.272	0.243	10.7#	62	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD082620\
 Data File : VD066427.D
 Acq On : 26 Aug 2020 18:17
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 27 08:47:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D082120S.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 21 13:36:12 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.169	0.177	-4.7	72	0.00
47 T	Bromodichloromethane	0.466	0.487	-4.5	73	0.00
48 T	Methyl methacrylate	0.161	0.149	7.5	66	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	64	0.00
50 S	Toluene-d8	1.144	1.198	-4.7	72	0.00
51 T	4-Methyl-2-Pentanone	0.151	0.146	3.3	65	0.00
52 CM	Toluene	0.813	0.793	2.5#	66	0.00
53 T	t-1,3-Dichloropropene	0.442	0.444	-0.5	69	0.00
54 T	cis-1,3-Dichloropropene	0.496	0.473	4.6	65	0.00
55 T	1,1,2-Trichloroethane	0.229	0.220	3.9	68	0.00
56 T	Ethyl methacrylate	0.265	0.265	0.0	66	0.00
57 T	1,3-Dichloropropane	0.379	0.372	1.8	68	0.00
58 T	2-Chloroethyl Vinyl ether	0.110	0.122	-10.9	74	0.00
59 T	2-Hexanone	0.106	0.103	2.8	63	0.00
60 T	Dibromochloromethane	0.346	0.353	-2.0	72	0.00
61 T	1,2-Dibromoethane	0.226	0.223	1.3	71	0.00
62 S	4-Bromofluorobenzene	0.406	0.456	-12.3	78	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	75	0.00
64 T	Tetrachloroethene	0.379	0.352	7.1	69	0.00
65 PM	Chlorobenzene	0.995	0.949	4.6	70	0.00
66 T	1,1,1,2-Tetrachloroethane	0.407	0.408	-0.2	75	0.00
67 C	Ethyl Benzene	1.751	1.668	4.7#	68	0.00
68 T	m/p-Xylenes	0.667	0.630	5.5	68	0.00
69 T	o-Xylene	0.621	0.596	4.0	71	0.00
70 T	Styrene	1.066	1.046	1.9	71	0.00
71 P	Bromoform	0.231	0.230	0.4	74	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	76	0.00
73 T	Isopropylbenzene	3.349	3.134	6.4	70	0.00
74 T	N-amyl acetate	0.605	0.555	8.3	66	0.00
75 P	1,1,2,2-Tetrachloroethane	0.478	0.429	10.3	68	0.00
76 T	1,2,3-Trichloropropane	0.352	0.301	14.5	64	0.00
77 T	Bromobenzene	0.850	0.813	4.4	71	0.00
78 T	n-propylbenzene	3.840	3.439	10.4	67	0.00
79 T	2-Chlorotoluene	2.193	2.053	6.4	71	0.00
80 T	1,3,5-Trimethylbenzene	2.892	2.720	5.9	69	0.00
81 T	trans-1,4-Dichloro-2-butene	0.166	0.152	8.4	67	0.00
82 T	4-Chlorotoluene	2.324	2.181	6.2	70	0.00
83 T	tert-Butylbenzene	2.512	2.359	6.1	70	0.00
84 T	1,2,4-Trimethylbenzene	2.841	2.770	2.5	73	0.00
85 T	sec-Butylbenzene	3.291	3.023	8.1	68	0.00
86 T	p-Isopropyltoluene	3.173	2.941	7.3	69	0.00
87 T	1,3-Dichlorobenzene	1.587	1.496	5.7	71	0.00
88 T	1,4-Dichlorobenzene	1.593	1.498	6.0	72	0.00
89 T	n-Butylbenzene	2.800	2.470	11.8	65	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD082620\
Data File : VD066427.D
Acq On : 26 Aug 2020 18:17
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Aug 27 08:47:35 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D082120S.M
Quant Title : SW846 8260
QLast Update : Fri Aug 21 13:36:12 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.627	0.580	7.5	71	0.00
91 T	1,2-Dichlorobenzene	1.366	1.324	3.1	73	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.100	0.099	1.0	78	0.00
93 T	1,2,4-Trichlorobenzene	1.067	1.043	2.2	72	0.00
94 T	Hexachlorobutadiene	0.663	0.612	7.7	68	0.00
95 T	Naphthalene	1.675	1.724	-2.9	74	0.00
96 T	1,2,3-Trichlorobenzene	0.914	0.917	-0.3	73	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6