

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD101420\
 Data File : VD067261.D
 Acq On : 14 Oct 2020 10:26
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 15 06:17:41 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D101320S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 14 03:30:30 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	97	0.00
2 T	Dichlorodifluoromethane	0.454	0.433	4.6	103	0.00
3 P	Chloromethane	0.315	0.301	4.4	102	0.00
4 C	Vinyl Chloride	0.345	0.342	0.9#	102	0.00
5 T	Bromomethane	0.267	0.273	-2.2	110	0.00
6 T	Chloroethane	0.215	0.207	3.7	102	0.00
7 T	Trichlorofluoromethane	0.869	0.875	-0.7	105	0.00
8 T	Diethyl Ether	0.199	0.183	8.0	98	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.462	0.462	0.0	105	0.00
10 T	Methyl Iodide	0.426	0.435	-2.1	97	0.00
11 T	Tert butyl alcohol	0.036	0.022	38.9#	88	-0.01
12 CM	1,1-Dichloroethene	0.413	0.414	-0.2#	102	0.00
13 T	Acrolein	0.026	0.029	-11.5	94	0.00
14 T	Allyl chloride	0.473	0.470	0.6	100	0.00
15 T	Acrylonitrile	0.066	0.067	-1.5	106	0.00
16 T	Acetone	0.070	0.082	-17.1	125	0.00
17 T	Carbon Disulfide	1.176	1.152	2.0	101	0.00
18 T	Methyl Acetate	0.160	0.148	7.5	105	0.00
19 T	Methyl tert-butyl Ether	0.821	0.811	1.2	100	0.00
20 T	Methylene Chloride	0.529	0.447	15.5	97	0.00
21 T	trans-1,2-Dichloroethene	0.475	0.477	-0.4	104	0.00
22 T	Diisopropyl ether	0.863	0.889	-3.0	102	0.00
23 T	Vinyl Acetate	0.491	0.527	-7.3	103	0.00
24 P	1,1-Dichloroethane	0.739	0.738	0.1	103	0.00
25 T	2-Butanone	0.080	0.082	-2.5	108	0.00
26 T	2,2-Dichloropropane	0.762	0.772	-1.3	105	0.00
27 T	cis-1,2-Dichloroethene	0.520	0.520	0.0	101	0.00
28 T	Bromochloromethane	0.252	0.251	0.4	93	0.00
29 T	Tetrahydrofuran	0.044	0.046	-4.5	105	0.00
30 C	Chloroform	0.883	0.894	-1.2#	103	0.00
31 T	Cyclohexane	0.577	0.560	2.9	104	0.00
32 T	1,1,1-Trichloroethane	0.866	0.875	-1.0	103	0.00
33 S	1,2-Dichloroethane-d4	0.501	0.485	3.2	95	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	95	0.00
35 S	Dibromofluoromethane	0.333	0.340	-2.1	94	0.00
36 T	1,1-Dichloropropene	0.424	0.439	-3.5	104	0.00
37 T	Ethyl Acetate	0.125	0.127	-1.6	102	0.00
38 T	Carbon Tetrachloride	0.542	0.571	-5.4	104	0.00
39 T	Methylcyclohexane	0.443	0.476	-7.4	104	0.00
40 TM	Benzene	1.163	1.206	-3.7	103	0.00
41 T	Methacrylonitrile	0.067	0.076	-13.4	131	0.00
42 TM	1,2-Dichloroethane	0.364	0.370	-1.6	101	0.00
43 T	Isopropyl Acetate	0.247	0.248	-0.4	103	0.00
44 TM	Trichloroethene	0.372	0.382	-2.7	102	0.00
45 C	1,2-Dichloropropane	0.269	0.277	-3.0#	103	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD101420\
 Data File : VD067261.D
 Acq On : 14 Oct 2020 10:26
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 15 06:17:41 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D101320S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 14 03:30:30 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.168	0.172	-2.4	107	0.00
47 T	Bromodichloromethane	0.450	0.467	-3.8	105	0.00
48 T	Methyl methacrylate	0.120	0.120	0.0	104	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	105	0.00
50 S	Toluene-d8	1.204	1.231	-2.2	93	0.00
51 T	4-Methyl-2-Pentanone	0.123	0.128	-4.1	104	0.00
52 CM	Toluene	0.792	0.842	-6.3#	104	0.00
53 T	t-1,3-Dichloropropene	0.395	0.413	-4.6	103	0.00
54 T	cis-1,3-Dichloropropene	0.462	0.470	-1.7	101	0.00
55 T	1,1,2-Trichloroethane	0.229	0.235	-2.6	105	0.00
56 T	Ethyl methacrylate	0.237	0.257	-8.4	106	0.00
57 T	1,3-Dichloropropane	0.364	0.372	-2.2	104	0.00
58 T	2-Chloroethyl Vinyl ether	0.122	0.134	-9.8	106	0.00
59 T	2-Hexanone	0.084	0.091	-8.3	106	0.00
60 T	Dibromochloromethane	0.334	0.345	-3.3	105	0.00
61 T	1,2-Dibromoethane	0.226	0.234	-3.5	106	0.00
62 S	4-Bromofluorobenzene	0.419	0.422	-0.7	94	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	96	0.00
64 T	Tetrachloroethene	0.362	0.368	-1.7	104	0.00
65 PM	Chlorobenzene	0.959	0.987	-2.9	103	0.00
66 T	1,1,1,2-Tetrachloroethane	0.381	0.394	-3.4	102	0.00
67 C	Ethyl Benzene	1.644	1.750	-6.4#	103	0.00
68 T	m/p-Xylenes	0.633	0.675	-6.6	104	0.00
69 T	o-Xylene	0.586	0.620	-5.8	105	0.00
70 T	Styrene	1.009	1.061	-5.2	102	0.00
71 P	Bromoform	0.205	0.208	-1.5	106	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	95	0.00
73 T	Isopropylbenzene	3.173	3.579	-12.8	105	0.00
74 T	N-amyl acetate	0.479	0.516	-7.7	105	0.00
75 P	1,1,2,2-Tetrachloroethane	0.486	0.510	-4.9	104	0.00
76 T	1,2,3-Trichloropropane	0.347	0.391	-12.7	123	0.00
77 T	Bromobenzene	0.791	0.843	-6.6	103	0.00
78 T	n-propylbenzene	3.677	4.078	-10.9	103	0.00
79 T	2-Chlorotoluene	2.132	2.307	-8.2	104	0.00
80 T	1,3,5-Trimethylbenzene	2.758	3.049	-10.6	103	0.00
81 T	trans-1,4-Dichloro-2-butene	0.153	0.158	-3.3	105	0.00
82 T	4-Chlorotoluene	2.263	2.467	-9.0	105	0.00
83 T	tert-Butylbenzene	2.329	2.585	-11.0	102	0.00
84 T	1,2,4-Trimethylbenzene	2.726	3.036	-11.4	103	0.00
85 T	sec-Butylbenzene	3.196	3.491	-9.2	102	0.00
86 T	p-Isopropyltoluene	3.017	3.349	-11.0	104	0.00
87 T	1,3-Dichlorobenzene	1.523	1.598	-4.9	105	0.00
88 T	1,4-Dichlorobenzene	1.509	1.594	-5.6	105	0.00
89 T	n-Butylbenzene	2.654	2.982	-12.4	105	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD101420\
Data File : VD067261.D
Acq On : 14 Oct 2020 10:26
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Oct 15 06:17:41 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D101320S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 14 03:30:30 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.526	0.569	-8.2	105	0.00
91 T	1,2-Dichlorobenzene	1.330	1.418	-6.6	107	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.088	0.089	-1.1	107	0.00
93 T	1,2,4-Trichlorobenzene	0.897	0.979	-9.1	105	0.00
94 T	Hexachlorobutadiene	0.557	0.622	-11.7	106	0.00
95 T	Naphthalene	1.473	1.620	-10.0	103	0.00
96 T	1,2,3-Trichlorobenzene	0.775	0.848	-9.4	106	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6