

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD103020\
 Data File : VD067481.D
 Acq On : 30 Oct 2020 19:21
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 31 06:41:09 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D101320S.M
 Quant Title : SW846 8260
 QLast Update : Mon Oct 19 19:13:29 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	84	0.00
2 T	Dichlorodifluoromethane	0.454	0.345	24.0	71	0.00
3 P	Chloromethane	0.315	0.263	16.5	77	0.00
4 C	Vinyl Chloride	0.345	0.303	12.2#	78	0.00
5 T	Bromomethane	0.267	0.260	2.6	91	0.00
6 T	Chloroethane	0.215	0.203	5.6	87	0.01
7 T	Trichlorofluoromethane	0.869	0.858	1.3	89	0.00
8 T	Diethyl Ether	0.199	0.199	0.0	92	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.462	0.468	-1.3	92	0.00
10 T	Methyl Iodide	0.426	0.494	-16.0	95	0.00
11 T	Tert butyl alcohol	0.036	0.026	27.8#	90	0.00
12 CM	1,1-Dichloroethene	0.413	0.418	-1.2#	89	0.00
13 T	Acrolein	0.026	0.020	23.1	56	0.00
14 T	Allyl chloride	0.473	0.471	0.4	87	0.00
15 T	Acrylonitrile	0.066	0.071	-7.6	97	0.00
16 T	Acetone	0.070	0.071	-1.4	94	0.00
17 T	Carbon Disulfide	1.176	1.002	14.8	76	0.00
18 T	Methyl Acetate	0.160	0.175	-9.4	108	0.00
19 T	Methyl tert-butyl Ether	0.821	0.885	-7.8	94	0.00
20 T	Methylene Chloride	0.529	0.497	6.0	93	0.00
21 T	trans-1,2-Dichloroethene	0.475	0.479	-0.8	90	0.00
22 T	Diisopropyl ether	0.863	0.953	-10.4	95	0.00
23 T	Vinyl Acetate	0.491	0.543	-10.6	92	0.00
24 P	1,1-Dichloroethane	0.739	0.783	-6.0	94	0.00
25 T	2-Butanone	0.080	0.084	-5.0	96	0.00
26 T	2,2-Dichloropropane	0.762	0.800	-5.0	94	0.00
27 T	cis-1,2-Dichloroethene	0.520	0.562	-8.1	95	0.00
28 T	Bromochloromethane	0.252	0.258	-2.4	83	0.00
29 T	Tetrahydrofuran	0.044	0.046	-4.5	91	0.00
30 C	Chloroform	0.883	0.959	-8.6#	95	0.00
31 T	Cyclohexane	0.577	0.536	7.1	86	0.00
32 T	1,1,1-Trichloroethane	0.866	0.937	-8.2	95	0.00
33 S	1,2-Dichloroethane-d4	0.501	0.499	0.4	85	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	83	0.00
35 S	Dibromofluoromethane	0.333	0.344	-3.3	83	0.00
36 T	1,1-Dichloropropene	0.424	0.440	-3.8	90	0.00
37 T	Ethyl Acetate	0.125	0.128	-2.4	89	0.00
38 T	Carbon Tetrachloride	0.542	0.587	-8.3	93	0.00
39 T	Methylcyclohexane	0.443	0.470	-6.1	89	0.00
40 TM	Benzene	1.163	1.279	-10.0	95	0.00
41 T	Methacrylonitrile	0.067	0.059	11.9	88	0.00
42 TM	1,2-Dichloroethane	0.364	0.393	-8.0	93	0.00
43 T	Isopropyl Acetate	0.247	0.265	-7.3	95	0.00
44 TM	Trichloroethene	0.372	0.410	-10.2	94	0.00
45 C	1,2-Dichloropropane	0.269	0.287	-6.7#	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD103020\
 Data File : VD067481.D
 Acq On : 30 Oct 2020 19:21
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 31 06:41:09 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D101320S.M
 Quant Title : SW846 8260
 QLast Update : Mon Oct 19 19:13:29 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.168	0.176	-4.8	94	0.00
47 T	Bromodichloromethane	0.450	0.504	-12.0	98	0.00
48 T	Methyl methacrylate	0.120	0.127	-5.8	95	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	95	0.00
50 S	Toluene-d8	1.204	1.241	-3.1	81	0.00
51 T	4-Methyl-2-Pentanone	0.123	0.133	-8.1	94	0.00
52 CM	Toluene	0.792	0.894	-12.9#	96	0.00
53 T	t-1,3-Dichloropropene	0.395	0.429	-8.6	93	0.00
54 T	cis-1,3-Dichloropropene	0.462	0.500	-8.2	93	0.00
55 T	1,1,2-Trichloroethane	0.229	0.255	-11.4	99	0.00
56 T	Ethyl methacrylate	0.237	0.273	-15.2	98	0.00
57 T	1,3-Dichloropropane	0.364	0.401	-10.2	97	0.00
58 T	2-Chloroethyl Vinyl ether	0.122	0.127	-4.1	87	0.00
59 T	2-Hexanone	0.084	0.090	-7.1	91	0.00
60 T	Dibromochloromethane	0.334	0.373	-11.7	99	0.00
61 T	1,2-Dibromoethane	0.226	0.244	-8.0	96	0.00
62 S	4-Bromofluorobenzene	0.419	0.443	-5.7	86	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	85	0.00
64 T	Tetrachloroethene	0.362	0.387	-6.9	96	0.00
65 PM	Chlorobenzene	0.959	1.069	-11.5	99	0.00
66 T	1,1,1,2-Tetrachloroethane	0.381	0.429	-12.6	98	0.00
67 C	Ethyl Benzene	1.644	1.831	-11.4#	96	0.00
68 T	m/p-Xylenes	0.633	0.710	-12.2	97	0.00
69 T	o-Xylene	0.586	0.673	-14.8	101	0.00
70 T	Styrene	1.009	1.134	-12.4	96	0.00
71 P	Bromoform	0.205	0.224	-9.3	101	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	88	0.00
73 T	Isopropylbenzene	3.173	3.610	-13.8	98	0.00
74 T	N-amyl acetate	0.479	0.496	-3.5	94	0.00
75 P	1,1,2,2-Tetrachloroethane	0.486	0.505	-3.9	95	0.00
76 T	1,2,3-Trichloropropane	0.347	0.327	5.8	95	0.00
77 T	Bromobenzene	0.791	0.859	-8.6	97	0.00
78 T	n-propylbenzene	3.677	4.094	-11.3	96	0.00
79 T	2-Chlorotoluene	2.132	2.315	-8.6	96	0.00
80 T	1,3,5-Trimethylbenzene	2.758	3.104	-12.5	97	0.00
81 T	trans-1,4-Dichloro-2-butene	0.153	0.166	-8.5	102	0.00
82 T	4-Chlorotoluene	2.263	2.524	-11.5	99	0.00
83 T	tert-Butylbenzene	2.329	2.700	-15.9	99	0.00
84 T	1,2,4-Trimethylbenzene	2.726	3.107	-14.0	97	0.00
85 T	sec-Butylbenzene	3.196	3.609	-12.9	98	0.00
86 T	p-Isopropyltoluene	3.017	3.438	-14.0	99	0.00
87 T	1,3-Dichlorobenzene	1.523	1.660	-9.0	101	0.00
88 T	1,4-Dichlorobenzene	1.509	1.639	-8.6	100	0.00
89 T	n-Butylbenzene	2.654	3.015	-13.6	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD103020\
Data File : VD067481.D
Acq On : 30 Oct 2020 19:21
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Oct 31 06:41:09 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D101320S.M
Quant Title : SW846 8260
QLast Update : Mon Oct 19 19:13:29 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.526	0.570	-8.4	98	0.00
91 T	1,2-Dichlorobenzene	1.330	1.460	-9.8	102	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.088	0.091	-3.4	101	0.00
93 T	1,2,4-Trichlorobenzene	0.897	1.010	-12.6	100	0.00
94 T	Hexachlorobutadiene	0.557	0.645	-15.8	101	0.00
95 T	Naphthalene	1.473	1.655	-12.4	98	0.00
96 T	1,2,3-Trichlorobenzene	0.775	0.870	-12.3	100	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6