

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD103020\  
 Data File : VD067469.D  
 Acq On : 30 Oct 2020 13:27  
 Operator : VA/SY  
 Sample : L4560-02  
 Misc : 6.21G/5.00ml/MSVOA D/SOIL  
 ALS Vial : 10 Sample Multiplier: 1

Instrument :  
 MSVOA\_D  
 ClientSampleId :  
 B308-B309-LOC1-SO-0002

Quant Time: Oct 30 13:19:30 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_D\METHOD\82D101320S.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Oct 19 19:13:29 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 7.98  | 168  | 40135    | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.87  | 114  | 62016    | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.65 | 117  | 67411    | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.58 | 152  | 34060    | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |         |      |
|-----------------------------|--------|-----|----------|-------|---------|------|
| 33) 1,2-Dichloroethane-d4   | 8.33   | 65  | 29974    | 74.55 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 149.10% |      |
| 35) Dibromofluoromethane    | 7.92   | 113 | 22437    | 54.36 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 108.72% |      |
| 50) Toluene-d8              | 10.34  | 98  | 75154    | 50.32 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 100.64% |      |
| 62) 4-Bromofluorobenzene    | 12.64  | 95  | 28089    | 54.08 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 108.16% |      |


| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD103020\  
Data File : VD067469.D  
Acq On : 30 Oct 2020 13:27  
Operator : VA/SY  
Sample : L4560-02  
Misc : 6.21G/5.00ml/MSVOA D/SOIL  
ALS Vial : 10 Sample Multiplier: 1

Instrument :  
MSVOA\_D  
ClientSampleId :  
B308-B309-LOC1-SO-0002

Quant Time: Oct 30 13:19:30 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_D\METHOD\82D101320S.M  
Quant Title : SW846 8260  
QLast Update : Mon Oct 19 19:13:29 2020  
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.98 min Scan# 1031

Delta R.T. 0.00 min

Lab File: VD067469.D

Acq: 30 Oct 2020 13:27

Instrument :

MSVOA\_D

ClientSampleId :


B308-B309-LOC1-SO-0002

Tot Ion:168 Resp: 40135

Ion Ratio Lower Upper




168 100

99 48.8 45.9 68.9



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VDC



#33

1,2-Dichloroethane-d4

Concen: 74.545 ug/l

RT: 8.33 min Scan# 1090

Delta R.T. 0.00 min

Lab File: VD067469.D


Acq: 30 Oct 2020 13:27

Tgt Ion: 65 Resp: 29974

Ion Ratio Lower Upper



65 100


67 48.8 0.0 103.8



Abundance Ion 64.90 (64.60 to 65.60): VDC

Ion 66.90 (66.60 to 67.60): VDC





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.87 min Scan# 1182

Delta R.T. 0.01 min

Lab File: VD067469.D

Acq: 30 Oct 2020 13:27

Instrument :

MSVOA\_D

ClientSampleId :

B308-B309-LOC1-SO-0002


Tot Ion:114 Resp: 62016

Ion Ratio Lower Upper

114 100

63 15.5 0.0 35.0




88 13.6 0.0 30.6



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): V

Ion 87.90 (87.60 to 88.60): V



#35

Dibromofluoromethane

Concen: 54.364 ug/l

RT: 7.92 min Scan# 1020

Delta R.T. 0.01 min

Lab File: VD067469.D

Acq: 30 Oct 2020 13:27


Tgt Ion:113 Resp: 22437

Ion Ratio Lower Upper

113 100

111 102.9 81.6 122.4



192 20.5 17.0 25.4




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 50.318 ug/l

RT: 10.34 min Scan# 1432

Delta R.T. 0.00 min

Lab File: VD067469.D

Acq: 30 Oct 2020 13:27

Instrument :

MSVOA\_D

ClientSampleId :





B308-B309-LOC1-SO-0002

Tot Ion: 98 Resp: 75154

Ion Ratio Lower Upper

98 100

100 64.4 53.1 79.7



#62

4-Bromofluorobenzene

Concen: 54.085 ug/l

RT: 12.64 min Scan# 1822

Delta R.T. 0.00 min

Lab File: VD067469.D

Acq: 30 Oct 2020 13:27




Tgt Ion: 95 Resp: 28089

Ion Ratio Lower Upper

95 100

174 96.9 0.0 175.2

176 87.1 0.0 168.6









#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.65 min Scan# 1654  
Delta R.T. 0.00 min  
Lab File: VD067469.D  
Acq: 30 Oct 2020 13:27

Instrument :  
MSVOA\_D  
ClientSampleId :  
B308-B309-LOC1-SO-0002

Tot Ion:117 Resp: 67411  
Ion Ratio Lower Upper  
117 100  
82 51.4 39.9 59.9  
119 30.6 24.9 37.3



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 13.58 min Scan# 1982  
Delta R.T. -0.01 min  
Lab File: VD067469.D  
Acq: 30 Oct 2020 13:27

Tgt Ion:152 Resp: 34060  
Ion Ratio Lower Upper  
152 100  
115 58.8 29.3 87.9  
150 158.9 0.0 339.0

