

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD103020\
 Data File : VD067471.D
 Acq On : 30 Oct 2020 14:22
 Operator : VA/SY
 Sample : L4552-01
 Misc : 5.05G/5.00ml/MSVOA D/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 VW-STONE-A

Quant Time: Oct 30 14:32:24 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D101320S.M
 Quant Title : SW846 8260
 QLast Update : Mon Oct 19 19:13:29 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.98	168	277956	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.87	114	450157	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.65	117	430822	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.58	152	198509	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.34	65	135962	48.82	ug/l	0.00
Spiked Amount	50.000		Recovery	=	97.64%	
35) Dibromofluoromethane	7.93	113	140171	46.79	ug/l	0.01
Spiked Amount	50.000		Recovery	=	93.58%	
50) Toluene-d8	10.34	98	513285	47.34	ug/l	0.00
Spiked Amount	50.000		Recovery	=	94.68%	
62) 4-Bromofluorobenzene	12.64	95	174335	46.24	ug/l	0.00
Spiked Amount	50.000		Recovery	=	92.48%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD103020\
Data File : VD067471.D
Acq On : 30 Oct 2020 14:22
Operator : VA/SY
Sample : L4552-01
Misc : 5.05G/5.00ml/MSVOA D/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
VW-STONE-A

Quant Time: Oct 30 14:32:24 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D101320S.M
Quant Title : SW846 8260
QLast Update : Mon Oct 19 19:13:29 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.98 min Scan# 1031

Delta R.T. 0.00 min

Lab File: VD067471.D

Acq: 30 Oct 2020 14:22

Instrument :

MSVOA_D

ClientSampleId :


VW-STONE-A

Tot Ion:168 Resp: 277956

Ion Ratio Lower Upper




168 100

99 57.5 45.9 68.9



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VDC



#33

1,2-Dichloroethane-d4

Concen: 48.825 ug/l

RT: 8.34 min Scan# 1091

Delta R.T. 0.01 min

Lab File: VD067471.D


Acq: 30 Oct 2020 14:22

Tgt Ion: 65 Resp: 135962

Ion Ratio Lower Upper



65 100


67 50.7 0.0 103.8



Abundance Ion 64.90 (64.60 to 65.60): VDC

Ion 66.90 (66.60 to 67.60): VDC





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.87 min Scan# 1182

Delta R.T. 0.01 min

Lab File: VD067471.D

Acq: 30 Oct 2020 14:22

Instrument :

MSVOA_D

ClientSampleId :

VW-STONE-A


Tot Ion:114 Resp: 450157

Ion Ratio Lower Upper

114 100

63 17.4 0.0 35.0




88 15.3 0.0 30.6



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): V

Ion 87.90 (87.60 to 88.60): V



#35

Dibromofluoromethane

Concen: 46.789 ug/l

RT: 7.93 min Scan# 1021

Delta R.T. 0.01 min

Lab File: VD067471.D

Acq: 30 Oct 2020 14:22


Tgt Ion:113 Resp: 140171

Ion Ratio Lower Upper

113 100

111 101.3 81.6 122.4



192 21.7 17.0 25.4




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 47.344 ug/l

RT: 10.34 min Scan# 1432

Delta R.T. 0.00 min

Lab File: VD067471.D

Acq: 30 Oct 2020 14:22

Instrument :

MSVOA_D

ClientSampleId :


VW-STONE-A

Tot Ion: 98 Resp: 513285

Ion Ratio Lower Upper




98 100

100 66.9 53.1 79.7



Abundance Ion 98.00 (97.70 to 98.70): VDC

Ion 100.00 (99.70 to 100.70): VDC



#62

4-Bromofluorobenzene

Concen: 46.245 ug/l

RT: 12.64 min Scan# 1822

Delta R.T. 0.00 min

Lab File: VD067471.D

Acq: 30 Oct 2020 14:22


Tgt Ion: 95 Resp: 174335

Ion Ratio Lower Upper

95 100

174 92.1 0.0 175.2



176 89.0 0.0 168.6



Abundance Ion 94.90 (94.60 to 95.60): VDC

Ion 173.80 (173.50 to 174.50): VDC

Ion 175.80 (175.50 to 176.50): VDC









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.65 min Scan# 1654
Delta R.T. 0.00 min
Lab File: VD067471.D
Acq: 30 Oct 2020 14:22

Instrument :
MSVOA_D
ClientSampleId :
VW-STONE-A

Tot Ion:117 Resp: 430822
Ion Ratio Lower Upper
117 100
82 51.0 39.9 59.9
119 33.6 24.9 37.3



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.58 min Scan# 1982
Delta R.T. -0.01 min
Lab File: VD067471.D
Acq: 30 Oct 2020 14:22

Tgt Ion:152 Resp: 198509
Ion Ratio Lower Upper
152 100
115 58.1 29.3 87.9
150 156.8 0.0 339.0

