

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD110920\
 Data File : VD067568.D
 Acq On : 09 Nov 2020 16:18
 Operator : VA/SY
 Sample : L4665-01RE
 Misc : 6.72G/5.00ml/MSVOA D/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 TP-8-COMPARE

Quant Time: Nov 10 01:04:38 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D110320S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 04 00:56:28 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.98	168	96047	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.87	114	153666	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.65	117	172346	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.58	152	86554	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.34	65	65146	77.57	ug/l	0.00
Spiked Amount	50.000		Recovery	=	155.14%	
35) Dibromofluoromethane	7.91	113	58654	63.35	ug/l	0.00
Spiked Amount	50.000		Recovery	=	126.70%	
50) Toluene-d8	10.34	98	182332	56.04	ug/l	0.00
Spiked Amount	50.000		Recovery	=	112.08%	
62) 4-Bromofluorobenzene	12.64	95	72042	64.13	ug/l	0.00
Spiked Amount	50.000		Recovery	=	128.26%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD110920\
Data File : VD067568.D
Acq On : 09 Nov 2020 16:18
Operator : VA/SY
Sample : L4665-01RE
Misc : 6.72G/5.00ml/MSVOA D/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
TP-8-COMPRES

Quant Time: Nov 10 01:04:38 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D110320S.M
Quant Title : SW846 8260
QLast Update : Wed Nov 04 00:56:28 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.98 min Scan# 1031

Delta R.T. 0.00 min

Lab File: VD067568.D

Acq: 09 Nov 2020 16:18

Instrument :

MSVOA_D

ClientSampleId :


TP-8-COMP

Tot Ion:168 Resp: 96047

Ion Ratio Lower Upper




168 100

99 54.3 45.0 67.6



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VDC



#33

1,2-Dichloroethane-d4

Concen: 77.571 ug/l

RT: 8.34 min Scan# 1091

Delta R.T. 0.00 min

Lab File: VD067568.D


Acq: 09 Nov 2020 16:18

Tgt Ion: 65 Resp: 65146

Ion Ratio Lower Upper



65 100


67 49.8 0.0 99.4



Abundance Ion 64.90 (64.60 to 65.60): VDC

Ion 66.90 (66.60 to 67.60): VDC





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.87 min Scan# 1181

Delta R.T. -0.01 min

Lab File: VD067568.D

Acq: 09 Nov 2020 16:18

Instrument :

MSVOA_D

ClientSampleId :

TP-8-COMP


Tot Ion:114 Resp: 153666

Ion Ratio Lower Upper

114 100

63 16.5 0.0 35.0




88 15.3 0.0 33.0



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): V

Ion 87.90 (87.60 to 88.60): V



#35

Dibromofluoromethane

Concen: 63.353 ug/l

RT: 7.91 min Scan# 1019

Delta R.T. -0.01 min

Lab File: VD067568.D

Acq: 09 Nov 2020 16:18


Tgt Ion:113 Resp: 58654

Ion Ratio Lower Upper

113 100

111 99.7 80.0 120.0



192 20.9 16.3 24.5




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V








#50
Toluene-d8
Concen: 56.040 ug/l
RT: 10.34 min Scan# 1432
Delta R.T. 0.00 min
Lab File: VD067568.D
Acq: 09 Nov 2020 16:18




Instrument :
MSVOA_D
ClientSampleId :
TP-8-COMPRE


Tot Ion: 98 Resp: 182332
Ion Ratio Lower Upper
98 100
100 65.7 53.0 79.6



#62
4-Bromofluorobenzene
Concen: 64.135 ug/l
RT: 12.64 min Scan# 1822
Delta R.T. 0.00 min
Lab File: VD067568.D
Acq: 09 Nov 2020 16:18

Tgt Ion: 95 Resp: 72042
Ion Ratio Lower Upper
95 100
174 91.4 0.0 177.8
176 89.4 0.0 172.0









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.65 min Scan# 1654
Delta R.T. 0.00 min
Lab File: VD067568.D
Acq: 09 Nov 2020 16:18

Instrument :
MSVOA_D
ClientSampleId :
TP-8-COMP

Tot Ion:117 Resp: 172346
Ion Ratio Lower Upper
117 100
82 49.9 41.6 62.4
119 31.4 25.1 37.7




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VD
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.58 min Scan# 1982
Delta R.T. -0.01 min
Lab File: VD067568.D
Acq: 09 Nov 2020 16:18

Tgt Ion:152 Resp: 86554
Ion Ratio Lower Upper
152 100
115 58.5 29.3 88.0
150 160.7 0.0 338.2



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

