

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD112018\
 Data File : VD060420.D
 Acq On : 20 Nov 2018 10:37
 Operator : JC/SY
 Sample : VSTDCCC050
 Misc : 5.00g/5ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 20 14:48:35 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D110618S.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 19 16:31:59 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	92	0.00
2 T	Dichlorodifluoromethane	0.448	0.399	10.9	90	0.02
3 P	Chloromethane	0.474	0.425	10.3	90	0.02
4 C	Vinyl Chloride	0.387	0.373	3.6#	93	0.02
5 T	Bromomethane	0.092	0.099	-7.6	87	0.00
6 T	Chloroethane	0.128	0.127	0.8	86	0.00
7 T	Trichlorofluoromethane	0.456	0.474	-3.9	95	0.02
8 T	Diethyl Ether	0.083	0.082	1.2	90	0.02
9 T	1,1,2-Trichlorotrifluoroeth	0.300	0.306	-2.0	92	0.02
10 T	Methyl Iodide	0.390	0.345	11.5	80	0.02
11 T	Tert butyl alcohol	0.015	0.017	-13.3	96	0.00
12 CM	1,1-Dichloroethene	0.244	0.247	-1.2#	91	0.00
13 T	Acrolein	0.017	0.014	17.6	75	0.02
14 T	Allyl chloride	0.467	0.490	-4.9	94	0.00
15 T	Acrylonitrile	0.086	0.090	-4.7	94	0.02
16 T	Acetone	0.062	0.070	-12.9	105	0.02
17 T	Carbon Disulfide	0.787	0.732	7.0	86	0.02
18 T	Methyl Acetate	0.132	0.154	-16.7	114	0.02
19 T	Methyl tert-butyl Ether	0.731	0.758	-3.7	92	0.00
20 T	Methylene Chloride	0.551	0.539	2.2	95	0.02
21 T	trans-1,2-Dichloroethene	0.542	0.561	-3.5	93	0.02
22 T	Diisopropyl ether	1.744	1.838	-5.4	94	0.00
23 T	Vinyl Acetate	0.868	0.920	-6.0	94	0.00
24 P	1,1-Dichloroethane	0.894	0.946	-5.8	95	0.00
25 T	2-Butanone	0.129	0.137	-6.2	94	0.00
26 T	2,2-Dichloropropane	0.695	0.761	-9.5	99	0.00
27 T	cis-1,2-Dichloroethene	0.564	0.599	-6.2	95	0.00
28 T	Bromochloromethane	0.395	0.419	-6.1	98	0.00
29	Tetrahydrofuran	0.068	0.067	1.5	89	0.00
30 C	Chloroform	0.894	0.982	-9.8#	98	0.00
31 T	Cyclohexane	0.855	0.832	2.7	92	0.00
32 T	1,1,1-Trichloroethane	0.753	0.830	-10.2	98	0.00
33 S	1,2-Dichloroethane-d4	0.358	0.384	-7.3	95	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	95	0.00
35 S	Dibromofluoromethane	0.373	0.405	-8.6	97	0.00
36 T	1,1-Dichloropropene	0.494	0.490	0.8	94	0.00
37 T	Ethyl Acetate	0.227	0.234	-3.1	93	0.00
38 T	Carbon Tetrachloride	0.458	0.477	-4.1	98	0.00
39 T	Methylcyclohexane	0.568	0.559	1.6	92	0.00
40 TM	Benzene	1.261	1.258	0.2	92	0.00
41 T	Methacrylonitrile	0.260	0.259	0.4	92	0.00
42 TM	1,2-Dichloroethane	0.330	0.338	-2.4	93	0.00
43 T	Isopropyl Acetate	0.286	0.292	-2.1	92	0.00
44 TM	Trichloroethene	0.382	0.392	-2.6	94	0.00
45 C	1,2-Dichloropropane	0.318	0.331	-4.1#	94	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD112018\
 Data File : VD060420.D
 Acq On : 20 Nov 2018 10:37
 Operator : JC/SY
 Sample : VSTDCCC050
 Misc : 5.00g/5ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 20 14:48:35 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D110618S.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 19 16:31:59 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.186	0.183	1.6	89	0.00
47 T	Bromodichloromethane	0.439	0.465	-5.9	95	0.00
48 T	Methyl methacrylate	0.173	0.172	0.6	90	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	92	0.00
50 S	Toluene-d8	1.091	1.108	-1.6	91	0.00
51 T	4-Methyl-2-Pentanone	0.186	0.187	-0.5	94	0.00
52 CM	Toluene	0.805	0.808	-0.4#	93	0.00
53 T	t-1,3-Dichloropropene	0.371	0.383	-3.2	92	0.00
54 T	cis-1,3-Dichloropropene	0.476	0.493	-3.6	94	0.00
55 T	1,1,2-Trichloroethane	0.233	0.233	0.0	97	0.00
56 T	Ethyl methacrylate	0.215	0.229	-6.5	92	0.00
57 T	1,3-Dichloropropane	0.356	0.356	0.0	92	0.00
58 T	2-Chloroethyl Vinyl ether	0.130	0.127	2.3	90	0.00
59 T	2-Hexanone	0.132	0.138	-4.5	93	0.00
60 T	Dibromochloromethane	0.284	0.300	-5.6	92	0.00
61 T	1,2-Dibromoethane	0.234	0.243	-3.8	93	0.00
62 S	4-Bromofluorobenzene	0.395	0.405	-2.5	94	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	89	0.00
64 T	Tetrachloroethene	0.446	0.472	-5.8	92	0.00
65 PM	Chlorobenzene	1.083	1.160	-7.1	93	0.00
66 T	1,1,1,2-Tetrachloroethane	0.354	0.374	-5.6	92	0.00
67 C	Ethyl Benzene	1.853	1.920	-3.6#	94	0.00
68 T	m/p-Xylenes	0.684	0.718	-5.0	92	0.00
69 T	o-Xylene	0.660	0.678	-2.7	89	0.00
70 T	Styrene	1.067	1.129	-5.8	94	0.00
71 P	Bromoform	0.238	0.267	-12.2	93	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	91	0.00
73 T	Isopropylbenzene	3.643	3.675	-0.9	95	0.00
74 T	N-amyl acetate	0.934	0.986	-5.6	92	0.00
75 P	1,1,2,2-Tetrachloroethane	0.596	0.606	-1.7	91	0.00
76 T	1,2,3-Trichloropropane	0.598	0.618	-3.3	92	0.00
77 T	Bromobenzene	0.968	0.991	-2.4	93	0.00
78 T	n-propylbenzene	4.547	4.550	-0.1	91	0.00
79 T	2-Chlorotoluene	2.490	2.662	-6.9	99	0.00
80 T	1,3,5-Trimethylbenzene	2.831	2.953	-4.3	96	0.00
81 T	trans-1,4-Dichloro-2-butene	0.170	0.186	-9.4	95	0.00
82 T	4-Chlorotoluene	2.797	2.892	-3.4	96	0.00
83 T	tert-Butylbenzene	3.143	3.295	-4.8	94	0.00
84 T	1,2,4-Trimethylbenzene	2.827	3.030	-7.2	96	0.00
85 T	sec-Butylbenzene	3.856	4.048	-5.0	95	0.00
86 T	p-Isopropyltoluene	3.105	3.192	-2.8	92	0.00
87 T	1,3-Dichlorobenzene	1.722	1.742	-1.2	90	0.00
88 T	1,4-Dichlorobenzene	1.681	1.749	-4.0	93	0.00
89 T	n-Butylbenzene	3.168	3.197	-0.9	92	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD112018\
Data File : VD060420.D
Acq On : 20 Nov 2018 10:37
Operator : JC/SY
Sample : VSTDCCC050
Misc : 5.00g/5ml/MSVOA D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Nov 20 14:48:35 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D110618S.M
Quant Title : SW846 8260
QLast Update : Mon Nov 19 16:31:59 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.736	0.838	-13.9	101	0.00
91 T	1,2-Dichlorobenzene	1.414	1.378	2.5	88	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.072	0.078	-8.3	92	0.00
93 T	1,2,4-Trichlorobenzene	1.121	1.167	-4.1	92	0.00
94 T	Hexachlorobutadiene	0.839	0.825	1.7	87	0.00
95 T	Naphthalene	1.369	1.456	-6.4	94	0.00
96 T	1,2,3-Trichlorobenzene	0.898	0.934	-4.0	92	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6