

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD113020\
 Data File : VD067804.D
 Acq On : 30 Nov 2020 10:03
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 30 13:20:25 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D112320S.M
 Quant Title : SW846 8260
 QLast Update : Tue Nov 24 00:51:35 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	85	0.00
2 T	Dichlorodifluoromethane	0.435	0.466	-7.1	89	0.00
3 P	Chloromethane	0.242	0.241	0.4	86	0.00
4 C	Vinyl Chloride	0.304	0.302	0.7#	87	0.00
5 T	Bromomethane	0.259	0.262	-1.2	92	0.00
6 T	Chloroethane	0.202	0.201	0.5	89	0.00
7 T	Trichlorofluoromethane	0.926	0.952	-2.8	89	0.00
8 T	Diethyl Ether	0.187	0.172	8.0	85	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.444	0.436	1.8	88	0.00
10 T	Methyl Iodide	0.454	0.473	-4.2	83	0.00
11 T	Tert butyl alcohol	0.035	0.022	37.1#	78	-0.01
12 CM	1,1-Dichloroethene	0.410	0.407	0.7#	88	0.00
13 T	Acrolein	0.020	0.018	10.0	83	0.00
14 T	Allyl chloride	0.397	0.383	3.5	82	0.00
15 T	Acrylonitrile	0.065	0.058	10.8	79	0.00
16 T	Acetone	0.063	0.074	-17.5	102	0.00
17 T	Carbon Disulfide	1.187	1.117	5.9	81	0.00
18 T	Methyl Acetate	0.126	0.106	15.9	76	0.00
19 T	Methyl tert-butyl Ether	0.877	0.833	5.0	82	0.00
20 T	Methylene Chloride	0.630	0.417	33.8#	76	0.00
21 T	trans-1,2-Dichloroethene	0.467	0.452	3.2	85	0.00
22 T	Diisopropyl ether	0.783	0.743	5.1	79	0.00
23 T	Vinyl Acetate	0.442	0.431	2.5	81	0.00
24 P	1,1-Dichloroethane	0.664	0.638	3.9	83	0.00
25 T	2-Butanone	0.070	0.061	12.9	79	0.00
26 T	2,2-Dichloropropane	0.783	0.805	-2.8	91	0.00
27 T	cis-1,2-Dichloroethene	0.497	0.485	2.4	85	0.00
28 T	Bromochloromethane	0.213	0.200	6.1	80	0.00
29 T	Tetrahydrofuran	0.040	0.035	12.5	73	0.00
30 C	Chloroform	0.868	0.851	2.0#	87	0.00
31 T	Cyclohexane	0.588	0.533	9.4	82	0.00
32 T	1,1,1-Trichloroethane	0.920	0.936	-1.7	90	0.00
33 S	1,2-Dichloroethane-d4	0.486	0.490	-0.8	87	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	83	0.00
35 S	Dibromofluoromethane	0.318	0.334	-5.0	86	0.00
36 T	1,1-Dichloropropene	0.429	0.439	-2.3	86	0.00
37 T	Ethyl Acetate	0.115	0.111	3.5	80	-0.02
38 T	Carbon Tetrachloride	0.622	0.669	-7.6	91	0.00
39 T	Methylcyclohexane	0.508	0.529	-4.1	85	0.00
40 TM	Benzene	1.178	1.181	-0.3	85	0.00
41 T	Methacrylonitrile	0.059	0.054	8.5	73	0.00
42 TM	1,2-Dichloroethane	0.400	0.400	0.0	87	0.00
43 T	Isopropyl Acetate	0.230	0.206	10.4	76	0.00
44 TM	Trichloroethene	0.391	0.394	-0.8	86	0.00
45 C	1,2-Dichloropropane	0.242	0.228	5.8#	82	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD113020\
 Data File : VD067804.D
 Acq On : 30 Nov 2020 10:03
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 30 13:20:25 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D112320S.M
 Quant Title : SW846 8260
 QLast Update : Tue Nov 24 00:51:35 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.165	0.164	0.6	86	0.00
47 T	Bromodichloromethane	0.458	0.456	0.4	84	0.00
48 T	Methyl methacrylate	0.115	0.110	4.3	83	0.00
49 T	1,4-Dioxane	0.002	0.001	50.0#	70	-0.01
50 S	Toluene-d8	1.163	1.206	-3.7	86	0.00
51 T	4-Methyl-2-Pentanone	0.108	0.102	5.6	79	0.00
52 CM	Toluene	0.799	0.820	-2.6#	86	0.00
53 T	t-1,3-Dichloropropene	0.400	0.406	-1.5	86	0.00
54 T	cis-1,3-Dichloropropene	0.453	0.443	2.2	84	0.00
55 T	1,1,2-Trichloroethane	0.221	0.209	5.4	82	0.00
56 T	Ethyl methacrylate	0.229	0.224	2.2	82	0.00
57 T	1,3-Dichloropropane	0.348	0.329	5.5	83	0.00
58 T	2-Chloroethyl Vinyl ether	0.107	0.110	-2.8	79	0.00
59 T	2-Hexanone	0.077	0.077	0.0	85	0.00
60 T	Dibromochloromethane	0.337	0.329	2.4	84	0.00
61 T	1,2-Dibromoethane	0.218	0.210	3.7	82	0.00
62 S	4-Bromofluorobenzene	0.398	0.406	-2.0	85	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	84	0.00
64 T	Tetrachloroethene	0.388	0.392	-1.0	88	0.00
65 PM	Chlorobenzene	0.983	0.969	1.4	83	0.00
66 T	1,1,1,2-Tetrachloroethane	0.398	0.397	0.3	85	0.00
67 C	Ethyl Benzene	1.697	1.746	-2.9#	85	0.00
68 T	m/p-Xylenes	0.660	0.677	-2.6	86	0.00
69 T	o-Xylene	0.601	0.616	-2.5	85	0.00
70 T	Styrene	1.024	1.058	-3.3	86	0.00
71 P	Bromoform	0.216	0.204	5.6	83	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	81	0.00
73 T	Isopropylbenzene	3.290	3.598	-9.4	87	0.00
74 T	N-amyl acetate	0.434	0.406	6.5	77	0.00
75 P	1,1,2,2-Tetrachloroethane	0.442	0.402	9.0	79	0.00
76 T	1,2,3-Trichloropropane	0.348	0.347	0.3	84	0.00
77 T	Bromobenzene	0.824	0.852	-3.4	85	0.00
78 T	n-propylbenzene	3.660	3.989	-9.0	87	0.00
79 T	2-Chlorotoluene	2.167	2.276	-5.0	85	0.00
80 T	1,3,5-Trimethylbenzene	2.861	3.139	-9.7	87	0.00
81 T	trans-1,4-Dichloro-2-butene	0.149	0.146	2.0	80	0.00
82 T	4-Chlorotoluene	2.309	2.427	-5.1	85	0.00
83 T	tert-Butylbenzene	2.459	2.666	-8.4	85	0.00
84 T	1,2,4-Trimethylbenzene	2.858	3.077	-7.7	85	0.00
85 T	sec-Butylbenzene	3.230	3.468	-7.4	85	0.00
86 T	p-Isopropyltoluene	3.129	3.408	-8.9	87	0.00
87 T	1,3-Dichlorobenzene	1.594	1.639	-2.8	87	0.00
88 T	1,4-Dichlorobenzene	1.579	1.618	-2.5	85	0.00
89 T	n-Butylbenzene	2.681	2.925	-9.1	87	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD113020\
Data File : VD067804.D
Acq On : 30 Nov 2020 10:03
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Nov 30 13:20:25 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D112320S.M
Quant Title : SW846 8260
QLast Update : Tue Nov 24 00:51:35 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.596	0.609	-2.2	84	0.00
91 T	1,2-Dichlorobenzene	1.373	1.395	-1.6	85	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.095	0.091	4.2	81	0.00
93 T	1,2,4-Trichlorobenzene	0.972	1.030	-6.0	85	0.00
94 T	Hexachlorobutadiene	0.621	0.669	-7.7	87	0.00
95 T	Naphthalene	1.573	1.601	-1.8	82	0.00
96 T	1,2,3-Trichlorobenzene	0.828	0.839	-1.3	81	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6