

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD121818\
 Data File : VD060617.D
 Acq On : 18 Dec 2018 13:10
 Operator : VA/AP
 Sample : VD1218SBL01
 Misc : 5.00g/5ml/MSVOA D/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 VD1218SBL01

Quant Time: Dec 19 02:57:15 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D120518S.M
 Quant Title : SW846 8260
 QLast Update : Thu Dec 06 01:49:20 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.41	168	1535638	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	7.45	114	2037874	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.28	117	1649586	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.37	152	840291	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.79	65	535468	49.20	ug/l	0.00
Spiked Amount	50.000		Recovery	=	98.40%	
35) Dibromofluoromethane	6.32	113	762769	50.96	ug/l	0.00
Spiked Amount	50.000		Recovery	=	101.92%	
50) Toluene-d8	9.45	98	2150971	49.66	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.32%	
62) 4-Bromofluorobenzene	12.43	95	778299	50.21	ug/l	0.00
Spiked Amount	50.000		Recovery	=	100.42%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD121818\
Data File : VD060617.D
Acq On : 18 Dec 2018 13:10
Operator : VA/AP
Sample : VD1218SBL01
Misc : 5.00g/5ml/MSVOA D/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
VD1218SBL01

Quant Time: Dec 19 02:57:15 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D120518S.M
Quant Title : SW846 8260
QLast Update : Thu Dec 06 01:49:20 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 6.41 min Scan# 497

Delta R.T. -0.01 min

Lab File: VD060617.D

Acq: 18 Dec 2018 13:10

Instrument :

MSVOA_D

ClientSampleId :


VD1218SBL01

Tot Ion:168 Resp: 1535638

Ion Ratio Lower Upper

168 100

99 45.5 35.6 53.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC

6.41



600000

400000

200000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: N.D. ug/l

RT: 6.79 min Scan# 535

Delta R.T. -0.01 min

Lab File: VD060617.D


Acq: 18 Dec 2018 13:10

Tgt Ion: 65 Resp: 535468

Ion Ratio Lower Upper

65 100

67 53.3 0.0 106.8



Abundance Ion 64.95 (64.65 to 65.65): VDC

Ion 66.90 (66.60 to 67.60): VDC

6.79

250000

200000


150000


100000

50000

0

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 7.45 min Scan# 602
 Delta R.T. -0.01 min
 Lab File: VD060617.D
 Acq: 18 Dec 2018 13:10

Instrument :
 MSVOA_D
 ClientSampleId :
 VD1218SBL01

Tot Ion:114 Resp: 2037874
 Ion Ratio Lower Upper
 114 100
 63 18.0 0.0 34.2
 88 17.9 0.0 35.0




Abundance Ion 114.00 (113.70 to 114.70): V
 Ion 62.95 (62.65 to 63.65): V
 Ion 87.90 (87.60 to 88.60): V






#35
 Dibromofluoromethane
 Concen: 50.000 ug/l
 RT: 6.32 min Scan# 488
 Delta R.T. -0.01 min
 Lab File: VD060617.D
 Acq: 18 Dec 2018 13:10

Tgt Ion:113 Resp: 762769
 Ion Ratio Lower Upper
 113 100
 111 103.5 80.2 120.4
 192 20.4 16.6 24.8



Abundance Ion 112.90 (112.60 to 113.60): V
 Ion 110.90 (110.60 to 111.60): V
 Ion 191.80 (191.50 to 192.50): V









#50
Toluene-d8
Concen: N.D. ug/l
RT: 9.45 min Scan# 806
Delta R.T. -0.01 min
Lab File: VD060617.D
Acq: 18 Dec 2018 13:10

Instrument :
MSVOA_D
ClientSampleId :
VD1218SBL01

Tot Ion: 98 Resp: 2150971
Ion Ratio Lower Upper
98 100
100 68.6 55.7 83.5




Abundance Ion 98.05 (97.75 to 98.75): VD060492.D (-799) (-)
Ion 100.05 (99.75 to 100.75): VD060492.D (-799) (-)






#62
4-Bromofluorobenzene
Concen: N.D. ug/l
RT: 12.43 min Scan# 1108
Delta R.T. -0.01 min
Lab File: VD060617.D
Acq: 18 Dec 2018 13:10

Tgt Ion: 95 Resp: 778299
Ion Ratio Lower Upper
95 100
174 99.2 0.0 219.4
176 95.0 0.0 214.6



Abundance Ion 95.00 (94.70 to 95.70): VD060492.D (-1103) (-)
Ion 173.90 (173.60 to 174.60): VD060492.D (-1103) (-)
Ion 175.90 (175.60 to 176.60): VD060492.D (-1103) (-)









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.28 min Scan# 992
Delta R.T. 0.00 min
Lab File: VD060617.D
Acq: 18 Dec 2018 13:10

Instrument :
MSVOA_D
ClientSampleId :
VD1218SBL01

Tot Ion:117 Resp: 1649586
Ion Ratio Lower Upper
117 100
82 51.7 45.2 67.8
119 32.9 26.1 39.1




Abundance Ion 116.95 (116.65 to 117.65): V
Ion 82.05 (81.75 to 82.75): V
Ion 118.95 (118.65 to 119.65): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.37 min Scan# 1204
Delta R.T. -0.01 min
Lab File: VD060617.D
Acq: 18 Dec 2018 13:10

Tgt Ion:152 Resp: 840291
Ion Ratio Lower Upper
152 100
115 52.0 24.6 74.0
150 154.5 0.0 309.0



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 115.00 (114.70 to 115.70): V
Ion 149.90 (149.60 to 150.60): V

